


KIT # 1937

INSTALLATION INSTRUCTIONS

For installing a Reynolds CF-3-CH/CF-6-DH Icemaker on Remcor Model TW200/TJ200 dispenser.

1. Remove front panel and U-shaped cabinet wrapper from ice maker. Remove cover from ice-drop chute.
2. Drill and tap #8-32 mounting hole in ice maker base for ice level control bracket as shown in Fig. 2.
3. Seal icemaker to top of dispenser as follows:
  - a. Run a bead of RTV on the dispenser cover around the outline of the icemaker.
  - b. Set icemaker onto cover and position as shown in Fig.1.
  - c. Wipe away excess RTV.
4. Secure ice level control bulb to mounting bracket with plastic clamp and mount to icemaker base (see Fig. 2).
5. Re-mount U-shaped cabinet on Icemaker base.
6. Locate the icemaker mounting brackets as shown in Fig. 1. using the brackets as templates, drill .136 dia. holes (#29 drill size) in both the dispenser cover and the icemaker cabinet and secure with #10 sheetmetal screws provided.
7. Position dispenser access lid and drill .125 dia. holes into cover as shown in Fig. 1. Secure with #8 sheetmetal screws.
8. Remove dispenser front panel and install ice diverter as shown in Fig. 1.
9. Follow the manufacturer's instructions to complete the installation of the icemaker.

INSTALLATION DETAILS  
 REYNOLDS CF-3-CH / CF-6-DH ICE MAKER  
 FIGURE 1.






FIG. 2