

#2020 KIT

INSTALLATION INSTRUCTIONS

For installing Reynolds Series MCF400/700 and MCC500/1000 ice makers on a **REMCOR**® Model TJ150 dispenser:

1. Disconnect power to dispenser.
2. Remove the dispenser upper front panel. Check that the agitation timer is set for one (1) second on/twenty (20) minutes off (see Figure 1). The agitation timer is located in the electrical control box on the upper right side of the dispenser.
3. Using the attached drawing as a guide, seal the ice maker to the top of the dispenser as follows:
 - A. Run a bead of RTV on the dispenser cover around the inside of the ice maker outline.
 - B. Set ice maker onto cover and position as shown.
 - C. Wipe away excess RTV.
4. Fasten mounting brackets as shown. Drill holes into ice maker cabinet and install sheet metal screws into ice maker and dispenser cover.
5. Follow the manufacturer's instructions to complete the installation of the ice maker.





FIG. 1

TJ150-K REAR VIEW



ICEMAKER FLUSH
WITH SIDE AND REAR OF
DISPENSER.

USE MTG. BRKT.
AS TEMPLATE,
DRILL .136 DIA. HOLES
IN DISPENSER CAB.
& ICEMAKER BASE.

SEAL ICEMAKER
TO DISPENSER COVER
BY RUNNING A BEAD
OF RTV AROUND
THE INSIDE OF
THE ICEMAKER
OUTLINE.