

BAR DISPENSERS (Bar Guns)

- Postmix, Premix, and Juice Products
- Flow Control and Mechanical Models.




3158001
CONFORMS TO
NSF STD 18
Model 950


FEATURES

- ETL Sanitation Listed - Conforms to NSF 18
- Fast flow rates.
- Flow Control models meet all Pepsi Cola® standards for ratio, (brix,) control.
- No color or taste carry-over from nozzle.
- Nozzle removes easily with no tools for cleaning & sanitizing. Never becomes stuck to inner nozzle.
- Will dispense high yield concentrate syrups.
- Will dispense pungent syrups with no flavor migration to other flavors.
- 90° turn positive shut-offs on base units.
- Conventional fittings for 1/4" and 3/8" inlet tubing. Special off-set fittings not required.
- Every flow control module is 100% tested to and certified to meet Pepsi Cola® standards for ratio control.
- Double o-rings help prevent leaks.
- Lower life cost.
- Easier, less expensive maintenance and service.
- Easy removal from bar with no tools.
- Holster unit removable with no tools for easy cleaning.
- Large drain tube from holster prevents backup. (1/2" ID)
- Holster is a major improvement over prior design. Helps prevents nozzle from contamination.


UNDERSTANDING MODEL PART NUMBERS TO CUSTOMIZE YOUR POST-MIX BAR DISPENSER (BAR GUN)




EXAMPLE:




SERIAL NUMBER EXAMPLE:




UNDERSTANDING MODEL PART NUMBERS TO CUSTOMIZE YOUR JUICE BAR DISPENSER (BAR GUN)



EXAMPLE:




SERIAL NUMBER EXAMPLE:




LINE CONFIGURATION

Energy




P.N. 808-0075

6 Button




P.N. 808-0058




P.N. 808-0076

10 Button



P.N. 808-0054




P.N. 808-0059



P.N. 808-0060



P.N. 808-0060



P.N. 808-0055




P.N. 808-0056

12 Button




P.N. 808-0061


14 Button




P.N. 808-0071



P.N. 808-0063



P.N. 808-0064




P.N. 808-0072



P.N. 808-0072

DETERMINING SHEATH LENGTH



Sheath length is measured from the heel of the manifold to the heel of the handle. Lengths are available in 30", 48", 56", 60", 72", and 84" with 30" as the standard. Custom lengths are also available.

No.	Sheath Length
30	Standard 30
48	48"
56	56"
72	72"
84	84"

JUICE AND ENERGY BUTTON PLATE CONFIGURATION

950-J06-
6 Button

950-J08-
8 Button

950-J10-
10 Button

950-J12-
12 Button

950-01100-
1 Button

950-02200-
2 Button

634-0001 PLATE ASSY, BUTTERFLY, 1HL *

634-0002 PLATE ASSY, BUTTERFLY, 1HR *

634-0003 PLATE ASSY, BUTTERFLY, 2H *

634-0004 PLATE ASSY, BUTTERFLY, 3HL *

634-0005 PLATE ASSY, BUTTERFLY, 3HR *

634-0006 PLATE ASSY, BUTTERFLY, 4HL *

634-0007 PLATE ASSY, BUTTERFLY, 4HR *

634-0008 PLATE ASSY, BUTTERFLY, 4H#3 *


634-0009 PLATE ASSY, BUTTERFLY, 4H#4 *

● = Carbonated Positions
○ = Non-Carbonated Positions


* = Secondary Water Metering Screw Affects These Positions
Ⓜ = Requires Soda/Water Button Foot (P.N. 265-0039/265-0040) Extensions Into Bottom Of Button Where Symbol Appears.

8 AND 10 BUTTON PLATE CONFIGURATIONS


950-10800-
 8 Button Carbonated
 0 Button Non-Carbonated
 0 Pre-Mix




950-10710-
 7 Button Carbonated
 1 Button Non-Carbonated
 0 Pre-Mix




950-10620- & 950-08600-
 6 Button Carbonated
 2 Button Non-Carbonated
 0 Pre-Mix




950-10530- & 950-08510-
 5 Button Carbonated
 3 Button Non-Carbonated
 0 Pre-Mix




950-10440-
 4 Button Carbonated
 4 Button Non-Carbonated
 0 Pre-Mix




950-10350-
 3 Button Carbonated
 5 Button Non-Carbonated
 0 Pre-Mix




950-10260-
 2 Button Carbonated
 6 Button Non-Carbonated
 0 Pre-Mix



950-10170-
 1 Button Carbonated
 7 Button Non-Carbonated
 0 Pre-Mix



950-10080-
 0 Button Carbonated
 8 Button Non-Carbonated
 0 Pre-Mix




● = Carbonated Positions
 ○ = Non-Carbonated Positions


* = Secondary Water Metering Screw Affects These Positions
 ® = Requires Soda/Water Button Foot (P.N. 265-0039/265-0040)
 Extensions Into Bottom Of Button Where Symbol Appears.

12 AND 14 BUTTON PLATE CONFIGURATIONS


950-12820-
 8 Button Carbonated
 2 Button Non-Carbonated
 0 Pre-Mix




950-12730-
 7 Button Carbonated
 3 Button Non-Carbonated
 0 Pre-Mix




950-12640-
 6 Button Carbonated
 4 Button Non-Carbonated
 0 Pre-Mix




950-12550-
 5 Button Carbonated
 5 Button Non-Carbonated
 0 Pre-Mix



950-12460-
 4 Button Carbonated
 6 Button Non-Carbonated
 0 Pre-Mix



950-12370-
 3 Button Carbonated
 7 Button Non-Carbonated
 0 Pre-Mix




● = Carbonated Positions
 ○ = Non-Carbonated Positions


* = Secondary Water Metering Screw Affects These Positions
 ® = Requires Soda/Water Button Foot (P.N. 265-0039/265-0040)
 Extensions Into Bottom Of Button Where Symbol Appears.

12 AND 14 BUTTON PLATE CONFIGURATIONS


950-12280-
 2 Button Carbonated
 8 Button Non-Carbonated
 0 Pre-Mix




950-14840-
 8 Button Carbonated
 4 Button Non-Carbonated
 0 Pre-Mix




950-14750-
 7 Button Carbonated
 5 Button Non-Carbonated
 0 Pre-Mix




950-14660-
 6 Button Non-Carbonated
 6 Button Non-Carbonated
 0 Pre-Mix



950-14570-
 5 Button Carbonated
 7 Button Non-Carbonated
 0 Pre-Mix



950-14480-
 4 Button Carbonated
 8 Button Non-Carbonated
 0 Pre-Mix



● = Carbonated Positions
 ○ = Non-Carbonated Positions

* = Secondary Water Metering Screw Affects These Positions
 ® = Requires Soda/Water Button Foot (P.N. 265-0039/265-0040)
 Extensions Into Bottom Of Button Where Symbol Appears.

BUTTONS

650-0001		650-0020		650-0039		650-0060		650-0081	
650-0002		650-0021		650-0040		650-0061		650-0082	
650-0003		650-0022		650-0041		650-0062		650-0083	
650-0004		650-0023		650-0042		650-0063		650-0084	
650-0005		650-0024		650-0043		650-0064		650-0085	
650-0006		650-0025		650-0044		650-0065		650-0086	
650-0007		650-0026		650-0045		650-0066		650-0087	
650-0008		650-0027		650-0046		650-0068		650-0088	
650-0009		650-0028		650-0047		650-0069		650-0089	
650-0010		650-0029		650-0050		650-0070		650-0090	
650-0011		650-0030		650-0051		650-0072		650-0091	
650-0012		650-0031		650-0052		650-0073		650-0092	
650-0013		650-0032		650-0053		650-0074		650-0093	
650-0014		650-0033		650-0054		650-0075		650-0094	
650-0015		650-0034		650-0055		650-0076		650-0095	
650-0016		650-0035		650-0056		650-0077		650-0096	
650-0017		650-0036		650-0057		650-0078		650-0097	
650-0018		650-0037		650-0058		650-0079			
650-0019		650-0038		650-0059		650-0080			


BUTTONS

650-0098		650-0117		650-0138		650-0159		650-0178	
650-0099		650-0118		650-0139		650-0160		265-0006	
650-0100		650-0119		650-0140		650-0161		650-0195	
650-0101		650-0120		650-0142		650-0162		650-0196	
650-0102		650-0121		650-0143		650-0163		650-0197	
650-0103		650-0122		650-0144		650-0164		650-0198	
650-0104		650-0125		650-0145		650-0165		650-0199	
650-0105		650-0126		650-0146		650-0166			
650-0106		650-0127		650-0147		650-0167			
650-0107		650-0128		650-0148		650-0168			
650-0108		650-0129		650-0149		650-0169			
650-0109		650-0130		650-0150		650-0170			
650-0110		650-0131		650-0151		650-0171			
650-0111		650-0132		650-0152		650-0172			
650-0112		650-0133		650-0153		650-0173			
650-0113		650-0134		650-0154		650-0174			
650-0114		650-0135		650-0156		650-0175			
650-0115		650-0136		650-0157		650-0176			
650-0116		650-0137		650-0158		650-0177			


PRODUCT LABELS FOR FLOW CONTROL MODULES



808-0019




808-0083




808-0089



808-0020




808-0084




808-0090



808-0045




808-0085




808-0091




808-0095




808-0086




808-0092




808-0096




808-0087



808-0093






808-0088




808-0094

BUTTON PLATE CONFIGURATIONS




PLEASE SEE WEBSITE FOR UP TO DATE PLATE CONFIGURATIONS


ACCESSORIES




DRAIN TUBING
P.N. 030-0017




SANITARY HOLSTER & DRAIN
P.N. 675-0017
Black Holster Kit, With Mounting Screws




SHUT OFF TOOL
P.N. 316-0005




FLOW CONTROL TOOL
P.N. 316-0006



O-RING TOOL
P.N. 316-0003



SEPARATOR
P.N. 316-0004




EXTENSION, ACTUATOR
P.N. 279-0014




ACTUATOR, SINGLE. PREMIX
P.N. 265-0083


ACCESSORIES




1/4 BARB. STAINLESS STEEL FITTING
P.N. 625-0004




3/8 BARB. STAINLESS STEEL FITTING
P.N. 625-0005




3/8 90 DEG BARB. STAINLESS STEEL FITTING
P.N. 625-0011




3/8 45 DEG BARB. STAINLESS STEEL FITTING
P.N. 625-0012




1/4 90 DEG BARB. STAINLESS STEEL FITTING
P.N. 625-0013



1/4 45 DEG BARB. STAINLESS STEEL FITTING
P.N. 625-0014




KIT. MECHANICAL CONTROL
P.N. 675-0005



SPLITTER ASSEMBLY. WATER
P.N. 631-0049

ACCESSORIES




ACCESSORIES PART NUMBERS

ACCESSORIES PARTS LIST		
ITEM	SCHROEDER PN	DESCRIPTION
1	265-0153	BRACKET, MOUNTING, BARGUN, BLACK
2	265-0151	HOLSTER, BARGUN, BLACK
3	265-0152	DRIPTRAY, BARGUN, BLACK
4	208-0112-429	O-RING, 2-112
5	220-0016	SCREW, 8-32 X .750, PH, FHD, SS
6	249-0006	GROMMET, PISTON, .281
7	240-0006	WASHER, NYLON
8	253-0003	INSERT, ULTR IV-8
9	265-0171	HANDLE, TOOL
10	249-0005	GROMMET, SLEEVE, .500
11	220-0017	SCREW, 8-32 X 1.000, SL, TH, SS
12	265-0063	RETAINER, CLIP, FITTING
13	631-0039	SPLITTER ASSY, WATER, BARGUN
14	208-0010	O-RING, 2-010
15	265-0070	PLUG, ADJUST
16	208-0108	O-RING, 2-108
17	208-0006	O-RING, 2-006
18	265-0099	CONTROL, ORIFICE
19	208-0114	O-RING, 2-114
20	279-0016	FITTING, .375 O-RING X .250 BARB
21	279-0017	FITTING, .375 O-RING X .375 BARB
22	279-0025	FITTING, 90 DEG, 375 O-RING X .375 BARB
23	279-0027	FITTING, 90 DEG, .375 O-RING X .250 BARB
24	279-0026	FITTING, 45 DEG, 375 O-RING X .375 BARB
25	279-0028	FITTING, 45 DEG, .375 O-RING X .250 BARB
ACCESSORIES ASSEMBLED PARTS LIST		
	030-0017	DRAIN TUBE
	675-0017	BLACK HOLSTER KIT, WITH MOUNTING SCREWS
	316-0005	SHUT-OFF TOOL
	316-0006	FLOW CONTROL TOOL
	316-0003	O-RING TOOL
	316-0004	SEPARATOR
	279-0014	EXTENSION, ACTUATOR
	265-0083	ACTUATOR, SINGLE, PREMIX
	625-0004	FITTING, .375 O-RING X .250 BARB W/O-RINGS
	625-0005	FITTING, .375 O-RING X .375 BARB W/O-RINGS
	625-0011	FITTING, .90 DEG, 375 O-RING X .375 BARB W/O-RINGS
	625-0012	FITTING, .45 DEG, 375 O-RING X .375 BARB W/O-RINGS
	625-0013	FITTING, .90 DEG, .375 O-RING X .250 BARB W/O-RINGS
	625-0014	FITTING, .45 DEG, .375 O-RING X .250 BARB W/O-RINGS
	675-0005	KIT, MECHANICAL CONTROL
	631-0049	SPLITTER ASSY, WATER, BARGUN

HANDLE ASSEMBLY PART NUMBERS

BARGUN HANDLE PARTS LIST		
ITEM	SCHROEDER PN	DESCRIPTION
1	645-0084	SUB-ASSY, BARGUN HANDLE,3B, BLUE
	645-0078	SUB-ASSY, BARGUN HANDLE,5B, BLUE
	645-0031	SUB-ASSY, BARGUN HANDLE,10B, BLUE
	645-0035	SUB-ASSY, BARGUN HANDLE,12B, BLUE
	645-0038	SUB-ASSY, BARGUN HANDLE,14B, BLUE
2	210-0006	SEAL, HANDLE
3	265-0195	BODY, NOZZLE, BLUE
4	265-0001	RETAINER, BUTTERFLY
5	220-0001	SCREW, 6-32X.375,100 DEG FHP
6	220-0010	SCREW, 6-32X.500, SL, FHD, SS
7	265-0231	PLATE, BUTTON, 3B, BLUE
	265-0225	PLATE, BUTTON, 5B, BLUE
	265-0207	PLATE, BUTTON, 6B JUICE, BLUE
	265-0198	PLATE, BUTTON, 8B, BLUE
	265-0204	PLATE, BUTTON, 8B JUICE, BLUE
	265-0078	PLATE, BUTTON, 10B, BLUE
	265-0091	PLATE, BUTTON, 12B, BLUE
8	265-0094	PLATE, BUTTON, 14B, BLUE
8	265-0004	ACTUATOR, WATER/SODA
9	279-0014	EXTENSION, ACTUATOR, WATER/SODA
10	265-0007	ACTUATOR, SINGLE
	265-0083	ACTUATOR, SINGLE, PREMIX
11	265-0039	BUTTON, WATER
	265-0040	BUTTON, SODA
12	631-0048	PLATE SUBASSY, PLUNGER, RETAINER, 6B, BLUE
	631-0019	PLATE SUBASSY, PLUNGER, RETAINER, 10B, BLUE
	631-0042	PLATE SUBASSY, PLUNGER, RETAINER, 12B, BLUE
	631-0045	PLATE SUBASSY, PLUNGER, RETAINER, 14B, BLUE
13	645-0067	PLATE ASSY, PLUNGER, RETAINER, 6B, BLUE (W/ O-RINGS)
	645-0019	PLATE ASSY, PLUNGER, RETAINER, 10B, BLUE (W/ O-RINGS)
	645-0070	PLATE ASSY, PLUNGER, RETAINER, 12B, BLUE (W/ O-RINGS)
	645-0073	PLATE ASSY, PLUNGER, RETAINER, 14B, BLUE (W/ O-RINGS)
14	208-0007-429	O-RING, 2-007
15	215-0001	SPRING, STEM
16	265-0200	STEM/PLUNGER ASSY, 1 PC
17	208-2003	O-RING, 2-003, SILICONE
18	279-0013	SCREW, WATER, BRIX
19	625-0001	SCREW ASSY, WATER BRIX
20	208-0003	O-RING, 2-003
21	645-0010	SHEATH, 3/5/6, 30"
	645-0060	SHEATH, 3/5/6, 48"
	645-0001	SHEATH, 8/10, 30"
	645-0061	SHEATH, 8/10, 48"
	645-0057	SHEATH, 8/10, 56"
	645-0058	SHEATH, 8/10, 72"
	645-0016	SHEATH, 12/14, 30"
	645-0053	SHEATH, 12/14, 48"
	645-0054	SHEATH, 12/14, 56"
645-0055	SHEATH, 12/14, 72"	
22	631-0030	HEEL ASSY, HANDLE,6B, BLUE
	631-0022	HEEL ASSY, HANDLE,10B, BLUE
	631-0025	HEEL ASSY, HANDLE,12/14B, BLUE
23	220-0009	SCREW, 6-32X1.125, SL, FHD, SS (3/5/10B)
	220-0015	SCREW, 6-32X1.562, SL, FHD, SS (12/14B)
24	279-0011	POST, RETAINER
25	256-0012	PLATE, 3/5/6/10B
	256-0013	PLATE, 12/14B
26	265-0010	FERRULE, TUBE
27	265-0003	FITTING, INLET, HANDLE
28	208-0008-429	O-RING, 2-008
29	626-0001	FITTING ASSY, INLET, HANDLE (W/ O-RINGS)
30	808-0018	LABEL, PLATE, BOTTOM
31	808-0073	LABEL, DOMED, BARGUN, PEPSI
32	220-0012	SCREW, 6-32X.500, PH, PHD, SS
	265-0098	PLUG, BLUE


MANIFOLD ASSEMBLY



MANIFOLD ASSEMBLY PART NUMBERS

BARGUN MANIFOLD PARTS LIST		
ITEM	SCHROEDER PN	DESCRIPTION
1	265-0170	BASE, MOUNTING, 6B, BLACK
	265-0147	BASE, MOUNTING, 10B, BLACK
	265-0162	BASE, MOUNTING, 12/14B, BLACK
2	265-0168	HOUSING, TUBING, 6B, BLACK
	265-0145	HOUSING, TUBING, 10B, BLACK
	265-0160	HOUSING, TUBING, 12/14B, BLACK
3	265-0169	COVER, HOUSING, TUBING,6B, BLACK
	265-0146	COVER, HOUSING, TUBING,10B, BLACK
	265-0161	COVER, HOUSING, TUBING,12/14B, BLACK
4	265-0076	SCREW, SEPARATOR
5	808-0053	LABEL, SERIAL NUMBER, BARGUN
6	265-0264	FERRULE, FITTING, MANIFOLD
7	265-0061	FITTING, INLET, GUN
8	208-0010-429	O-RING, 2-010
9	626-0002	FITTING ASSY, INLET, GUN (W/ O-RINGS)
10	215-0005	SPRING, PIN, LATCH
11	248-0003	E-RING, .250
12	224-0003	SCREW, 8-16x.875, PLASTITE, PHSL, PHD
13	224-0002	SCREW, 8-16x.325, PLASTITE, PHSL, PHD
14	265-0075	PIN, LATCH
15	808-0076	LABEL, BUTTON LAYOUT ,3/5B
	808-0059	LABEL, BUTTON LAYOUT ,6B
	808-0055	LABEL, BUTTON LAYOUT ,10B
	808-0063	LABEL, BUTTON LAYOUT ,12B
	808-0064	LABEL, BUTTON LAYOUT ,14B
16	808-0060	LABEL, HOUSING LAYOUT, 3/5/6B
	808-0056	LABEL, HOUSING LAYOUT, 10B
	808-0072	LABEL, HOUSING LAYOUT, 12/14B
17	808-0075	LABEL, HANDLE LAYOUT, 3/5B
	808-0058	LABEL, HANDLE LAYOUT, 6B
	808-0054	LABEL, HANDLE LAYOUT, 10B
	808-0061	LABEL, HANDLE LAYOUT, 12B
	808-0071	LABEL, HANDLE LAYOUT, 14B
18	030-0003	TUBE,.165X.023 WALL, SODA - SPECIFY LENGTH
	030-0004	TUBE,.165X.023 WALL, WATER - SPECIFY LENGTH
	030-0005	TUBE,.165X.023 WALL, S1 - SPECIFY LENGTH
	030-0006	TUBE,.165X.023 WALL, S2 - SPECIFY LENGTH
	030-0007	TUBE,.165X.023 WALL, S3 - SPECIFY LENGTH
	030-0008	TUBE,.165X.023 WALL, S4 - SPECIFY LENGTH
	030-0009	TUBE,.165X.023 WALL, S5 - SPECIFY LENGTH
	030-0010	TUBE,.165X.023 WALL, S6 - SPECIFY LENGTH
	030-0011	TUBE,.165X.023 WALL, S7 - SPECIFY LENGTH
	030-0012	TUBE,.165X.023 WALL, S8 - SPECIFY LENGTH
	030-0013	TUBE,.165X.023 WALL, S9 - SPECIFY LENGTH
	030-0014	TUBE,.165X.023 WALL, S10 - SPECIFY LENGTH
	030-0015	TUBE,.165X.023 WALL, S11 - SPECIFY LENGTH
030-0016	TUBE,.165X.023 WALL, S12 - SPECIFY LENGTH	
19	265-0250	SCREW, 1/4-20, RETAINER, BARGUN


FLOW CONTROL MODULE ASSEMBLY



FLOW CONTROL MODULE ASSEMBLY PART NUMBERS

BARGUN FLOW CONTROL MODULE PARTS LIST		
ITEM	SCHROEDER PN	DESCRIPTION
1	265-0167	HOUSING, VALVES, 6B, BLACK
	265-0144	HOUSING, VALVES, 10B, BLACK
	265-0159	HOUSING, VALVES, 12/14B, BLACK
2	224-0002	SCREW, 8-16x.375, PLASTITE, PHSL, PHD
3	808-0053	LABEL, SERIAL NUMBER, BARGUN
4	637-0003	ASSY, VALVE, BACKBLOCK, BLACK
5	265-0139	BACKBLOCK, BLACK
6	208-0110	O-RING, 2-110
7	265-0044	STEM, BODY
8	625-0009	STEM ASSY, SHUTOFF (W/O-RING)
9	256-0011	RETAINER, STEM
10	265-0043	WASHER, STEM
11	208-0010	O-RING, 2-010
12	279-0016	FITTING, .375 O-RING X.250 BARB
	279-0017	FITTING, .375 O-RING X.375 BARB
13	625-0004	FITTING ASSY, .375 O-RING X.250 BARB (W/O-RING)
	625-0005	FITTING ASSY, .375 O-RING X.375 BARB (W/O-RING)
14	265-0048	SUB-ASSY, BODY, FLOW CONTROL, 1, NATURAL
	265-0140	SUB-ASSY BODY, FLOW CONTROL, 1, BLACK
15	639-0001	ASSY, FLOW CONTROL, SODA 1, BLACK BONNET
	639-0005	ASSY, FLOW CONTROL, SYRUP 1, BLACK
16	265-0049	SUB-ASSY, BODY, FLOW CONTROL, 2, NATURAL
	265-0142	SUB-ASSY, BODY, FLOW CONTROL, 2, BLACK
17	639-0002	ASSY, FLOW CONTROL, SODA 2, BLACK BONNET
	639-0006	ASSY, FLOW CONTROL, SYRUP 2, BLACK
18	208-0114	O-RING, 2-114
19	277-0001	SLEEVE, WATER/SYRUP
20	277-0002	PISTON, SYRUP
	277-0003	PISTON, WATER
21	215-0002	SPRING, SYRUP
	215-0003	SPRING, SODA
22	208-0108	O-RING, 2-108
23	265-0041	PLUG, ADJUST, FC, RED
24	625-0002	PLUG ADJUSTER SUB-ASSY, RED (W/ O-RING)
25	265-0042	BONNET, BLACK
26	625-0007	BONNET SUBASSY, BLACK (W/ O-RING)
27	256-0010	RETAINER, BONNET
28	224-0001	SCREW, 8-16x.500, PLASTITE, SL, HHD
29	265-0052	CAP, BONNET
30	265-0063	RETAINER, CLIP, FITTING
31	265-0070	PLUG ADJUST, MC, GREEN
32	625-0003	PLUG ADJUSTER SUB-ASSY, GREEN (W/ O-RING)
33	208-0006	O-RING, 2-006
34	265-0099	CONTROL, ORIFICE
35	625-0008	CONTROL ORIFICE SUBASSY (W/O-RING)

MECHANICAL MODULE ASSEMBLY



MECHANICAL MODULE ASSEMBLY PART NUMBERS

BARGUN MECHANICAL CONTROLS MODULE PARTS LIST		
ITEM	SCHROEDER PN	DESCRIPTION
1	265-0193	HOUSING,MOUNTING,VALVE,BOTTLER,6B, BLACK
	265-0180	HOUSING,MOUNTING,VALVE,BOTTLER,10B, BLACK
	265-0192	HOUSING,MOUNTING,VALVE,BOTTLER,12/14B, BLACK
2	224-0002	SCREW, 8-16x.375, PLASTITE, PHSL, PHD
3	265-0211	BODY,VALVE,BOTTLER, BLACK
4	265-0063	RETAINER, CLIP, FITTING
5	208-0110	O-RING, 2-110
6	265-0044	STEM, BODY
7	625-0009	STEM ASSY, SHUT OFF (W/ O-RING)
8	256-0011	RETAINER, STEM
9	265-0043	WASHER, STEM
10	208-0006	O-RING, 2-006
11	265-0154	STEM,BODY,VALVE,METER
12	625-0010	STEM ASSY, METER (W/ O-RING)
13	808-0053	LABEL, SERIAL NUMBER, BARGUN
14	279-0016	FITTING,.375 O-RING X.250 BARB
	279-0017	FITTING,.375 O-RING X.375 BARB
15	208-0010	O-RING, 2-010
16	625-0004	FITTING ASSY, .375 O-RING X.250 BARB (W/ O-RINGS)
	625-0005	FITTING ASSY, .375 O-RING X.375 BARB (W/ O-RINGS)
17	224-0005	SCREW, 6-19x.375, PLASTITE, PHSL, PHD
18	639-0016	ASSY, VALVE, BOTTLER, BARGUN, BLACK

