



COUNTRY[™]
ESTATE
EST. 1994 FENCE
Manufacturing & Distribution
Uwchland, PA

STYLE GUIDE

Finding a Good Installer

During the initial planning stage, it is important to find an experienced Installer. Your satisfaction is predicated upon the high quality of Country Estate Fence products used in combination with the workmanship of your Installer.

Communicate your list of necessary outcomes with your Installer. Seek the Installer's recommendations to ensure these outcomes are favorably achieved, putting them in writing, if necessary.

Ideally, your Independent Authorized Country Estate Dealer is someone who has been referred by a family member, friend, or neighbor. If this is impractical, we suggest the following when choosing an Installer:

1. Confirm the Installer identity and qualifications by calling 610.458.3880. *Note: There are instances when we do not have direct contact with the Installer. If this is the case, we will work with you to ensure you are receiving Country Estate products.*
2. Ask for references, installations you can see, or check with the Better Business Bureau.

Discuss building codes, height restrictions, required permits, property lines, exact fence line placement and ensure all underground utilities are properly marked and identified prior to the start date. Determine who is responsible for obtaining or completing each item. *Note: Avoid situations where starting points for the Quote subsequently differ from starting points for the Installation. Materials are ordered based upon the Quote starting points and changing starting points, after materials are ordered, may result in unnecessary or excess material purchases or, conversely, material shortages, which will increase project costs and modify or complicate the anticipated completion date.*

To learn more about installations, go to www.countryestate.com and review the national Country Estate Planning & Installation Guide for reference noting, however, regional differences are commonplace and rightly address local codes, soil conditions or customary practices.

Insist on a written contract, which adequately describes the entire project and incorporates any requested requirements. Most importantly, specify in writing that Country Estate products will be used by the installer. A deposit and/or progress payment is normal, with a final payment due upon completion and your satisfaction.

Request the manufacturer's warranty prior to commencing the project. Thoroughly review and clarify any questions with the Installer. When the project is complete, register the warranty as required.

Do not assume the lowest price is the best value. Country Estate Fence has been manufactured since 1978. This proves that Country Estate has met longevity requirements and exceeded homeowner's expectations for decades.

These commonsense recommendations will ensure a more trouble-free installation.

Thank you for choosing Country Estate products and adding to the list of satisfied customers around the world.



Country Estate® Products carry the industry's finest 50 Year Warranty or Limited Lifetime Warranty.

If you find a major manufacturer's published warranty on PVC fencing that you feel will better protect your investment than Country Estate's published warranty, submit your request to us in writing along with a copy of the competitor's warranty and we will warrant our product using the competitor's warranty rather than ours..



Safety, Security, and Peace of Mind for you and your family.

Table of Contents

Privacy / Semi - Privacy.....	1-12
Lakeland	1
Eagle.....	3
Nottingham	5
Melbourne	7
Hollingsworth & Malvern	9
Whitland & Whitmore	11
Picket Styles.....	13-23
Spartan & Brandywine.....	13
Viking	15
Springfield & Hannibal	17
Lagoon	19
Manchester & Kensington.....	21
Additional Picket Styles.....	23
Cap Options & Other Offerings.....	24
Streaking & Embossing	25-26
Handrail	27
Gates.....	28

The manufacturer has determined which styles require an aluminum insert for structural integrity. When necessary, the aluminum insert is included at no extra cost. From time to time, however, homeowners desire or specific circumstances suggest an aluminum insert be added for additional strength, which can be done for an additional charge.

References to Pool Code compliance used throughout this brochure should only be used as a general guideline. Please consult your local inspector, code official or governing compliance officer to determine applicable Pool Code requirements.

This brochure contains styles and names indigenous to our service area. Generally, these styles can be modified to suit a specific request, requirement or preference. Other styles and products are available, too. For more Country Estate arbors, pergolas, fence, deck and handrail products we offer, as well as other pertinent information on Country Estate Products, please go to: www.countryestate.com

Lakeland

Assembly at a Glance



3/4 x 7 Tongue & Groove




2 x 7



U Channel

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Optional Top Rail:



*Maxwell**





Lakeland*

- Std Heights: 4', 5', 6'
- Rails: 2" x 7" Deco Top & Bottom Rail†
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓



Lakeland Maxwell*

- Std Heights: 4', 5', 6'
- Rails: 2" x 7" Deco Bottom Rail†, Maxwell Top
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓		✓	



Lakeland Convex/Concave

- Std Heights: 4', 5', 6'
- Rails: 2" x 7" Deco Bottom Rail†, 1" x 6" each side
- Capstock: 1" x 2"
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

* Shown with optional cap offering.

† Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

Eagle

Assembly at a Glance



7/8 x 7 Tongue & Groove



2 x 7



2 x 3 1/2




U Channel



1 1/2 x 1 1/2 Cap

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Optional Top Rail:



*Maxwell**



Eagle Closed Top

- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" topper, 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Topper	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Eagle Scallop*

- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" topper, 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Topper	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Eagle Straight*

- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" topper, 7/8" x 7" T&G w/ side U Channel
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Topper	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓



* Shown with optional cap offering.

† Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

Nottingham

Assembly at a Glance



2 x 7



1 ½ x 1 ½



2 x 3 ½



1 x 6

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*


Optional:



1 ½ x 1 ½ Cap



Standard Lattice



Maxwell*



Square Lattice



Tight Lattice



Nottingham



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail†
- Pickets: 1" x 6"
- Picket Space: 1"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Nottingham Straight

(available in Scallop & Step Styles)



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top & Middle Rail w/ 1 Aluminum insert, 2" x 7" Deco Bottom Rail
- Pickets: 1-1/2" x 1-1/2" topper, 1" x 6"
- Picket Space: 1"
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Topper	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Nottingham w/ Lattice



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top & Middle Rail, 2" x 7" Deco Bottom Rail†
- Pickets: 1" x 6"
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice*
- Picket Space: 1"
- Posts: 5" x 5"
- Pool Code: 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	2D/3D*			
Rails	✓	✓	✓	✓	✓	✓	✓

*3D upcharge applies

†Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

PRIVACY & SEMI-PRIVACY

Melbourne

Assembly at a Glance



1 x 6



3½ x 3½

All sections come standard with a 5 x 5 post

Optional:



2 x 3½



Standard Lattice



Square Lattice



Tight Lattice



Melbourne w/ Lattice*

- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 3-1/2" x 3-1/2" Middle & Bottom Rail†
- Pickets: 1" x 6"
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice*
- Picket Space: 5-3/8" (Shadowbox)
- Posts: 5" x 5"
- Pool Code: Not Pool Code Compliant

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	✓			
Rails	✓	✓	✓	✓			



Melbourne*

- Std Heights: 4', 5', 6'
- Rails: 3-1/2" x 3-1/2" Top Rail, Bottom Rail†
- Pickets: 1" x 6"
- Picket Space: 5-3/8" (Shadowbox)
- Posts: 5" x 5"
- Pool Code: Not Pool Code Compliant

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓			

*Metal stiffener in bottom rail

†Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

Hollingsworth & Malvern

Assembly at a Glance



7/8 x 7 Tongue & Groove



2 x 7



Lattice Top



U Channel




2 x 3 1/2



Spindle

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Optional:



*Maxwell**



Square Lattice



Tight Lattice

Hollingsworth



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail†
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice*
- Posts: 5" x 5"
- Pool Code: 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	2D/3D*			
Rails	✓	✓	✓	✓	✓	✓	✓

*3D upcharge applies

Malvern



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Middle & Bottom Rail†
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Topper: Black Aluminum Spindles
- Posts: 5" x 5"
- Pool Code: 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	2D/3D*			
Rails	✓	✓	✓	✓	✓	✓	✓


*3D upcharge applies

†Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

Whitland & Whitmore

Assembly at a Glance Whitland & Whitmore



Maxwell Top Rail



$\frac{7}{8} \times 7$ Tongue & Groove



$\frac{7}{8} \times 3$



U Channel

All sections come standard with a 5 x 5 post
4 x 4 post available upon request

Whitland



2 x 7

Whitmore



2 x 6



Whitland



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Maxwell Mid/Top Rail, 2" x 7" Bottom Rail†
- Pickets: 7/8" x 7" w/ side U Channel
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice*
- Posts: 5" x 5"
- Pool Code: 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	2D/3D*			
Rails	✓	✓	✓	✓		✓	

*3D upcharge applies

Whitmore



- Std Heights: 4', 5', 6'
- Rails: 7/8" x 3" Maxwell Top Rail, 2" x 6" Bottom Rail†
- Pickets: 7/8" x 7" T&G w/ side U Channel
- Lattice: 2 Dimensional Lattice / 3 Dimensional Lattice*
- Posts: 5" x 5"
- Pool Code: 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Inlay	✓	✓	✓	✓	✓	✓	✓
Lattice	2D/3D*	2D/3D*	3D*	2D/3D*			
Rails	✓	✓	✓	✓		✓	

*3D upcharge applies

†Aluminum insert available for additional cost.

Maxwell rail cannot be embossed, only available streaked or standard.

Spartan & Brandywine

Assembly at a Glance



$\frac{7}{8} \times 3$



$2 \times 3\frac{1}{2}$



2×7

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Optional Picket Caps



$\frac{7}{8} \times 3$ Dog Ear Cap



$\frac{7}{8} \times 3$ Sharp Cap

Brandywine*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top & Bottom Rail w/ 1 Aluminum insert
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6' @ 1-3/4" space & 5', 6' @ 3" space

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Spartan Scallop*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail[†]
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 5', 6' @ 1-3/4" space & 6' @ 3" space

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Spartan Straight*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail[†]
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6' @ 1-3/4" space & 5', 6' @ 3" space

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

* Shown with optional cap offering.
[†] Aluminum insert available for additional cost.
^{††} Optional Sharp Point cap available.
 Brandywine - Available in Scallop

Viking

Assembly at a Glance



1 1/2 x 1 1/2



2 x 3 1/2



2 x 7



1 1/2 x 1 1/2 Cap

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Viking Step*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" w/ Pyramid Cap
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 5', 6' @ 1-3/4" space & 6' @ 3" space.

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Viking Scallop*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" w/ Pyramid Cap
- Picket Space: 1-3/4" or 3"
- Posts: 5" x 5"
- Pool Code: 5', 6' @ 1-3/4" space & 6' @ 3" space.

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Viking Straight*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top Rail, 2" x 7" Deco Bottom Rail†
- Pickets: 1-1/2" x 1-1/2" w/ Pyramid Cap
- Picket Space: 1-3/4" or 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6' @ 1-3/4" space & 5', 6' @ 3" space.

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

*Shown with optional cap offering.

† Aluminum insert available for additional cost.

Springfield & Hannibal

Assembly at a Glance



$\frac{7}{8} \times 3$



$1\frac{1}{2} \times 5\frac{1}{2}$



$2 \times 3\frac{1}{2}$

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Optional Picket Caps



$\frac{7}{8} \times 3$ Dog Ear Cap



$\frac{7}{8} \times 3$ Sharp Cap



Springfield*

- Std Heights: 4', 5', 6' (Measured from top of post without cap.)
- Rails: 1-1/2" x 5-1/2" Top and Bottom Rail
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 2"
- Posts: 5" x 5"
- Pool Code: 5', 6' (Must request Pool Code Spacing.)

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

Springfield Straight*

- Std Heights: 4', 5', 6' (Measured from top of post without cap.)
- Rails: 1-1/2" x 5-1/2" Top and Bottom Rail
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 2"
- Posts: 5" x 5"
- Pool Code: 5', 6' (Must request Pool Code Spacing.)

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓



Hannibal*

- Std Heights: 3', 3-1/2", 4'
- Rails: 2" x 3-1/2" Top & Bottom Rail
- Pickets: 7/8" x 3" w/ Dog Ear Cap^{††}
- Picket Space: 1-3/4"
- Posts: 4" x 4" or 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓



*Shown with optional cap offering.
[†] Aluminum insert available for additional cost.
 Hannibal - Only available 6' wide.

Lagoon

Assembly at a Glance



1 x 2



1 1/2 x 1 1/2



7/8 x 3



2 x 3 1/2

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*





Lagoon 12

- Std Heights: 4', 5', 6'***
- Rails: 2" x 3-1/2" Top & Bottom Rail w/ 1 Aluminum insert
- Pickets: 1" x 2"
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓		
Rails	✓	✓	✓	✓	✓	✓	✓



Lagoon 15

- Std Heights: 4', 5', 6'***
- Rails: 2" x 3-1/2" Top & Bottom Rail w/ 1 Aluminum insert
- Pickets: 1-1/2" x 1-1/2"
- Picket Space: 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓



Lagoon 783*

- Std Heights: 4', 5', 6'***
- Rails: 2" x 3-1/2" Top & Bottom Rail w/ 1 Aluminum insert
- Pickets: 7/8" x 3"
- Picket Space: 3/4", 1-3/4" & 3"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓	✓	✓
Rails	✓	✓	✓	✓	✓	✓	✓

*Shown with optional cap offering.

** 6' - with Middle Rail; 5' - Middle Rail optional.

Manchester & Kensington

Assembly at a Glance



$\frac{7}{8} \times 3$



$\frac{7}{8} \times 1\frac{1}{2}$



1×6



$2 \times 3\frac{1}{2}$

*All sections come standard with a 5 x 5 post
4 x 4 post available upon request*

Manchester



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top & Bottom Rail w/ 1 Aluminum insert
- Pickets: 7/8" x 3" & 7/8" x 1-1/2"
- Picket Space: 2"
- Posts: 5" x 5"
- Pool Code: 4', 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓			
Rails	✓	✓	✓	✓	✓	✓	✓

Kensington*



- Std Heights: 4', 5', 6'
- Rails: 2" x 3-1/2" Top, Middle & Bottom Rail†
- Pickets: 1" x 6" & 1" x 2"
- Picket Space: 1"
- Posts: 5" x 5"
- Pool Code: 5', 6'

	White	Almond	Gray	Adobe	Emboss	Streak	Str. & Emb.
Pickets	✓	✓	✓	✓	✓		
Rails	✓	✓	✓	✓	✓	✓	✓

The manufacturer has determined which styles require an aluminum insert for structural integrity. When necessary, the aluminum insert is included at no extra cost. From time to time, however, homeowners desire or specific circumstances suggest an aluminum insert be added for additional strength, which can be done for an additional charge.

References to Pool Code compliance used throughout this brochure should only be used as a general guideline. Please consult your local inspector, code official or governing compliance officer to determine applicable Pool Code requirements.

This brochure contains styles and names indigenous to our service area. Generally, these styles can be modified to suit a specific request, requirement or preference. Other styles and products are available, too. For more Country Estate arbors, pergolas, fence, deck and handrail products we offer, as well as other pertinent information on Country Estate Products, please go to: www.countryestate.com

* Shown with optional cap offering.

† Aluminum insert available for additional cost.

Additional Picket Styles

Alton (3', 3-½', 4' Heights)



Dartmouth (4', 5', 6' Heights)



Brighton (4', 5', 6' Heights)



Dawson* (4', 5', 6' Heights)



Cape Cod* (3', 3-½', 4' Heights)



Denver* (4', 5', 6' Heights)



Dalton (4', 5', 6' Heights)




Georgetown (3', 3-½', 4' Heights)




Cap Options & Other Offerings

Colors

(colors may vary slightly)



Almond



Gray



Adobe

Actual colors may vary slightly from images shown.

Cap Options

- A Federation
- B New England
- C Gothic
- D Ball Cap
- E External Flat Cap (standard)



Mailboxes (mailbox not included)



Streaking & Embossing



Embossing - Wood Grain Texture



Streaking - Wood Grain Appearance



Streaking & Embossing



Actual colors may vary slightly from images shown.

Handrail



T-Rail w/ Colonial Spindles

36"H or 42"H

- Top Horizontal T-Rail
- Bottom Horizontal 2" x 3.5"
- Aluminum Horizontal Top & Bottom
- Colonial "Turned" Spindle
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe



T-Rail w/ 1.5" x 1.5" Pickets

36"H or 42"H

- Top Horizontal T-Rail
- Bottom Horizontal 2" x 3.5"
- Aluminum Horizontal Top & Bottom
- 1.5" x 1.5" Picket
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)



2" x 3.5" w/ 1.5" x 1.5" Pickets

36"H or 42"H

- Top Horizontal 2" x 3.5"
- Bottom Horizontal 2" x 3.5"
- Aluminum Horizontal Top & Bottom
- 1.5" x 1.5" Picket
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)



T-Rail w/ 1"x 2" Pickets

36"H or 42"H

- Top Horizontal T-Rail
- Bottom Horizontal 2" x 3.5"
- Aluminum Horizontal Top & Bottom
- 1" x 2" Picket
- Maximum Width: 10' (36" HI) & 8' (42" HI)
- Available in White, Almond, Adobe, Gray (Limited Accessories)

Superior Craftsmanship from Start to Finish

Gates are the most used and abused part of any fence. Do NOT compromise on the quality of the gate hardware or gate construction.

Country Estate Fence takes pride in craftsmanship and attention to detail. Our well-constructed gates are truly the best in the industry.

Our gates are built without visible external brackets and screws.

We use a patented socket system to ensure gates will easily open and close. Four gate sockets are inserted into the gate uprights and receive the top and bottom gate rails so that the strength mechanism is not visible. Our patented gate socket is extruded (not molded) which gives additional strength. An added cross brace ensures ultimate, long-lasting stability.

Our gate department has 50+ years of combined experience and can construct racked gates and custom width gates that accommodate inclines and uneven, non-standard openings.





4-Rail Crossbuck



3-Rail



2-Rail



4-Rail

Highlander Arched Top



Custom Pergola with lattice sides



Oxford Arched Top



Vesper Rose Arched Top



COUNTRY
ESTATE
FENCE, DECK & RAILING

Uwchland, PA

AUTHORIZED INDEPENDENT
COUNTRY ESTATE DEALER