

**THERMA TRU**<sup>®</sup>  
DOORS

fabricated by

**OREPAC**

NORTHWEST REGION



---

MANIFEST YOUR OUTER HOME

---



QUALITY




TRUST



VALUE



SERVICE



# Make Complicated Simple™

At OrePac, we believe in delivering more than just building materials—we deliver trusted partnerships. As a family-owned and operated business since 1977, our commitment to quality, integrity, and unmatched service drives everything we do. From exceptional products to reliable logistics, our expert staff are here to simplify your complex projects, helping you build with confidence.

Our 10 full-service facilities located across the western U.S. are the heart of our business. Each location offers a unique assortment of specialty building materials, moulding & millwork, and doors, so you get the right product, on time, every time.

Learn more at [www.orepac.com](http://www.orepac.com)





# Table of Contents

- 2 About OrePac
- 4 Curb Appeal
- 5 The Beauty of Choice
- 6 Finish Options

## **CLASSIC CRAFT.**

- 8 Collections
- 10 Door Construction
- 12 Privacy & Textured Glass
- 14 Energy-Efficient Options for Every Home
- 15 Advanta™ Lite Frame
- 16 Veris™ Collection Quick Ship Program
- 18 Contemporary SDL Doors with Glass
- 19 EnLiten™ Flush-Glazed Designs
- 20 Full & 2/3 Glass
- 22 Craftsman
- 23 Solid Panel
- 25 8'0" Craftsman
- 26 8'0" Solid Panel

## **FIBER-CLASSIC. & SMOOTH-STAR.**

- 28 Door Options
- 29 Door Construction
- 30 Decorative Glass
- 31 Privacy & Textured Glass
- 32 Divided Lites
- 33 EnLiten™ Flush-Glazed Designs
- 34 EnLiten™ Flush-Glazed Full Glass
- 37 EnLiten™ Flush-Glazed 3/4 & 1/2 Glass
- 39 EnLiten™ Flush-Glazed Craftsman
- 41 EnLiten™ Flush-Glazed 8'0" Full Glass
- 43 EnLiten™ Flush-Glazed 8'0" 3/4 & 1/2 Glass
- 45 EnLiten™ Flush-Glazed 8'0" Craftsman
- 46 Full Glass
- 49 3/4 Glass
- 51 1/2 Glass
- 57 Oval & Center Lites
- 59 Craftsman
- 62 Minimal Glass
- 64 Solid Panel
- 66 Pulse™
- 74 8'0" Full Glass
- 75 8'0" 3/4 Glass
- 77 8'0" 1/2 Glass
- 80 8'0" Craftsman
- 82 8'0" Minimal Glass & Solid Panel
- 85 8'0" Pulse™

## **PROFILES. & TRADITIONS**

- 94 Steel Full & 1/2 Glass
- 98 Steel Craftsman
- 100 Steel Minimal Glass & Solid Panel
- 102 Steel Pulse™
- 106 8'0" Steel Full, Solid Panel & Pulse™
- 112 Door System Components
- 116 Hinged Patio Door Systems
- 120 Retractable Screen Doors
- 121 Product Detail
- 122 Why OrePac

Smooth-Star, Saratoga Glass, Door – S154, Finish – Indigo  
 Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

# The Importance of Curb Appeal



A front door is nearly impossible to ignore when walking into a home and, for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

## Make a great first impression.

**One in three** homeowners said they were willing to pay a premium for an enhanced entry.<sup>1</sup>



Before



After

# The Beauty of Choice

The architectural beauty of a Therma-Tru® door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



## DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system.



## DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs.



## DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications.




## FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain.


## Entry Door Configurations

Configure a beautiful look to suit your home.


### Single Doors



### Multiple Doors



### Transoms



## Door Swing & Handing

Find the door swing and handing needed for your home. Options include inswing and outswing for right- and left-handed operation.

### Inswing



Right-Handed

### Outswing




Right-Handed



Left-Handed



Left-Handed



## PrismaGuard® Premium Stain Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard premium finish is built to last, giving your customers confidence and peace of mind. Features enhanced durability to protect from everyday wear and tear.



Classic Craft Finish  
Transferable



Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish



Professional  
Application



Durable  
Topcoat

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](http://store.thermatru.com).

### Stain Options (shown in Fir Grain)



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.



## PrismaGuard® Premium Paint Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind. Features enhanced durability to protect from everyday wear and tear.

**10 YEAR**  
LIMITED WARRANTY  
Classic Craft Finish  
Transferable

**10 YEAR**  
LIMITED WARRANTY  
Fiber-Classic,  
Smooth-Star, Pulse,  
Steel Finish



Professional  
Application



Durable  
Topcoat



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Confidence on the coast.

Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](http://store.thermatru.com).

## Paint Options



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

# Classic Craft®

## Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

### Artissa Collection

CASUAL | RELAXED | SIMPLE



### Founders Collection

TRADITIONAL | TIME-HONORED | DECORATIVE



### Visionary Collection

MODERN | CONFIDENT | MINIMAL



Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA210SL, Finish - Raven  
Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR, Finish - Acorn  
Bottom: Classic Craft Walnut Grain Door - CCW8906R, Low-E Direct Set Sidelite - DRS82131SL, Finish - Lynx

## True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain®  
TECHNOLOGY



### FIR GRAIN

Designed to echo the grain of the largest species of American Hemlocks — the Western Hemlock tree — found in lush coastal rainforests of the Pacific Northwest.



### WALNUT GRAIN

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



### MAHOGANY GRAIN

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.



### CANVAS

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.



## Comprehensive warranties for peace of mind.

**LIFETIME**  
LIMITED WARRANTY

Classic Craft  
Transferable

Uniquely designed by Therma-Tru, Classic Craft® complete entryway systems are backed by an industry-leading lifetime limited warranty that can be transferred one time to a new owner, should you ever sell your home.

**10 YEAR**  
LIMITED WARRANTY

Classic Craft Finish  
Transferable

In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty — Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at [thermatru.com/warranty](http://thermatru.com/warranty).

## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft® premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



### ENGINEERED FOR MOISTURE PROTECTION

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



### DESIGNED WITH AUTHENTICITY

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider<sup>1</sup> to welcome more natural light into the home.



### TESTED TO WITHSTAND MOTHER NATURE

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



### THERMA-TRU® DOOR FRAME

Created specifically for Therma-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



<sup>1</sup>Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.  
<sup>2</sup>Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8907L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn  
 Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley  
 Right Page Bottom: Classic Craft Canvas Door – CCV220; Low-E Glass Sidelites – CCV100SL, Finish – Indigo



### DESIGNED FOR LONG-TERM PERFORMANCE

Features fiberglass skins that are 46% thicker<sup>1</sup> for added durability and better long-term performance.



### TRIPLE-PANE CONSTRUCTION

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



### CRAFTED FOR A TRUE-TO-WOOD APPEARANCE

Revolutionary AccuGrain<sup>®</sup> technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



### BUILT FOR STRENGTH AND SECURITY

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.<sup>1</sup>



### CONSTRUCTED FOR ENERGY EFFICIENCY

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.<sup>2</sup>



# Privacy & Textured Glass



## Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.



### GLASS PRIVACY RATING



## Also Available: Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.




Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

Above Right: Classic Craft Fir Grain, Low-E Glass, Finish - Sandalwood



# Energy-Efficient Options for Every Home



## Therma-Tru has options to meet ENERGY STAR® requirements in all 50 states.

ENERGY STAR provides simple, credible and unbiased information that homeowners rely on to make well-informed decisions.

Products that earn the ENERGY STAR label are independently certified to meet strict standards for energy efficiency set by the U.S. Environmental Protection Agency (EPA).



## A Therma-Tru® door can help lower your interest rate.

Choosing an ENERGY STAR-certified door from Therma-Tru can help you qualify for an energy-efficient mortgage.<sup>1</sup>

## Year-round comfort, no matter the weather.


Factory-coated Low-E glass features a thin layer that reflects infrared and ultraviolet (UV) light, helping deliver exceptional energy efficiency.

**NEW**

Select flush-glazed full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements indicated in gold starting on page 34.



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.



Scan to view qualifying products.

<sup>1</sup>Varies by region. Contact your mortgage lender for details.

# Advanta® Lite Frame

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse®.



**ADVANTA**  
LITE FRAME



Four-piece design includes two interchangeable frame covers and a two-piece base frame.

**NEW** Advanta lite frame clear and privacy glass now include options that meet ENERGY STAR® requirements in all 50 states, featuring triple-pane construction with a Low-E coating.

## A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 130; Profiles and Traditions, starting on page 213; and Pulse, starting on page 240.

## AVAILABLE ENERGY STAR®-CERTIFIED GLASS OPTIONS



**LIFETIME**  
LIMITED WARRANTY

Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass

**10 YEAR**  
LIMITED WARRANTY

Profiles, Traditions,  
Pulse Steel



As Awarded by The Chicago Athenaeum: Museum of Architecture and Design.

# Quick Ship Program

Standardized offering of **HINGED** and **PIVOT** doors delivered in just **3 WEEKS**.



FEATURE	HINGED	PIVOT
SERIES	V2	V2
WIDTH	3'6, and 4'0	3'6, and 4'0
HANDING	Right / Left	Right / Left
GRILLE	n / a	n / a
EXTERIOR COLOR	Black	Black
INTERIOR COLOR	Black	Black
HEIGHT	8'0	8'0
GLASS	Enhanced Low-E Standard or Satin	Enhanced Low-E Standard or Satin
HANDLE TYPE	Inspira	Inspira
HANDLE FINISH	Black Nickel or Satin Nickel	Black Nickel or Satin Nickel
SILL	Standard	Flush (ADA)
SILL COLOR	Dark Bronze Anodized	Dark Bronze Anodized
SWING	Inswing	Inswing

# Quick Ship Program

Select **SLIDING** and **FOLDING** doors delivered in just **4 WEEKS**.



FEATURE	SLIDING	FOLDING
SERIES	V2	V2
PANEL COUNT	3, 4	3, 4
SIZE WIDTH	9'0, 12'0 and 16'0	9'0 and 12'0
SIZE HEIGHT	8'0	8'0
GRILLE	n / a	n / a
EXTERIOR COLOR	Black	Black
INTERIOR COLOR	Black	Black
GLASS	Enhanced Low-E Standard	Enhanced Low-E Standard
HANDLE TYPE	Ergonomic or Recessed	Realm
HANDLE FINISH	Black Nickel/Satin Nickel or Dark Bronze/Clear Anodized	Black Nickel or Satin Nickel
SILL	Flush (ADA) or Standard	Standard
SILL COLOR	Dark Bronze Anodized	Dark Bronze Anodized
SWING	n / a	n / a
CONFIGURATION	OXX, XXO, OXXO (Center)	3R, 3L, 1L3R, 3L1R
HANGING	n / a	Bottom Load
SCREENS	n / a	n / a


# Contemporary SDL Doors with Glass

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

## MAKE IT YOUR OWN

### Configurations

Select the perfect lite style for your door.



Availability of specific SDL bars and glass families may vary. Contact your local OrePac representative for more information.


### Textures

Choose between smooth or woodgrain.



### Sizes

Available in 2-1/2", 3-1/2", 4-1/2" & 5-1/2".  
Fiber-Classic® and Smooth-Star® are available in all widths.  
Classic Craft® is only available in 3.5".



### Glass

Choose between energy efficient privacy or textured glass.



### Choose a Stain or Paint Color

Give your door the attention it deserves!

<p><b>10 YEAR</b> LIMITED WARRANTY</p> <p>Classic Craft Finish Transferable</p>	<p><b>10 YEAR</b> LIMITED WARRANTY</p> <p>Fiber-Classic, Smooth-Star, Pulse, Steel Finish</p>	 Professional Application	 Durable Topcoat
---	---	---	--

# EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥) icon.



## Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



## 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



## Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)



Flush-Glazed Glass



Lip-Lite Frame

## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking



Flush-Glazed Glass with Square Sticking



Lip-Lite Frame

## Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.

## Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.

\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.  
 \*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

## Warranty riders for peace of mind.

### EnLiten® Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

### EnLiten® Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

# Classic Craft®

## FULL & 2/3 GLASS



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2300, Sidelites – CCA2400SL, Finish – Alpine

### Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

- DOOR DIVIDER BARS (DDB)**
- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options
- SIMULATED DIVIDED LITES (SDL)**
- ▭ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles
- FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG
- CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### Privacy with SDLs



Fir  
Satin Etch  
CCA2300XE 4 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2310XE 4 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2320XE 3 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2330XE 3 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2340XE 3 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2360XE 5 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2350XE 5 🔥  
6'8": 3'0"

### Privacy with SDLs



Fir  
Satin Etch  
CCA2360XE 5 🔥  
6'8": 3'0"

Privacy with SDLs



Fir  
Satin Etch  
CCA2370XE 4  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2300-LE 4  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2310-LE 4  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2320-LE 3  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA3450SL-LE  
6'8": 12"

Simulated Divided Lites



Fir  
CCA2330-LE 3  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2340-LE 3  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2380-LE 5  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2350-LE 5  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2360-LE 5  
6'8": 3'0"

Simulated Divided Lites



Fir  
CCA2370-LE 4  
6'8": 3'0"

Low-E / Clear



Fir  
CCA2400-LE  
6'8": 3'0"

Low-E / Clear



Fir  
CCA3400SL-LE  
6'8": 12"

Low-E / Clear



Mahogany  
CCR20520-LE  
6'8": 3'0"



Classic Craft Fir Grain, Low-E Glass, Door – CCA240-SDL, Finish – Shale

**Simulated Divided Lites**



Fir  
CCA220SL-LE  
6'8": 14"

**Simulated Divided Lites**



Fir  
CCA220-LE  
6'8": 3'0"

**Simulated Divided Lites**



Fir  
CCA230-LE  
6'8": 3'0"

**Simulated Divided Lites**



Fir  
CCA240-LE  
6'8": 3'0"

**Simulated Divided Lites**



Fir  
CCA260-LE  
6'8": 3'0"

**Low-E / Clear**



Fir  
CCA210-LE  
6'8": 3'0"

**Low-E / Clear**



Fir  
CCA210SL-LE  
6'8": 14"

**Key**

- No Stile Lines
- 🔥 Flush-Glazed Glass
- 🌬 Vented Sidelite
- 🔹 Black Nickel
- 🔸 Brushed Nickel
- 🔶 Brass
- 🔱 Wrought Iron
- XK Reeded
- XE Satin Etch
- XC Chord
- XJ Chinchilla
- XR Rainglass
- XN Granite
- LE Low-E
- CL Clear
- ⌞ Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- 📏 Scrolled & Flat Advanta Lite Frame
- 📏 Scrolled Advanta Lite Frame
- 📏 Flat Advanta Lite Frame
- 📏 Standard Lite Frame Available
- 🔥 20-Minute Fire-Rated
- 🔥 90-Minute Fire-Rated
- 📏 WBDR Options
- 📏 WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 Door Divider Bars (3 1/2")
- 3 Door Divider Bars (4 1/4")
- 4 Door Divider Bars (5 1/2")
- 5 Door Divider Bars (4 1/4" & 5 1/2")
- E Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- 📏 Simulated Divided Lites
- 1 1 1/8" Flat SDL
- 2 3 1/2" Flat SDL
- 3 4 1/4" Flat SDL
- 4 5 1/2" Flat SDL
- 5 4 1/4" & 5 1/2" Flat Combo SDL
- 6 1 3/5" Flat SDL
- FXG Fixed Grilles


**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW Flat White GBG
- GBGFA Flat Almond GBG
- GBGFB Flat Bronze GBG
- GBGFK Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW Contour White GBG
- GBGCK Contour Black GBG

# Classic Craft<sup>®</sup> SOLID PANEL



Classic Craft Canvas Door – CCV050; Low-E Glass, Sidelite – CCV100SL,  
Finish – Ruby Red

Solid Panel

## Full Plank



Mahogany  
CCR100  
6'8": 3'0"

## 2 Panel Plank Soft Arch



Mahogany  
CCR205 9  
6'8": 3'0"

## 6 Panel



Mahogany  
CCM60 9  
6'8": 3'0"

## 5 Panel



Canvas  
CCV050 9  
6'8": 3'0"

## 1 Panel Shaker



Fir  
CCA1100 9  
6'8": 3'0"

## 901 Design - Left



Walnut  
CCW901L 9  
6'8": 3'0"

## 901 Design - Right



Walnut  
CCW901R 9  
6'8": 3'0"

## 904 Design - Left



Walnut  
CCW904L 9  
6'8": 3'0"

### Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▤ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Note: Product images show exterior side of door.

904 Design - Right



Walnut  
CCW904R 9  
6'8": 3'0"

2 Panel Craftsman Shaker



Fir  
CCA1125 5 9  
6'8": 3'0"

2 Panel Square Top Shaker



Fir  
CCA1127 4 9  
6'8": 3'0"

3 Panel Shaker



Fir  
CCA1133 4 9  
6'8": 3'0"

4 Panel Shaker



Fir  
CCA1145 4 9  
6'8": 3'0"

4 Panel Craftsman Shaker



Fir  
CCA1149 5 9  
6'8": 3'0"

4 Panel Square Top Shaker



Fir  
CCA1147 5 9  
6'8": 3'0"

5 Panel Shaker



Fir  
CCA1150 3 9  
6'8": 3'0"

5 Panel Square Top Shaker



Fir  
CCA1158 3 9  
6'8": 3'0"

6 Panel Shaker



Fir  
CCA1166 3 9  
6'8": 3'0"

# Classic Craft® 8'0" CRAFTSMAN



Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA8220;  
Smooth-Star, Satin Etch Glass, Sidelites – S8601XESL

## Simulated Divided Lites



Fir  
CCA8220-LE  
8'0": 3'0"

## Simulated Divided Lites



Fir  
CCA8230-LE  
8'0": 3'0"

## Simulated Divided Lites



Fir  
CCA8240-LE  
8'0": 3'0"

## Simulated Divided Lites



Fir  
CCA8260-LE  
8'0": 3'0"

## Low-E / Clear



Fir  
CCA8210-LE  
8'0": 3'0"

### Key

- ..... No Stile Lines
- 🔥 ..... Flush-Glazed Glass
- 🟢 ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- 🔱 ..... Brass
- ✂ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▥ ..... Scrolled Advanta Lite Frame
- ▧ ..... Flat Advanta Lite Frame
- ▨ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- 🔱 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

# Classic Craft®

## 8'0" SOLID PANEL



Classic Craft Fir Grain Door – CCA81166; Low-E Glass, Sidelites – CCA3500SL, Finish – Acorn

### Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

- DOOR DIVIDER BARS (DDB)**
- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options
- SIMULATED DIVIDED LITES (SDL)**
- ▤ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles
- FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG
- CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### 1 Panel Shaker



Fir  
CCA81100 9  
8'0": 3'0"

### 2 Panel Craftsman Shaker



Fir  
CCA81125 5 9  
8'0": 3'0"

### 2 Panel Square Top Shaker



Fir  
CCA81127 4 9  
8'0": 3'0"

### 3 Panel Shaker



Fir  
CCA81133 4 9  
8'0": 3'0"

### 4 Panel Shaker



Fir  
CCA81145 4 9  
8'0": 3'0"

### 4 Panel Craftsman Shaker



Fir  
CCA81149 5 9  
8'0": 3'0"

### 4 Panel Square Top Shaker



Fir  
CCA81147 5 9  
8'0": 3'0"

### 5 Panel Shaker



Fir  
CCA81150 3 9  
8'0": 3'0"

5 Panel Square  
Top Shaker



Fir

CCA81158   
8'0": 3'0"

6 Panel Shaker



Fir

CCA81166   
8'0": 3'0"

8'0" Solid Panel



# Fiber-Classic® & Smooth-Star®

## Grain Options




### FIBER-CLASSIC® MAHOGANY COLLECTION™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### FIBER-CLASSIC® OAK COLLECTION™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



### SMOOTH-STAR®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

## See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options.



## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options.
- Lite frame options include Advanta® lite frame with no screw plugs and a standard Lip-lite frame. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25–27" wide glass.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



<sup>1</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

<sup>2</sup>Comparison of fiberglass to wood doors (both without glass).

# Fiber-Classic® and Smooth-Star® Door Construction

Fiber-Classic and Smooth-Star doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.<sup>1</sup> Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1-1/4" engineered lumber lock stile which increases rigidity and stability.

## 3 DURABILITY

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

## 4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood<sup>2</sup>, Therma-Tru® fiberglass doors insulate against cold and heat for exceptional energy efficiency.

## 4 OPTIONAL COMPOSITE EDGE

Tru-Guard™ composite edges are engineered to work together with composite top and bottom rails and durable fiberglass door skins to help protect from water absorption and rot on all six sides.



**NEW** Select full-lite configurations are now available with triple-pane Low-E clear and privacy glass options to meet ENERGY STAR® requirements in all 50 states.

# Decorative Glass

Fiber-Classic®, Smooth-Star®, Steel & Pulse®

## Sedona




Black Nickel



Brushed Nickel


Privacy Rating 1 (7) 10



## Maple Park®



Black Nickel



Brushed Nickel

Privacy Rating 1 (6) 10



## Saratoga™



Black Nickel




Brushed Nickel

Privacy Rating 1 (7) 10



## Wellesley™




Black Nickel




Brushed Nickel

Brass

Privacy Rating 1 (6) 10



## Concorde™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 (8) 10



## Pembridge™



Black Nickel



Brushed Nickel

Brass

Privacy Rating 1 (7) 10



## Axis®



Black Nickel

Privacy Rating 1 (7) 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

# Privacy & Textured Glass

**Reeded (XK)**



Privacy Rating 1 (7) 10



**Satin Etch (XE)**



Privacy Rating 1 10



**Chord (XC)**



Privacy Rating 1 10



**Chinchilla (XJ)**



Privacy Rating 1 10



**Rainglass (XR)**



Privacy Rating 1 (8) 10



**Granite (XN)**



Privacy Rating 1 10



**Internal Blinds**



**Screen Vented**



## Also Available:

### Low-E Glass



In cold weather, Low-E glass reflects a home's heat back inside to help keep the home warm.



In warm weather, Low-E glass reflects the sun's rays off the glass and a home's air conditioning back inside to help keep the home cool.

<sup>1</sup>Available in Special Quote Program.

<sup>2</sup>See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller for a complete list of privacy and textured glass options available for each door style.

# Divided Lites



**SIMULATED DIVIDED LITES (SDL)**



**GRILLES BETWEEN GLASS (GBG)**



**FIXED GRILLES (FXG)**

## SDL Bar Options



Grained

Smooth

(28.6 mm / 1.125 in.)



Grained

Smooth

(28.6 mm / 1.125 in.)



Grained

Smooth

(88.9 mm / 3.5 in.)

Smooth SDL bars are color matched to PrismaGuard Alpine.

## GBG Bar Options



Flat


(20 mm / 0.787 in.)



Contour

(18 mm / 0.708 in.)

## GBG Color Options



White Almond Bronze Black Tan<sup>1</sup> Stone<sup>1</sup>

Almond and Bronze only available for flat GBG.

**ADVANTA**  
LITE FRAME

The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

## Advanta® Lite Frame<sup>2</sup>

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (   ) symbols.



## Standard Lite Frame

With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

## Available Frame Cover Options

Flat Option



Scrolled Option




## Available Frame Cover Colors

White (Alpine Color-Matched)  
Buff

# EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. Expand your view by 16%<sup>1</sup> — choose flush-glazed glass for more natural light and a sleek, uninterrupted aesthetic.



Fiber-Classic & Smooth-Star

## See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔸 ) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the ( ◼ ) symbol.



**Lip-Lite Frame**

<sup>1</sup>EnLiten flush-glazed designs offer up to a 16% increase in visible glass area compared to conventional lite frames.  
Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties, exclusions and Riders.

## Warranty riders for peace of mind.

### EnLiten™ Flush-Glazed Riders

#### For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.



Fiber-Classic® & Smooth-Star®  
ENLITEN™ FLUSH-GLAZED  
FULL GLASS



Smooth-Star, Satin Etch Glass with SDLs, Door – S691XE, Finish – Canyon

Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▽ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- ▽ ..... Scrolled & Flat Advanta Lite Frame
- ▽ ..... Scrolled Advanta Lite Frame
- ▽ ..... Flat Advanta Lite Frame

- ▽ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- ▭ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy with SDLs

**Chord**  
S3500XC 2 🔥  
6'8": 3'0"

**Rainglass**  
S3500XR 2 🔥  
6'8": 3'0"

**Reeded**  
S3500LXK 2 🔥  
6'8": 3'0"

**Satin Etch**  
S3500LXE 2 🔥  
6'8": 3'0", 2'8", 2'6"  
S3500LXE-SDLF2LE3 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S3500LXJ 2 🔥  
6'8": 3'0"

Privacy with SDLs

**Chord**  
S3500XC 2 🔥  
6'8": 3'0"

**Reeded**  
S3500RXK 2 🔥  
6'8": 3'0"

**Satin Etch**  
S3500RXE 2 🔥  
6'8": 3'0", 2'8", 2'6"  
S3500RXE-SDLF2LE3 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S3500RXJ 2 🔥  
6'8": 3'0"

Privacy with SDLs

**Chord**  
S2010XC 🔥  
6'8": 3'0"

**Rainglass**  
S2010XR 🔥  
6'8": 3'0"

**Reeded**  
S2010XK 🔥  
6'8": 3'0"

**Satin Etch**  
S2010XE 🔥  
6'8": 3'0", 2'8", 2'6"  
S2010XE-SDLLE3 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S2010XJ 🔥 ▽  
6'8": 3'0"

Privacy with SDLs

**Smooth Satin Etch**  
S691XE-SDLF2LE3 🔥 ▽  
6'8": 3'0"

Privacy with SDLs

**Chord**  
S2050XC 🔥  
6'8": 3'0"

**Rainglass**  
S2050XR 🔥  
6'8": 3'0"

**Reeded**  
S2050XK 🔥  
6'8": 3'0"

**Satin Etch**  
S2050XE 🔥  
6'8": 3'0"  
S2050XE-SDLLE3 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S2050XJ 🔥 ▽  
6'8": 3'0"

Privacy with SDLs

**Chord**  
S5705XC 1 🔥  
6'8": 3'0"

**Rainglass**  
S5705XR 1 🔥  
6'8": 3'0"

**Reeded**  
S5705XK 1 🔥  
6'8": 3'0"

**Satin Etch**  
S5705XE 1 🔥  
6'8": 3'0", 2'8", 2'6"  
S5705XE-SDLF1LE3 1 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S5705XJ 1 🔥  
6'8": 3'0"

Privacy with SDLs

**Smooth Satin Etch**  
S5700XE-SDLF2LE3 🔥 ▽  
6'8": 3'0"

Privacy with SDLs

**Chord**  
S5715XC 1 🔥  
6'8": 3'0"

**Rainglass**  
S5715XR 1 🔥  
6'8": 3'0"

**Reeded**  
S5715XK 1 🔥  
6'8": 3'0"

**Satin Etch**  
S5715XE 1 🔥  
6'8": 3'0", 2'8", 2'6"  
S5715XE-SDLF1LE3 1 🔥 ▽  
6'8": 3'0"

**Smooth Chinchilla**  
S5715XJ 1 🔥  
6'8": 3'0"

Privacy with SDLs



Smooth  
Satin Etch  
S5710XE-SDLF2LE3  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chinchilla  
S1205XJ  
6'8": 3'0"

- Chord  
S1205XC  
6'8": 3'0"
- Rainglass  
S1205XR  
6'8": 3'0"
- Reeded  
S1205XK  
6'8": 3'0"
- Satin Etch  
S1205XE  
6'8": 3'0"
- S1205XE-SDLLE3  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chinchilla  
S1205XJ  
6'8": 3'0"

- Chord  
S1205XC  
6'8": 3'0"
- Rainglass  
S1205XR  
6'8": 3'0"
- Reeded  
S1205XK  
6'8": 3'0"
- Satin Etch  
S1205XE  
6'8": 3'0", 2'8", 2'6"
- S1205XE-SDLF1LE3  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chinchilla  
S5725XJ  
6'8": 3'0"

- Chord  
S5725XC  
6'8": 3'0"
- Rainglass  
S5725XR  
6'8": 3'0"
- Reeded  
S5725XK  
6'8": 3'0"
- Satin Etch  
S5725XE  
6'8": 3'0", 2'8", 2'6"
- S5725XE-SDLF1LE3  
6'8": 3'0"

Privacy with SDLs



Smooth  
Satin Etch  
S5720XE-SDLF2LE3  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chinchilla  
S1207XJ  
6'8": 3'0"

- Chord  
S1207XC  
6'8": 3'0"
- Rainglass  
S1207XR  
6'8": 3'0"
- Reeded  
S1207XK  
6'8": 3'0"
- Satin Etch  
S1207XE  
6'8": 3'0"
- S1207XE-SDLLE3  
6'8": 3'0"

Privacy



Oak  
Satin Etch  
2000XE  
6'8": 3'0"

Privacy



Smooth  
Chinchilla  
S2000XJ  
6'8": 3'0"

- Chord  
S2000XC  
6'8": 3'0"
- Rainglass  
S2000XR  
6'8": 3'0"
- Reeded  
S2000XK  
6'8": 3'0"
- Satin Etch  
S2000XE  
6'8": 3'0", 2'8", 2'6"
- S2000XE-LE3  
6'8": 3'0"

Privacy



Smooth  
Satin Etch  
S2000XESL  
6'8": 10"

Simulated Divided Lites



Smooth  
S3500L  
6'8": 3'0", 2'8", 2'6"

- S3500L-LE  
6'8": 3'0", 2'10", 2'8", 2'6"
- S3500L-SDLF2LE3  
6'8": 3'0", 2'10", 2'8", 2'6"

Simulated Divided Lites



Smooth  
S3500R  
6'8": 3'0", 2'8", 2'6"

- S3500R-LE  
6'8": 3'0", 2'10", 2'8", 2'6"
- S3500R-SDLF2LE3  
6'8": 3'0", 2'10", 2'8", 2'6"

Simulated Divided Lites



Smooth  
S2010  
6'8": 3'0", 2'8", 2'6"

- S2010-LE  
6'6": 2'10", 6'8": 3'0", 2'10", 2'8", 2'6"
- S2010-SDLLE3  
6'8": 3'0", 2'10", 2'8", 2'6"

Simulated Divided Lites



Smooth  
S691-SDLF2LE3  
6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth  
S2050  
6'8": 3'0"

- S2050-LE  
6'6": 2'10", 6'8": 3'0", 2'10"
- S2050-SDLLE3  
6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth  
S5705  
6'8": 3'0", 2'8", 2'6"

- S5705-LE  
6'6": 2'10", 6'8": 3'0", 2'10", 2'8", 2'6"
- S5705-SDLF1LE3  
6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth  
S5700-SDLF2LE3  
6'8": 3'0", 2'10"

Simulated Divided Lites




S5715-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10",  
 2'8", 2'6"  
 S5715-SDLF1LE3   
 6'8": 3'0", 2'10"

Smooth

S5715   
 6'8": 3'0", 2'8", 2'6"

Simulated Divided Lites



Smooth

S5710-SDLF2LE3   
 6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth

S1205   
 6'8": 3'0"

S1205-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10"  
 S1205-SDLLE3   
 6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth

S1205   
 6'8": 3'0", 2'8", 2'6"

S1205-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10", 2'  
 '8", 2'6"  
 S1205-SDLF1LE3   
 6'8": 3'0", 2'10",  
 2'8", 2'6"

Simulated Divided Lites




Smooth  
 S5725   
 6'8": 3'0", 2'8", 2'6"  
 S5725-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10",  
 2'8", 2'6"  
 S5725-SDLF1LE3   
 6'8": 3'0", 2'10"

Smooth

S5725   
 6'8": 3'0", 2'8", 2'6"

Simulated Divided Lites



Smooth

S5720-SDLF2LE3   
 6'8": 3'0", 2'10"

Simulated Divided Lites



Smooth

S1207   
 6'8": 3'0"

S1207-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10"  
 S1207-SDLLE3   
 6'8": 3'0", 2'10"

GBG Flat



Smooth

S2010-GBGFWLE   
 6'8": 3'0"

GBG Flat



Smooth

S2050-GBGFWLE   
 6'8": 3'0"

Clear Lite with Blinds



Smooth

S2600   
 6'8": 3'0"  
 S2600-LE   
 6'8": 3'0", 2'10", 2'8", 2'6"

Low-E / Clear



Oak

2000-LE   
 6'8": 3'0", 2'6"

Smooth  
 S2000   
 6'8": 3'0", 2'8", 2'6"  
 S2000-LE   
 6'6": 2'10"  
 6'8": 3'0", 2'10",  
 2'8", 2'6", 2'0"  
 S2000-LE3   
 6'8": 3'0", 2'10",  
 2'8", 2'6"

Low-E / Clear



Smooth

S2000SL-LE   
 6'8": 10"

Fiber-Classic® & Smooth-Star®  
ENLITEN™ FLUSH-GLAZED  
3/4 & 1/2 GLASS



Smooth-Star, Satin Etch Glass with SDLs, Door – S2103XE,  
Sidelites – S2000SL, Finish – Alpine

Privacy with SDLs



Satin Etch  
S2103XE  
6'8": 3'0"

Smooth  
Rainglass

S2103XR  
6'8": 3'0"

Privacy with SDLs



Satin Etch  
S2104XE  
6'8": 3'0"

Smooth  
Rainglass

S2104XR  
6'8": 3'0"

Privacy with SDLs



Satin Etch  
S2104XE  
6'8": 3'0"

Smooth  
Rainglass

S2104XR  
6'8": 3'0"

Privacy



Satin Etch  
S2200XE  
6'8": 3'0"

Smooth  
Rainglass

S2200XR  
6'8": 3'0"

Simulated Divided Lites



Smooth

S2103  
6'8": 3'0"

S2103-LE  
6'8": 3'0", 2'8", 2'6"

Simulated Divided Lites



Smooth

S2104  
6'8": 3'0"

S2104-LE  
6'8": 3'0"

Simulated Divided Lites



Smooth

S2104  
6'8": 3'0"

S2104-LE  
6'8": 3'0", 2'8", 2'6"

GBG Flat



Smooth

S2103-CBGFKLE  
6'8": 3'0"

S2103-CBGFWLE  
6'8": 3'0"

Key

- ..... No Stile Lines
- 🔴 ..... Flush-Glazed Glass
- 🟢 ..... Vented Sidelite
- 🟡 ..... Black Nickel
- 🟤 ..... Brushed Nickel
- 🟩 ..... Brass
- 🔩 ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- 🔺 ..... LE3
- CL ..... Clear
- 🔻 ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- 🔺 ..... Scrolled & Flat Advanta Lite Frame
- 🔻 ..... Scrolled Advanta Lite Frame
- 🔻 ..... Flat Advanta Lite Frame

..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDP Options
- 9 ..... WBDP / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Note: Product images show exterior side of door.

Low-E / Clear



Smooth  
 S2200 🔥  
 6'8": 3'0"  
 S2200-LE 🔥  
 6'8": 3'0", 2'8", 2'6"

Privacy with SDLs



Smooth  
 Satin Etch  
 S4200XE 🔥  
 6'8": 3'0"

Privacy



Smooth  
 Satin Etch  
 S3200XE 🔥  
 6'8": 3'0"

Simulated Divided Lites



Smooth  
 S4200-LE 🔥  
 6'8": 3'0", 2'8"

Simulated Divided Lites



Smooth  
 S1350 🔥  
 6'8": 3'0", 2'8"  
 S1350-LE 🔥  
 6'8": 3'0", 2'8"

Simulated Divided Lites



Smooth  
 S1350 🔥  
 6'8": 3'0", 2'8"  
 S1350-LE 🔥  
 6'8": 3'0", 2'8"

Simulated Divided Lites



Smooth  
 S2150 🔥  
 6'8": 3'0", 2'8"  
 S2150-LE 🔥  
 6'8": 3'0", 2'8"

GBG Flat



Smooth  
 S2150-GBGFWLE 🔥  
 6'8": 3'0", 2'8"

Low-E / Clear



Smooth  
 S3200-LE 🔥  
 6'8": 3'0", 2'8"

Low-E / Clear



Smooth  
 S2100 🔥  
 6'8": 3'0", 2'8"  
 S2100-LE 🔥  
 6'8": 3'0", 2'8"

Fiber-Classic® & Smooth-Star®  
ENLITEN™ FLUSH-GLAZED  
CRAFTSMAN



Fiber-Classic Mahogany Collection, Satin Etch Glass with SDLs,  
Door – FCM4816XE, Sidelites – FCM4812XESL, Finish – Raven

Key

- .....No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES

BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES

BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Saratoga-



Smooth  
S6240 🔥  
6'8": 3'0"

Privacy with SDLs



Mahogany  
Satin Etch  
FCM4812XE 1  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chord  
S4812XC 🔥  
6'8": 3'0"

Privacy with SDLs



Mahogany  
Satin Etch  
FCM4813XE 1  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chord  
S4813XC 🔥  
6'8": 3'0"

Privacy with SDLs



Mahogany  
Satin Etch  
FCM4814XE 1  
6'8": 3'0"

Privacy with SDLs



Smooth  
Chord  
S4814XC 🔥  
6'8": 3'0"

Privacy with SDLs



Mahogany  
Satin Etch  
FCM4816XE 1  
6'8": 3'0"

Privacy with SDLs



**Rainglass**  
S4816XR 🔥  
6'8": 3'0"

---

**Satin Etch**  
S4816XE 🔥  
6'8": 3'0"

**Smooth Chord**  
S4816XC 🔥  
6'8": 3'0"

Privacy



**Rainglass**  
S4810XR 🔥  
6'8": 3'0"

---

**Satin Etch**  
S4810XE 🔥  
6'8": 3'0"

**Smooth Chord**  
S4810XC 🔥  
6'8": 3'0"

Simulated Divided Lites



**Smooth**  
S4812SL-LE 🔥  
6'8": 14", 12"

Simulated Divided Lites



**Smooth**  
S4812-LE 🔥  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Mahogany**  
FCM4812-LE 🔥  
6'8": 3'0"

Simulated Divided Lites



**Smooth**  
S4813-LE 🔥  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Mahogany**  
FCM4813-LE 🔥  
6'8": 3'0"

Simulated Divided Lites



**Smooth**  
S4814-LE 🔥  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Mahogany**  
FCM4814-LE 🔥  
6'8": 3'0"

Simulated Divided Lites



**Smooth**  
S4816-LE 🔥  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Mahogany**  
FCM4816-LE 🔥  
6'8": 3'0"

Low-E / Clear



**Smooth**  
S4810-LE 🔥  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Mahogany**  
FCM4810-LE 🔥  
6'8": 3'0"

Low-E / Clear



**Smooth**  
S4810SL-LE 🔥  
6'8": 14", 12"

Fiber-Classic® & Smooth-Star®  
ENLITEN™ FLUSH-GLAZED  
8'0" FULL GLASS



Smooth-Star, Satin Etch Glass, Door – S8000XE, Sidelite – S8000XESL, Finish – Onyx

Privacy with SDLs



Smooth Rainglass  
S85705XR  
8'0": 3'0"

Satin Etch  
S85705XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S85715XR  
8'0": 3'0"

Satin Etch  
S85715XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S85725XR  
8'0": 3'0"

Satin Etch  
S85725XE  
8'0": 3'0"

Privacy



Oak Satin Etch  
8000XE  
8'0": 3'0"

Privacy



Smooth Rainglass  
S8000XR  
8'0": 3'0"

Satin Etch  
S8000XE  
8'0": 3'0", 2'8"

Simulated Divided Lites



Smooth  
S85705  
8'0": 3'0"  
S85705-LE  
8'0": 3'0", 2'10", 2'6"

Simulated Divided Lites



Smooth  
S85715  
8'0": 3'0"  
S85715-LE  
8'0": 3'0", 2'10", 2'6"

Simulated Divided Lites



Smooth  
S85725  
8'0": 3'0"  
S85725-LE  
8'0": 3'0", 2'10", 2'6"

Key

- ..... No Stile Lines
- 🔥 ..... Flush-Glazed Glass
- 🌿 ..... Vented Sidelite
- ⬛ ..... Black Nickel
- 🔲 ..... Brushed Nickel
- 🔱 ..... Brass
- ✂️ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- 🔺 ..... LE3
- CL ..... Clear
- 📏 ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- 🔺 ..... Scrolled & Flat Advanta Lite Frame
- 🔻 ..... Scrolled Advanta Lite Frame
- 📏 ..... Flat Advanta Lite Frame
- 🔻 ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- 📏 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Note: Product images show exterior side of door.

Internal Blinds



Smooth  
S82600-LE  
8'0": 3'0"

Low-E / Clear



Smooth  
S8000  
8'0": 3'0"  
S8000-LE  
8'0": 3'0", 2'10", 2'8", 2'6"

Low-E / Clear



Smooth  
S8000SL-LE  
8'0": 14", 12"  
S85225SL-LE  
8'0": 14", 12"



Fiber-Classic® & Smooth-Star®  
ENLITEN™ FLUSH-GLAZED  
8'0" 3/4 & 1/2 GLASS



Smooth-Star, Clear Glass with SDLs, Door – S82105, Finish – Sandalwood

Key

- .....No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy with SDLs



Smooth Rainglass  
S82106XR  
8'0": 3'0"

Satin Etch  
S82106XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S82107XR  
8'0": 3'0"

Satin Etch  
S82107XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S82103XR  
8'0": 3'0"

Satin Etch  
S82103XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S82103XR  
8'0": 3'0"

Satin Etch  
S82103XE  
8'0": 3'0"

Privacy with SDLs



Smooth Rainglass  
S82105XR  
8'0": 3'0"

Satin Etch  
S82105XE  
8'0": 3'0"

Privacy



Smooth Rainglass  
S82200XR  
8'0": 3'0"

Satin Etch  
S82200XE  
8'0": 3'0"

Simulated Divided Lites



Smooth  
S82106  
8'0": 3'0"  
S82106-LE  
8'0": 3'0"

Simulated Divided Lites



Smooth  
S82107  
8'0": 3'0"  
S82107-LE  
8'0": 3'0"

Note: Product images show exterior side of door.

8'0" 3/4 & 1/2 Glass

Simulated Divided Lites



Smooth  
S82103 8'0": 3'0"  
S82103-LE 8'0": 3'0"

Simulated Divided Lites



Smooth  
S82103 8'0": 3'0"  
S82103-LE 8'0": 3'0"

Simulated Divided Lites




Smooth  
S82105 8'0": 3'0"  
S82105-LE 8'0": 3'0"

Low-E / Clear



Smooth  
S82200 8'0": 3'0"  
S82200-LE 8'0": 3'0"

Simulated Divided Lites



Smooth  
S84200-LE 8'0": 3'0"

Low-E / Clear



Smooth  
S83200-LE 8'0": 3'0"



Fiber-Classic® & Smooth-Star.  
ENLITEN™ FLUSH-GLAZED  
8'0" CRAFTSMAN



Smooth-Star, Low-E Glass with SDLs, Door – S84812, Surround – TDS-FLTFLT

Simulated Divided Lites



Mahogany

FCM84812-LE   
8'0": 3'0"

Smooth  
S84812-LE   
8'0": 3'0"

Simulated Divided Lites



Mahogany

FCM84813-LE   
8'0": 3'0"

Smooth  
S84813-LE   
8'0": 3'0"

Simulated Divided Lites



Mahogany

FCM84814-LE   
8'0": 3'0"

Smooth  
S84814-LE   
8'0": 3'0"

Simulated Divided Lites



Mahogany

FCM84816-LE   
8'0": 3'0"

Smooth  
S84816-LE   
8'0": 3'0"

Low-E / Clear



Mahogany

FCM84810-LE  
8'0": 3'0"

Smooth  
S84810-LE   
8'0": 3'0"

Key

-  ..... No Stile Lines
-  ..... Flush-Glazed Glass
-  ..... Vented Sidelite
-  ..... Black Nickel
-  ..... Brushed Nickel
-  ..... Brass
-  ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
-  ..... LE3
- CL ..... Clear
-  ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

-  ..... Scrolled & Flat Advanta Lite Frame
-  ..... Scrolled Advanta Lite Frame
-  ..... Flat Advanta Lite Frame

 ..... Standard Lite Frame Available

-  ..... 20-Minute Fire-Rated
-  ..... 90-Minute Fire-Rated
-  ..... WBDR Options
-  ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

-  ..... Door Divider Bars (3 1/2")
-  ..... Door Divider Bars (4 1/4")
-  ..... Door Divider Bars (5 1/2")
-  ..... Door Divider Bars (4 1/4" & 5 1/2")
-  ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

-  ..... Simulated Divided Lites
-  ..... 1 1/8" Flat SDL
-  ..... 3 1/2" Flat SDL
-  ..... 4 1/4" Flat SDL
-  ..... 5 1/2" Flat SDL
-  ..... 4 1/4" & 5 1/2" Flat Combo SDL
-  ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

FLAT PROFILE GRILLES

BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES

BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

# Fiber-Classic® & Smooth-Star® FULL GLASS



Fiber-Classic Oak Collection, Axis Glass, Door – FC1652, Finish – Mulberry

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▽ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▽ ..... Scrolled & Flat Advanta Lite Frame
- ▽ ..... Scrolled Advanta Lite Frame
- ▽ ..... Flat Advanta Lite Frame

- ▽ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▭ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Saratoga



Mahogany  
FCM905  
6'8": 3'0"

- Oak**  
FC905  
6'8": 3'0", 2'8"
- Smooth**  
S154  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Saratoga



Mahogany  
FCM6093  
6'8": 3'0", 2'8"  
7'0": 3'0"

- Oak**  
FC6093  
6'8": 3'0", 2'8"
- Smooth**  
S6093  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

## Saratoga



Mahogany  
FCM815SL  
6'8": 14"

- Smooth**  
S602SL  
6'8": 14"

## Axis



Mahogany  
FCM1652  
6'8": 3'0", 2'8"

- Oak**  
FC1652  
6'8": 3'0", 2'8"

## Axis



Mahogany  
FCM1651  
6'8": 3'0"  
7'0": 3'0"

- Oak**  
FC1651  
6'8": 3'0", 2'8"
- Smooth**  
S1651  
6'8": 3'6"

## Axis



Mahogany  
FCM1651SL  
6'8": 14"

- Smooth**  
S1651SL  
6'8": 14"

## Privacy with SDLs



Smooth  
Reeded  
S128XK-ADVSSDL  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

- Satin Etch**  
S128XE-ADVSSDL  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Privacy with SDLs



Smooth  
Reeded  
S141XK-ADVSSDL  
6'6": 2'10"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

- Satin Etch**  
S141XE-ADVSSDL  
6'6": 2'10"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

Privacy



Satin Etch  
FCM10XE  
6'8": 3'0", 2'8"

Mahogany  
Reeded  
FCM10XK  
6'8": 3'0"

Privacy



Satin Etch  
FC10XE  
6'8": 3'0", 2'8"

Oak  
Reeded  
FC10XK  
6'8": 3'0", 2'8"

Privacy



Satin Etch  
S118XE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Smooth  
Reeded  
S118XK  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Privacy



Satin Etch  
FCM1283XE  
6'8": 3'0", 2'8"  
7'0": 3'0"

Mahogany  
Reeded  
FCM1283XK  
6'8": 3'0", 2'8"  
7'0": 3'0"

Privacy



Satin Etch  
1283XE  
6'8": 3'0", 2'8"

Oak  
Reeded  
1283XK  
6'8": 3'0"

Privacy



Satin Etch  
S140XE  
6'6": 2'10"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

Smooth  
Reeded  
S140XK  
6'6": 2'10"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

Privacy



Chord  
FCM12101XCSSL  
6'8": 14"

Rainglass  
FCM12101XRSL  
6'8": 14"

Reeded  
FCM12101XKSL  
6'8": 14"

Satin Etch  
FCM12101XESL  
6'8": 14"

Mahogany  
Chinchilla  
FCM12101XJSL  
6'8": 14"

Privacy



Chord  
S601XCSSL  
6'8": 14"

Rainglass  
S601XRSL  
6'8": 14"

Reeded  
S601XKSL  
6'8": 14"

Satin Etch  
S601XESL  
6'8": 14"

Smooth  
Chinchilla  
S601XJSL  
6'8": 14"

Simulated Divided Lites



S128  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

S128-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Smooth  
S128-ADVSSDLLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Simulated Divided Lites



S141  
6'6": 2'10"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

S141-LE  
6'6": 2'10"  
6'8": 3'6", 3'0",  
2'10", 2'8"  
7'0": 3'0", 2'10"

Smooth  
S141-ADVSSDLLE  
6'6": 2'10"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

GBG Flat



S128-GBGFWLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Smooth  
S128-GBGFW  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

GBG Flat



S141-GBGFWLE  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10",  
2'8", 2'6"  
7'0": 3'0", 2'10"

Smooth  
S141-GBGFW  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0"

GBG Flat



Smooth  
S108-GBGFWLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

GBG Flat



Smooth  
S6063-GBGFWLE  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0"

GBG Flat



Smooth  
S1209-GBGFKLE  
6'8": 3'0", 2'10", 2'8"

GBG Flat



Smooth  
S1201-GBGFKLE  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0"

**GBG Flat**



Smooth  
S1211-GBGFWLE  
6'8": 3'0", 2'10", 2'8"

**GBG Flat**



Smooth  
S1202-GBGFWLE  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0"

**GBG Flat**



Smooth  
S198-GBGFWLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**GBG Flat**



Smooth  
S6062-GBGFWLE  
6'6": 2'10"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

**Fixed Grilles**



Smooth  
S128-FXGLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Fixed Grilles**



Smooth  
S141-FXG  
6'6": 2'8"  
6'8": 2'8", 2'6"

S141-FXGLE  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10",  
2'8"  
7'0": 3'0"

**Fixed Grilles**



Smooth  
S108-FXGLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Fixed Grilles**



Smooth  
S6063-FXGLE  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0"

**Internal Blinds**



Mahogany  
FCM141-ADVFRITL  
6'8": 3'0", 2'8"  
FCM141-ADVSRTLE  
6'8": 3'0", 2'8"  
FCM141-RT  
6'8": 3'0", 2'8"  
FCM141-RTLE  
6'8": 3'0", 2'8"

Oak  
FC141-ADVFRITL  
6'8": 3'0", 2'8"  
FC141-ADVSRTLE  
6'8": 3'0", 2'8"  
FC141-RT  
6'8": 3'0", 2'8"  
FC141-RTLE  
6'8": 3'0", 2'8"

Smooth  
S130-ADVFRITL  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S130-ADVSRTLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S130-RT  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S130-RTLE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Internal Blinds**



Mahogany  
FCM1286-ADVFRITL  
6'8": 3'0", 2'8"  
7'0": 3'0"  
FCM1286-RT  
6'8": 3'0"  
FCM1286-RTLE  
6'8": 3'0", 2'6"  
7'0": 3'0"

Oak  
1286-ADVFRITL  
6'8": 3'0", 2'8"  
1286-RT  
6'8": 3'0"  
1286-RTLE  
6'8": 3'0", 2'6"

Smooth  
S6061-ADVFRITL  
6'6": 3'0", 2'10", 2'8"  
6'8": 3'6", 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"  
S6061-RT  
6'6": 3'0", 2'10", 2'8", 2'4"  
6'8": 3'6", 3'0", 2'10", 2'8"  
S6061-RTLE  
6'6": 3'0", 2'10", 2'8", 2'4"  
6'8": 3'6", 3'0", 2'10", 2'8"  
2'6", 2'4"  
7'0": 3'0", 2'10"

**Internal Blinds**



Smooth  
S6128SL-RTLE  
6'8": 14", 12", 10"

**Low-E / Clear**



Mahogany  
FCM10  
6'8": 3'0", 2'8"  
FCM10-LE  
6'8": 3'0", 2'8"  
FCM10-LE  
6'8": 3'0", 2'8"

Oak  
FC10  
6'8": 3'0", 2'8"  
FC10-LE  
6'8": 3'0", 2'8"  
FC10-LE  
6'8": 3'0", 2'8"  
Smooth  
S118  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S118-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S118-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Low-E / Clear**



Mahogany  
FCM1283  
6'8": 3'0"  
7'0": 3'0"  
FCM1283-LE  
6'8": 3'0", 2'8"  
7'0": 3'0"  
FCM1283-LE  
6'8": 3'0", 2'8", 2'6"  
7'0": 3'0"

Oak  
1283  
6'8": 3'0", 2'8"  
1283-LE  
6'8": 3'0", 2'8"  
1283-LE  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S140  
6'6": 2'10"  
6'8": 3'6", 3'0", 2'10",  
2'8", 2'6"  
7'0": 3'0", 2'10"  
S140-LE  
6'6": 2'10"  
6'8": 3'6", 3'0", 2'10", 2'8"  
2'6", 2'4"  
7'0": 3'0", 2'10"

**Low-E / Clear**



Mahogany  
FCM12101SL-LE  
6'8": 14"

Smooth  
S601SL  
6'8": 14", 12", 10"  
S601SL-LE  
6'8": 14", 12", 10"  
S601SL-LE  
6'8": 14", 12", 10"

# Fiber-Classic® & Smooth-Star® 3/4 GLASS



Fiber-Classic Oak Collection, Maple Park Glass, Door – FC777,  
Sidelite – FC900SL, Finish – Raven

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▽ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▽ ..... Scrolled & Flat Advanta Lite Frame
- ▽ ..... Scrolled Advanta Lite Frame
- ▽ ..... Flat Advanta Lite Frame

▽ ..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Maple Park.



Smooth  
S6102 ▽ ◆  
6'8": 3'0"

## Maple Park.



Oak  
FC777 ▽ ◆  
6'8": 3'0"

Smooth  
S6103 ▽ ◆  
6'8": 3'0", 2'8"

## Saratoga.



Mahogany  
FCM907 ▽ ◆  
6'8": 3'0"

Smooth  
S6092 ▽ ◆  
6'8": 3'0"

## Saratoga.



Oak  
FCM776 ▽ ◆  
6'8": 3'0"

Smooth  
S982 ▽ ◆  
6'8": 3'0"

## Concorde.



Smooth  
S757SL ▽ ■  
6'8": 14", 12"

## Axis.



Mahogany  
FCM1647 ▽ ◆  
6'8": 3'0"

Smooth  
S1647 ▽ ◆  
6'8": 3'0"

## Axis.



Oak  
FC1646 ▽ ◆  
6'8": 3'0"

Smooth  
S1646 ▽ ◆  
6'8": 3'0"

## Privacy with SDLs



Mahogany  
Satin Etch  
FCM82XE-ADVSSDL  
6'8": 3'0"

Privacy with SDLs



Oak  
Satin Etch  
FC92XE-ADVSSDL  
6'8": 3'0"

Privacy



Mahogany  
Satin Etch  
FCM32XE  
6'8": 3'0"

Privacy



Smooth  
Satin Etch  
S80XE  
6'8": 3'0"

Privacy



Oak  
Satin Etch  
FC766XE  
6'8": 3'0"

Privacy



Smooth  
Satin Etch  
S90XE  
6'8": 3'0"

Simulated Divided Lites



Mahogany  
FCM82-LE  
6'8": 3'0"

Simulated Divided Lites



Oak  
FC92-LE  
6'8": 3'0"

GBG Flat



Smooth  
S1089-GBGFKLE  
6'8": 3'0", 2'8"  
S1089-GBGFWLE  
6'8": 3'0", 2'8"

Internal Blinds



Mahogany  
FCM5425-ADVRTL  
6'8": 3'0"

Smooth  
S5425-ADVRTL  
6'8": 3'0"

Internal Blinds



Oak  
1964P-ADVRTL  
6'8": 3'0"

Smooth  
S682-ADVRTL  
6'8": 3'0", 2'8"  
S682-RTL  
6'8": 3'0", 2'8"

Low-E / Clear



Mahogany  
FCM32-LE  
6'8": 3'0"  
FCM32-LE  
6'8": 3'0"

Smooth  
S80-LE  
6'8": 3'0"

Low-E / Clear



Oak  
FC766-LE  
6'8": 3'0"  
FC766-LE  
6'8": 3'0"

Smooth  
S90  
6'8": 3'0", 2'8"  
S90-LE  
6'8": 3'0", 2'8"  
S90-LE  
6'8": 3'0", 2'8"

# Fiber-Classic® & Smooth-Star® 1/2 GLASS



Smooth-Star, Maple Park Glass, Door – S6108, Finish – Onyx;  
Sidelites – S6100SL, Transom – FWRT, Finish – Alpine

## Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ◆ ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- ▾ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

- ▾ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▾ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Saratoga-



Oak  
FC906 ▾ ◆  
6'8": 3'0", 2'8"

Smooth  
S213 ▾ ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Saratoga-



Smooth  
S4327 ▾ ◆  
6'8": 3'0", 2'8"

## Saratoga-



Mahogany  
FCM6029 ▾ ◆  
6'8": 3'0"

Smooth  
S6029 ▾ ◆  
6'8": 3'0", 2'8"  
7'0": 3'0"

## Saratoga-



Mahogany  
FCM6049 ▾ ◆  
6'8": 3'0"

Smooth  
S6049 ▾ ◆  
6'8": 3'0", 2'8"

## Saratoga-



Smooth  
S41 ▾ ◆  
6'8": 3'0"

## Concorde-



Oak  
FC911 ▾ ◆  
6'8": 3'0", 2'8"

Smooth  
S426 ▾ ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Concorde-



Smooth  
S4316 ▾ ◆  
6'8": 3'0", 2'8"

## Concorde-



Mahogany  
FCM6026 ▾ ◆  
6'8": 3'0"

Smooth  
S6026 ▾ ◆  
6'8": 3'0", 2'8"  
7'0": 3'0"

Concorde



Smooth  
S6046  
6'8": 3'0", 2'8"

Mahogany  
FCM6046  
6'8": 3'0"

Concorde



Smooth  
S37  
6'8": 3'0"

Privacy with SDLs



Satin Etch  
FCM65XE-ADVSSDL  
6'8": 3'0", 2'8"

Mahogany  
Rainglass  
FCM65XR-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Satin Etch  
FC65XE-ADVSSDL  
6'8": 3'0", 2'8"

Oak  
Rainglass  
FC65XR-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Satin Etch  
S262XE-ADVSSDL  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Smooth  
Rainglass  
S262XR-ADVSSDL  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Privacy with SDLs



Satin Etch  
FCM6022XE-ADVSSDL  
6'8": 3'0"

Mahogany  
Rainglass  
FCM6022XR-ADVSSDL  
6'8": 3'0"

Privacy with SDLs



Satin Etch  
S6022XE-ADVSSDL  
6'8": 3'0", 2'8"  
7'0": 3'0"

Smooth  
Rainglass  
S6022XR-ADVSSDL  
6'8": 3'0", 2'8"  
7'0": 3'0"

Privacy with SDLs



Satin Etch  
FCM6042XE-ADVSSDL  
6'8": 3'0"

Mahogany  
Rainglass  
FCM6042XR-ADVSSDL  
6'8": 3'0"

Privacy with SDLs



Satin Etch  
S6042XE-ADVSSDL  
6'8": 3'0", 2'8"

Smooth  
Rainglass  
S6042XR-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Satin Etch  
S32XE-ADVSSDL  
6'8": 3'0"

Smooth  
Rainglass  
S32XR-ADVSSDL  
6'8": 3'0"

Privacy



Satin Etch  
FCM62XE  
6'8": 3'0", 2'8"

Mahogany  
Rainglass  
FCM62XR  
6'8": 3'0", 2'8"

Privacy



Satin Etch  
FC62XE  
6'8": 3'0", 2'8"

Oak  
Rainglass  
FC62XR  
6'8": 3'0", 2'8"

Privacy



Satin Etch  
S206XE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Smooth  
Rainglass  
S206XR  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

Privacy



Satin Etch  
S4305XE  
6'8": 3'0", 2'8"

Smooth  
Rainglass  
S4305XR  
6'8": 3'0", 2'8"

Privacy



Satin Etch  
FCM6021XE  
6'8": 3'0"

Mahogany  
Rainglass  
FCM6021XR  
6'8": 3'0"

Privacy



Satin Etch  
S6021XE  
6'8": 3'0", 2'8"  
7'0": 3'0"

Smooth  
Rainglass  
S6021XR  
6'8": 3'0", 2'8"  
7'0": 3'0"

**Privacy**



Satin Etch  
FCM6041XE  
6'8": 3'0"

Mahogany  
Rainglass  
FCM6041XR  
6'8": 3'0"

**Privacy**



Satin Etch  
S6041XE  
6'8": 3'0", 2'8"

Smooth  
Rainglass  
S6041XR  
6'8": 3'0", 2'8"

**Privacy**



Satin Etch  
S30XE  
6'8": 3'0"

Smooth  
Rainglass  
S30XR  
6'8": 3'0"

**Privacy**



Satin Etch  
S289XE  
6'8": 3'0", 2'8"

Smooth  
Rainglass  
S289XR  
6'8": 3'0", 2'8"

**Privacy**



Satin Etch  
FCM62XESL  
6'8": 14"

Mahogany  
Rainglass  
FCM62XRSL  
6'8": 14"

**Privacy**



Satin Etch  
FC48XESL  
6'8": 12"

Oak  
Rainglass  
FC48XRSL  
6'8": 12"

**Privacy**



Satin Etch  
S210XESL  
6'8": 14", 12"

Smooth  
Rainglass  
S210XRSL  
6'8": 14", 12"

**Privacy**



Satin Etch  
FCM104XE  
6'8": 3'0", 2'8"  
7'0": 3'0"

Mahogany  
Rainglass  
FCM104XR  
6'8": 3'0", 2'8"  
7'0": 3'0"

**Privacy**



Satin Etch  
FC104XE  
6'8": 3'0", 2'8"

Oak  
Rainglass  
FC104XR  
6'8": 3'0", 2'8"

**Privacy**



Satin Etch  
S104XE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

Smooth  
Rainglass  
S104XR  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

**Simulated Divided Lites**



Oak  
FC65-ADVSSDL  
6'8": 3'0", 2'8"  
FC65-ADVSSDLLE  
6'8": 3'0", 2'8"  
FC65  
6'8": 3'0", 2'8"  
FC65-LE  
6'8": 3'0", 2'8"

Mahogany  
FCM65-ADVSSDL  
6'8": 3'0", 2'8"  
FCM65-ADVSSDLLE  
6'8": 3'0", 2'8"  
FCM65  
6'8": 3'0", 2'8"  
FCM65-LE  
6'8": 3'0", 2'8"

**Simulated Divided Lites**



Smooth  
S6022-ADVSSDL  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6022-ADVSSDLLE  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6022  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6022-LE  
6'8": 3'0", 2'8"  
7'0": 3'0"

Mahogany  
FCM6022-ADVSSDL  
6'8": 3'0"  
FCM6022-ADVSSDLLE  
6'8": 3'0"  
FCM6022  
6'8": 3'0"  
FCM6022-LE  
6'8": 3'0"

**Fiber-Classic® & Smooth-Star®  
1/2 GLASS**

**Key**

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ..... LE3
- CL ..... Clear
- ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ..... Scrolled & Flat Advanta Lite Frame
- ..... Scrolled Advanta Lite Frame
- ..... Flat Advanta Lite Frame
- ..... Standard Lite Frame Available
- ..... 20-Minute Fire-Rated
- ..... 90-Minute Fire-Rated
- ..... WBDR Options
- ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- ..... Door Divider Bars (3 1/2")
- ..... Door Divider Bars (4 1/4")
- ..... Door Divider Bars (5 1/2")
- ..... Door Divider Bars (4 1/4" & 5 1/2")
- ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- ..... 1 1/8" Flat SDL
- ..... 3 1/2" Flat SDL
- ..... 4 1/4" Flat SDL
- ..... 5 1/2" Flat SDL
- ..... 4 1/4" & 5 1/2" Flat Combo SDL
- ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES  
BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES  
BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

**Simulated Divided Lites**



**Smooth**  
 S6042-ADVSSDL  
 6'8": 3'0", 2'8"  
 S6042-ADVSSDLLL  
 6'8": 3'0", 2'8"  
 S6042  
 6'8": 3'0", 2'8"  
 S6042-LE  
 6'8": 3'0", 2'8"

**Mahogany**  
 FCM6042-ADVSSDL  
 6'8": 3'0"  
 FCM6042-ADVSSDLLL  
 6'8": 3'0"  
 FCM6042  
 6'8": 3'0"  
 FCM6042-LE  
 6'8": 3'0"

**GBG Flat**



S6042-GBGFWLE  
 6'8": 3'0", 2'8"

**Smooth**  
 S6042-GBGFW  
 6'8": 3'0", 2'8"

**Fixed Grilles**



S6042-FXGLE  
 6'8": 3'0", 2'8"

**Smooth**  
 S6042-FXG  
 6'8": 3'0", 2'8"

**Internal Blinds**



**Smooth**  
 S6035-ADVRTLLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"  
 S6035-RT  
 6'8": 3'0", 2'8"  
 7'0": 3'0"  
 S6035-RTLLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"

**Mahogany**  
 FCM6035-ADVRTLLE  
 6'8": 3'0"  
 FCM6035-RTLLE  
 6'8": 3'0"

**Simulated Divided Lites**



S32  
 6'8": 3'0"  
 S32-LE  
 6'8": 3'0"

**Smooth**  
 S32-ADVSSDL  
 6'8": 3'0"  
 S32-ADVSSDLLL  
 6'8": 3'0"

**GBG Flat**



S32-GBGFWLE  
 6'8": 3'0"

**Smooth**  
 S32-GBGFW  
 6'8": 3'0"

**Fixed Grilles**



S32-FXGLE  
 6'8": 3'0"

**Smooth**  
 S32-FXG  
 6'8": 3'0"

**Internal Blinds**



**Smooth**  
 S6055-ADVRTLLE  
 6'8": 3'0", 2'8"  
 S6055-RT  
 6'8": 3'0", 2'8"  
 S6055-RTLLE  
 6'8": 3'0", 2'8"

**Mahogany**  
 FCM6055-ADVRTLLE  
 6'8": 3'0"  
 FCM6055-RTLLE  
 6'8": 3'0"

**GBG Flat**



**Smooth**  
 S262-GBGFW  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0"  
 S262-GBGFWLE  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0"

**Fixed Grilles**



S262-FXGLE  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0"

**Smooth**  
 S262-FXG  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0"

**Internal Blinds**



**Oak**  
 FC678-ADVRTLLE  
 6'8": 3'0", 2'8"  
 FC678-RTLLE  
 6'8": 3'0", 2'8"

**Mahogany**  
 FCM678-ADVRTLLE  
 6'8": 3'0", 2'8"  
 FCM678-RTLLE  
 6'8": 3'0", 2'8"

**Internal Blinds**



**Smooth**  
 S971-ADVRTLLE  
 6'8": 3'0"  
 S971-RT  
 6'8": 3'0"  
 S971-RTLLE  
 6'8": 3'0"

**GBG Flat**



**Smooth**  
 S6022-GBGFW  
 6'8": 3'0", 2'8"  
 7'0": 3'0"  
 S6022-GBGFWLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"

**Fixed Grilles**



S6022-FXGLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"

**Smooth**  
 S6022-FXG  
 6'8": 3'0", 2'8"  
 7'0": 3'0"

**Internal Blinds**



**Smooth**  
 S4308-ADVRTLLE  
 6'8": 3'0", 2'8"

**Internal Blinds**



**Oak**  
 FC116-ADVRTLLE  
 6'8": 3'0", 2'8"  
 FC116-RTLLE  
 6'8": 3'0", 2'8"

**Mahogany**  
 FCM116-ADVRTLLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"  
 FCM116-RTLLE  
 6'8": 3'0", 2'8"  
 7'0": 3'0"

**Smooth**  
 S131-ADVRTLLE  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0", 2'10"  
 S131-RT  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0", 2'10"  
 S131-RTLLE  
 6'8": 3'0", 2'10", 2'8"  
 7'0": 3'0", 2'10"

**Clear Vented Lite**



Smooth  
S243  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Clear Vented Lite**



Smooth  
S6034  
6'8": 3'0", 2'8"  
7'0": 3'0"

**Clear Vented Lite**



Smooth  
S6054  
6'8": 3'0", 2'8"

**Clear Vented Lite**



Smooth  
S137  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"

**Low-E / Clear**



Mahogany  
FCM62  
6'8": 3'0", 2'8"  
FCM62  
6'8": 3'0", 2'8"  
FCM62-LE  
6'8": 3'0", 2'8"  
FCM62-LE  
6'8": 3'0", 2'8"

Oak  
FC62  
6'8": 3'0", 2'8"  
FC62  
6'8": 3'0", 2'8"  
FC62-LE  
6'8": 3'0", 2'8"  
FC62-LE  
6'8": 3'0", 2'8"

Smooth  
S206  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S206  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S206-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S206-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Low-E / Clear**



Smooth  
S4315  
6'8": 3'0", 2'8"  
S4315-LE  
6'8": 3'0", 2'8"

**Low-E / Clear**



Mahogany  
FCM6021  
6'8": 3'0"  
FCM6021  
6'8": 3'0"  
FCM6021-LE  
6'8": 3'0"  
FCM6021-LE  
6'8": 3'0"

Smooth  
S6021  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6021  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6021-LE  
6'8": 3'0", 2'8"  
7'0": 3'0"  
S6021-LE  
6'8": 3'0", 2'8"  
7'0": 3'0"

**Low-E / Clear**



Mahogany  
FCM6041  
6'8": 3'0"  
FCM6041  
6'8": 3'0"  
FCM6041-LE  
6'8": 3'0"  
FCM6041-LE  
6'8": 3'0"

Smooth  
S6041  
6'8": 3'0", 2'8"  
S6041  
6'8": 3'0", 2'8"  
S6041-LE  
6'8": 3'0", 2'8"  
S6041-LE  
6'8": 3'0", 2'8"

**Low-E / Clear**



Smooth  
S30  
6'8": 3'0"  
S30  
6'8": 3'0"  
S30-LE  
6'8": 3'0"  
S30-LE  
6'8": 3'0"

**Low-E / Clear**



Smooth  
S289  
6'8": 3'0", 2'8"  
S289-LE  
6'8": 3'0", 2'8"

**Low-E / Clear**



Smooth  
S210SL  
6'8": 14", 12"  
S210SL-LE  
6'8": 14", 12"

**Fiber-Classic® & Smooth-Star®**  
1/2 GLASS

**Key**

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- ▲ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- ▲ ..... 20-Minute Fire-Rated
- ▲ ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

**FXG ..... Fixed Grilles**

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Low-E / Clear



- Oak**
- FC670  6'8": 3'0", 2'8"
  - FC670  6'8": 3'0", 2'8"
  - FC670-LE  6'8": 3'0", 2'8"
  - FC670-LE  6'8": 3'0", 2'8"

**Mahogany**

- FCM670  6'8": 3'0"  
7'0": 3'0"
- FCM670  6'8": 3'0"  
7'0": 3'0"
- FCM670-LE  6'8": 3'0", 2'8"  
7'0": 3'0"
- FCM670-LE  6'8": 3'0", 2'8"  
7'0": 3'0"

Low-E / Clear



**Smooth**

- S104  6'8": 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"
- S104-LE  6'8": 3'0", 2'10", 2'8"  
7'0": 3'0", 2'10"
- S104-LE  6'8": 3'0", 2'10", 2'8", 2'6"  
7'0": 3'0", 2'10"
- S105  6'8": 3'0", 2'10", 2'8", 2'6"  
7'0": 3'0", 2'10"
- S105-LE  6'8": 3'0", 2'10", 2'8", 2'6"  
7'0": 3'0", 2'10"



# Fiber-Classic® & Smooth-Star® OVAL & CENTER LITES



Smooth-Star, Wellesley Glass, Door – S774, Sidelites – S155SL, Transom – 19730T

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

- ▾ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▾ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Wellesley-



Mahogany  
FCM106 ◆ ◆  
6'8": 3'0"

Smooth  
S774 ◆ ◆  
6'8": 3'0"

## Wellesley-



Mahogany  
FCM163 ◆ ◆  
6'8": 3'0"

Smooth  
S6082 ◆ ◆  
6'8": 3'0"

## Wellesley-



Oak  
FC796 ◆ ◆  
6'8": 3'0"

Smooth  
S999 ◆ ◆  
6'8": 3'0", 2'8"

## Concorde-



Mahogany  
FCM916 ◆ ■ ■  
6'8": 3'0"

Smooth  
S773 ◆ ■ ■  
6'8": 3'0"

## Concorde-



Mahogany  
FCM915 ◆ ■ ■  
6'8": 3'0"

Smooth  
S6084 ◆ ■ ■  
6'8": 3'0"

## Concorde-



Oak  
FC797 ◆ ■ ■  
6'8": 3'0"

Smooth  
S1000 ◆ ■ ■  
6'8": 3'0", 2'8"

## Privacy



Oak  
Rainglass  
FC80920XR ▾  
6'8": 3'0"

Satin Etch  
FC80920XE ▾  
6'8": 3'0"

## Privacy



Smooth  
Rainglass  
S9320XR ▾  
6'8": 3'0", 2'8"


Satin Etch  
S9320XE ▾  
6'8": 3'0", 2'8"

Low-E / Clear



Smooth  
S9320  
6'8": 3'0", 2'8"  
S9320-LE  
6'8": 3'0", 2'8"

Oval & Center Lites



# Fiber-Classic® & Smooth-Star® CRAFTSMAN



Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609,  
Finish – Driftwood

## Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ◆ ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- ▾ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

- ▾ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▾ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES

- BETWEEN GLASS (GBG)
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Sedona



Smooth  
S2650 ▾ ◆  
6'8": 3'0", 2'8"

## Sedona



Mahogany  
FCM604 ▾ ◆  
6'8": 3'0", 2'8"

Smooth  
S604 ▾ ◆  
6'8": 3'0", 2'8"

## Maple Park



Smooth  
S2630 ▾ ◆ ■  
6'8": 3'0", 2'8"

## Maple Park



Mahogany  
FCM609 ▾ ◆ ■  
6'8": 3'0", 2'8"

Smooth  
S609 ▾ ◆ ■  
6'8": 3'0", 2'8"

## Saratoga



Smooth  
S2660 ▾ ◆ ■  
6'8": 3'0", 2'8"

## Saratoga



Mahogany  
FCM602 ▾ ◆ ■  
6'8": 3'0", 2'8"

Smooth  
S602 ▾ ◆ ■  
6'8": 3'0", 2'8"

## Pembridge



Smooth  
S2640 ▾ ◆  
6'8": 3'0", 2'8"

## Pembridge



Mahogany  
FCM6520 ▾ ◆  
6'8": 3'0", 2'8"

Smooth  
S6520 ▾ ◆  
6'8": 3'0", 2'8"

Axis



Smooth  
S2620 6'8": 3'0", 2'8"

Axis



Mahogany  
FCM1650 6'8": 3'0", 2'8"

Smooth  
S1650 6'8": 3'0", 2'8"

Privacy with SDLs



Mahogany  
Chinchilla  
FCM605XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
FCM605XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
FCM605XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
FCM605XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
FCM605XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Smooth  
Chinchilla  
S605XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
S605XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
S605XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
S605XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
S605XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Mahogany  
Chinchilla  
FCM606XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
FCM606XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
FCM606XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
FCM606XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
FCM606XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Smooth  
Chinchilla  
S606XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
S606XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
S606XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
S606XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
S606XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Smooth  
Chinchilla  
S607XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
S607XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
S607XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
S607XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
S607XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Mahogany  
Chinchilla  
FCM608XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
FCM608XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
FCM608XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
FCM608XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
FCM608XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy with SDLs



Smooth  
Chinchilla  
S608XJ-ADVSSDL  
6'8": 3'0", 2'8"

Chord  
S608XC-ADVSSDL  
6'8": 3'0", 2'8"

Granite  
S608XN-ADVSSDL  
6'8": 3'0", 2'8"

Rainglass  
S608XR-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
S608XE-ADVSSDL  
6'8": 3'0", 2'8"

Privacy



Smooth  
Chinchilla  
S2610XJ 6'8": 3'0", 2'8"

Chord  
S2610XC 6'8": 3'0", 2'8"

Granite  
S2610XN 6'8": 3'0", 2'8"

Rainglass  
S2610XR 6'8": 3'0", 2'8"

Satin Etch  
S2610XE 6'8": 3'0", 2'8"

Privacy



Mahogany  
Chinchilla  
FCM601XJ 6'8": 3'0", 2'8"

Chord  
FCM601XC 6'8": 3'0", 2'8"

Granite  
FCM601XN 6'8": 3'0", 2'8"

Rainglass  
FCM601XR 6'8": 3'0", 2'8"

Satin Etch  
FCM601XE 6'8": 3'0", 2'8"

Privacy



Smooth  
Chinchilla  
S601XJ 6'8": 3'0", 2'8"

Chord  
S601XC 6'8": 3'0", 2'8"

Granite  
S601XN 6'8": 3'0", 2'8"

Rainglass  
S601XR 6'8": 3'0", 2'8"

Satin Etch  
S601XE 6'8": 3'0", 2'8"

Simulated Divided Lites



Mahogany  
FCM605-LE 6'8": 3'0", 2'8"

Smooth  
S605-LE 6'8": 3'0", 2'8"

Simulated Divided Lites



Mahogany  
FCM606-LE 6'8": 3'0", 2'8"

Smooth  
S606-LE 6'8": 3'0", 2'8"

Simulated Divided Lites



Smooth  
S607-LE 6'8": 3'0", 2'8"

Simulated Divided Lites



Mahogany  
FCM608-LE 6'8": 3'0", 2'8"

Smooth  
S608-LE 6'8": 3'0", 2'8"

Low-E / Clear



Smooth  
S2610-LE  
6'8": 3'0", 2'8"

Low-E / Clear



Mahogany  
FCM601-LE  
6'8": 3'0", 2'8"

Smooth  
S601-LE  
6'8": 3'0", 2'8"  
S601-LE  
6'8": 3'0", 2'8"

Fiber-Classic® &  
Smooth-Star®  
CRAFTSMAN

Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- ▲ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

FLAT PROFILE GRILLES  
BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES  
BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



# Fiber-Classic® & Smooth-Star® MINIMAL GLASS



Smooth-Star, Clear Glass with Fixed Grilles, Door – S255, Finish – Cabernet

## Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▽ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▽ ..... Scrolled & Flat Advanta Lite Frame
- ▽ ..... Scrolled Advanta Lite Frame
- ▽ ..... Flat Advanta Lite Frame
- ▽ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Saratoga



Smooth

S707 ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Concorde



Smooth

S735 ■  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Pembridge



Mahogany

FCM6570 ◆ ▽  
6'8": 3'0", 2'8"

**Oak**

FC6570 ▽ ◆  
6'8": 3'0", 2'8"

**Smooth**

S6570 ◆ ▽  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## Privacy



Mahogany  
Rainglass

FCM61XR ▽  
6'8": 3'0", 2'8"

**Reeded**

FCM61XK ▽  
6'8": 3'0"

**Satin Etch**

FCM61XE ▽ ◆  
6'8": 3'0", 2'8"

## Privacy



Oak  
Rainglass

FC61XR ▽  
6'8": 3'0", 2'8"

**Reeded**

FC61XK ▽  
6'8": 3'0", 2'8"

**Satin Etch**

FC61XE ▽ ◆  
6'8": 3'0", 2'8"

## Privacy



Smooth  
Rainglass

S296XR ▽ ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Reeded**

S296XK ▽ ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Satin Etch**

S296XE ▽ ◆  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

## GBG Flat



Smooth

S255-GBGFWLE  
6'8": 3'0"

## Fixed Grilles



Smooth

S255-FXG  
6'8": 3'0"  
S255-FXGLE  
6'8": 3'0"

**Fixed Grilles**



**Smooth**  
S236-FXG  
6'8": 3'0", 2'10", 2'8"

**Fixed Grilles**



**Smooth**  
S704-FXG  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Low-E / Clear**



**Mahogany**  
FCM61-LE  
6'8": 3'0", 2'8"

- Oak**  
FC61-LE  
6'8": 3'0", 2'8"

---

- Smooth**  
S296  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"
- S296-LE**  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"
- S296**  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"
- S296-LE**  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"
- S296-LE**  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Low-E / Clear**



**Smooth**  
S708  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"  
S708-LE  
6'8": 3'0", 2'10", 2'8"  
7'0": 3'0"

**Low-E / Clear**



**Smooth**  
S256  
6'8": 3'0"

Minimal Glass



# Fiber-Classic® & Smooth-Star® SOLID PANEL



Smooth-Star Door – S120; Doors – S2000

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- LE3 ..... LE3
- CL ..... Clear
- LF ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### 2 Panel Craftsman Shaker



Smooth  
S4800 9  
6'8": 3'0", 2'8"

### 2 Panel Square Top Shaker



Smooth  
S120 9  
6'8": 3'0", 2'8"

### 3 Panel Square Top



Smooth  
S45 9  
6'8": 3'0"

Mahogany  
FCM31 9  
6'8": 3'0"

### 2 Panel 3/4 Top



Smooth  
S93 9  
6'8": 3'0", 2'8"

Oak  
FC809 9  
6'8": 3'0"

### 2 Panel Plank Soft Arch



Smooth  
S205 9  
6'8": 3'0", 2'8"

Mahogany  
FCM205 9  
6'8": 3'0"

### 2 Panel Soft Arch



Smooth  
S200 9  
6'8": 3'0", 2'8"

### 2 Panel Square Top



Smooth  
S220 9  
6'8": 3'0", 2'8"  
7'0": 3'0"

Mahogany  
FCM220 9  
6'8": 3'0"

### 3 Panel Scroll



Smooth  
S755 9  
6'8": 3'0"

Mahogany  
FCM755 9  
6'8": 3'0"

3 Panel



Smooth  
S31 9  
6'8": 3'0"

4 Panel Square Top



Smooth  
S960 9  
6'8": 3'0", 2'8"

1 Panel Shaker



Smooth  
S1100 9  
6'8": 3'0", 2'8"

6 Panel



Mahogany  
FCM60 9  
6'8": 3'0", 2'8"

Oak  
FC60 9  
6'8": 3'0", 2'8"

Smooth  
S210 9  
6'8": 3'0", 2'10",  
2'8"  
7'0": 3'0"

Flush Panel



Mahogany  
FCM1000 9  
6'8": 3'0", 2'8", 2'6"  
7'0": 3'0"

Oak  
1000 9  
6'8": 3'0", 2'8", 2'6"

Smooth  
S100 9  
6'6": 3'0", 2'10",  
2'8", 2'4"  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6",  
2'4", 2'0"  
7'0": 3'0", 2'10"

2 Panel Craftsman



Mahogany  
FCM600 9  
6'8": 3'0", 2'8"

Smooth  
S600 9  
6'8": 3'0", 2'8"

2 Panel Square Top - 20-Minute



Smooth  
SSF220 9  
6'8": 3'0", 2'8"

1 Panel Shaker - 20-Minute



Smooth  
SSF100 9  
6'8": 3'0", 2'8"

2 Panel Square Top Shaker - 20-Minute



Smooth  
SSF120 9  
6'8": 3'0", 2'8"

2 Panel Craftsman Shaker - 20-Minute



Smooth  
SSF4800 9  
6'8": 3'0", 2'8"

2 Panel Craftsman - 20-Minute



Smooth  
SSF600 9  
6'8": 3'0"

6 Panel - 20-Minute



Smooth  
SSF160 9  
6'8": 3'0", 2'8"

Flush Panel - 20-Minute



Smooth  
SSF100 9  
6'8": 3'0", 2'8"  
7'0": 3'0"

3 Panel Shaker



Smooth  
SS701 9  
6'8": 3'0"

5 Panel Shaker



Smooth  
SS721 9  
6'8": 3'0"

6 Panel Shaker Contemporary Asymmetrical - Left



Smooth  
SS501L 9  
6'8": 3'0", 2'8"

# Fiber-Classic® & Smooth-Star® PULSE.



Pulse Ari, Echelon Glass with Flat Lite Frame, Door – S2EC, Finish – Estuary

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▽ ..... LE3
- CL ..... Clear
- ▽ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▽ ..... Scrolled & Flat Advanta Lite Frame
- ▽ ..... Scrolled Advanta Lite Frame
- ▽ ..... Flat Advanta Lite Frame
- ▽ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 🔥 ..... WBDR Options
- 🔥 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Sedona

**Oak**  
FC2SN ▽ ◆  
6'8": 3'0", 2'8"

**Smooth**  
S2SN ▽ ◆  
6'8": 3'6", 3'0", 2'10", 2'8"

**Mahogany**  
FCM2SN ▽ ◆  
6'8": 3'0"

## Saratoga

**Oak**  
FC2SG ▽ ◆ ■  
6'8": 3'0", 2'8"

**Smooth**  
S2SG ▽ ◆ ■  
6'8": 3'6", 3'0", 2'10", 2'8"

**Mahogany**  
FCM2SG ▽ ◆ ■  
6'8": 3'0", 2'8"

## Saratoga

**Oak**  
FC1LSG ▽ ◆  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S1LSG ▽ ◆  
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM1LSG ▽ ◆  
6'8": 3'0", 2'6"

## Saratoga

**Oak**  
FC1SG ▽ ◆  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S1SG ▽ ◆  
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM1SG ▽ ◆  
6'8": 3'0", 2'6"

## Saratoga

**Oak**  
FC1RSG ▽ ◆  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S1RSG ▽ ◆  
6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM1RSG ▽ ◆  
6'8": 3'0", 2'6"

## Pembridge

**Oak**  
FC2PB ▽ ◆  
6'8": 3'0", 2'8"

**Smooth**  
S2PB ▽ ◆  
6'8": 3'6", 3'0", 2'10", 2'8"

**Mahogany**  
FCM2PB ▽ ◆  
6'8": 3'0", 2'8"

## Pembridge

**Oak**  
FC4LPB ▽ ◆  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S4LPB ▽ ◆  
6'8": 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM4LPB ▽ ◆  
6'8": 3'0", 2'6"

## Pembridge

**Oak**  
FC4PB ▽ ◆  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S4PB ▽ ◆  
6'8": 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM4PB ▽ ◆  
6'8": 3'0", 2'6"

Pembridge-



Oak  
FC4RPB  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S4RPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Mahogany  
FCM4RPB  
6'8": 3'0", 2'6"

Pembridge-



Smooth  
S4PBSL  
6'8": 14", 12"

Mahogany  
FCM4PBSL  
6'8": 14", 12"

Pembridge-



Oak  
FC5LPB  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S5LPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Mahogany  
FCM5LPB  
6'8": 3'0", 2'6"

Pembridge-



Oak  
FC5PB  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S5PB  
6'8": 3'0", 2'10", 2'8", 2'6"

Mahogany  
FCM5PB  
6'8": 3'0", 2'6"

Pembridge-



Oak  
FC5RPB  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S5RPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Mahogany  
FCM5RPB  
6'8": 3'0", 2'6"

Pembridge-



Smooth  
S5PBSL  
6'8": 14", 12"

Mahogany  
FCM5PBSL  
6'8": 14", 12"

Pembridge-



Smooth  
S8LPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC8LPB  
6'8": 3'0", 2'8", 2'6"

Pembridge-



Smooth  
S8PB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC8PB  
6'8": 3'0", 2'8", 2'6"

Pembridge-



Smooth  
S8RPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC8RPB  
6'8": 3'0", 2'8", 2'6"

Pembridge-



Smooth  
S10PBSL  
6'8": 14", 12"

Mahogany  
FCM10PBSL  
6'8": 14", 12"

Pembridge-



Smooth  
S9LPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC9LPB  
6'8": 3'0", 2'8", 2'6"

Pembridge-



Smooth  
S9PB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC9PB  
6'8": 3'0", 2'8", 2'6"

Pembridge-



Smooth  
S9RPB  
6'8": 3'0", 2'10", 2'8", 2'6"

Oak  
FC9RPB  
6'8": 3'0", 2'8", 2'6"


Pembridge-



Smooth  
S9PBSL  
6'8": 14", 12"

Smooth  
S9PBSL  
6'8": 14", 12"

Axis



Oak  
FC2AX  
6'8": 3'0", 2'8"  
Smooth  
S2AX  
6'8": 3'6", 3'0", 2'10", 2'8"

Mahogany  
FCM2AX  
6'8": 3'0", 2'8"

Axis



Oak  
FC1LAX  
6'8": 3'0", 2'8", 2'6"  
Smooth  
S1LAX  
6'8": 3'6"

Mahogany  
FCM1LAX  
6'8": 3'0", 2'6"

Axis



- Oak**  
FC1AX 6'8": 3'0", 2'8", 2'6"
- Smooth**  
S1AX 6'8": 3'6"

**Mahogany**  
FCM1AX 6'8": 3'0", 2'6"


Axis



- Oak**  
FC1RAX 6'8": 3'0", 2'8", 2'6"
- Smooth**  
S1RAX 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Mahogany**  
FCM1RAX 6'8": 3'0", 2'6"


Privacy



- Chord**  
FCM2XC 6'8": 3'0", 2'8"
- Granite**  
FCM2XN 6'8": 3'0"
- Rainglass**  
FCM2XR 6'8": 3'0", 2'8"
- Reeded**  
FCM2XK 6'8": 3'0", 2'8"
- Satin Etch**  
FCM2XE 6'8": 3'0", 2'8"

**Mahogany Chinchilla**  
FCM2XJ 6'8": 3'0", 2'8"

Privacy



- Chord**  
FC2XC 6'8": 3'0", 2'8"
- Granite**  
FC2XN 6'8": 3'0", 2'8"
- Rainglass**  
FC2XR 6'8": 3'0", 2'8"
- Reeded**  
FC2XK 6'8": 3'0", 2'8"
- Satin Etch**  
FC2XE 6'8": 3'0", 2'8"

**Oak Chinchilla**  
FC2XJ 6'8": 3'0", 2'8"

Privacy



- Chord**  
S2XC 6'8": 3'6", 3'0", 2'10", 2'8"
- Granite**  
S2XN 6'8": 3'6", 3'0", 2'10", 2'8"
- Rainglass**  
S2XR 6'8": 3'6", 3'0", 2'10", 2'8"
- Reeded**  
S2XK 6'8": 3'6", 3'0", 2'10", 2'8"
- Satin Etch**  
S2XE 6'8": 3'6", 3'0", 2'10", 2'8"

**Smooth Chinchilla**  
S2XJ 6'8": 3'6", 3'0", 2'10", 2'8"

Privacy



- Chord**  
FCM1LXC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FCM1LXR 6'8": 3'0", 2'6"
- Reeded**  
FCM1LXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FCM1LXE 6'8": 3'0", 2'8", 2'6"

**Mahogany Chinchilla**  
FCM1LXJ 6'8": 3'0", 2'6"

Privacy



- Chord**  
FC1LXC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FC1LXR 6'8": 3'0", 2'8", 2'6"
- Reeded**  
FC1LXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FC1LXE 6'8": 3'0", 2'8", 2'6"

**Oak Chinchilla**  
FC1LXJ 6'8": 3'0", 2'8", 2'6"

Privacy



- Chord**  
S1LXC 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Rainglass**  
S1LXR 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Reeded**  
S1LXK 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Satin Etch**  
S1LXE 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Chinchilla**  
S1LXJ 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



- Chord**  
FCM1XC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FCM1XR 6'8": 3'0", 2'6"
- Reeded**  
FCM1XK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FCM1XE 6'8": 3'0", 2'8", 2'6"

**Mahogany Chinchilla**  
FCM1XJ 6'8": 3'0", 2'6"


Privacy



- Chord**  
FC1XC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FC1XR 6'8": 3'0", 2'8", 2'6"
- Reeded**  
FC1XK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FC1XE 6'8": 3'0", 2'8", 2'6"

**Oak Chinchilla**  
FC1XJ 6'8": 3'0", 2'8", 2'6"

Privacy



- Chord**  
S1XC 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Rainglass**  
S1XR 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Reeded**  
S1XK 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Satin Etch**  
S1XE 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Chinchilla**  
S1XJ 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



- Chord**  
FCM1RXC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FCM1RXR 6'8": 3'0", 2'6"
- Reeded**  
FCM1RXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FCM1RXE 6'8": 3'0", 2'8", 2'6"

**Mahogany Chinchilla**  
FCM1RXJ 6'8": 3'0", 2'6"

Privacy



- Chord**  
FC1RXC 6'8": 3'0", 2'8", 2'6"
- Rainglass**  
FC1RXR 6'8": 3'0", 2'8", 2'6"
- Reeded**  
FC1RXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FC1RXE 6'8": 3'0", 2'8", 2'6"

**Oak Chinchilla**  
FC1RXJ 6'8": 3'0", 2'8", 2'6"

Privacy



- Chord**  
S1RXC 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Rainglass**  
S1RXR 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Reeded**  
S1RXK 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"
- Satin Etch**  
S1RXE 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Chinchilla**  
S1RXJ 6'8": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



- Reeded**  
FCM4LXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch**  
FCM4LXE 6'8": 3'0", 2'8", 2'6"

**Mahogany Rainglass**  
FCM4LXR 6'8": 3'0", 2'6"

Privacy



- Reeded**  
FC4LXK 6'8": 3'0"
- Satin Etch**  
FC4LXE 6'8": 3'0", 2'8", 2'6"

**Oak Rainglass**  
FC4LXR 6'8": 3'0", 2'8", 2'6"

**Privacy**



- Reeded
  - S4LXK 6'8": 3'0", 2'10", 2'8", 2'6"
- Satin Etch
  - S4LXE 6'8": 3'0", 2'10", 2'8", 2'6"

Smooth Rainglass  
S4LXR 6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



- Reeded
  - FCM4XK 6'8": 3'0", 2'8", 2'6"
- Satin Etch
  - FCM4XE 6'8": 3'0", 2'8", 2'6"

Mahogany Rainglass  
FCM4XR 6'8": 3'0", 2'6"

**Privacy**



- Reeded
  - FC4XK 6'8": 3'0"
- Satin Etch
  - FC4XE 6'8": 3'0", 2'8", 2'6"

Oak Rainglass  
FC4XR 6'8": 3'0", 2'8", 2'6"

**Privacy**



- Reeded
  - S4XK 6'8": 3'0", 2'10", 2'8", 2'6"
- Satin Etch
  - S4XE 6'8": 3'0", 2'10", 2'8", 2'6"

Smooth Rainglass  
S4XR 6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



- Reeded
  - FCM4RXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch
  - FCM4RXE 6'8": 3'0", 2'8", 2'6"

Mahogany Rainglass  
FCM4RXR 6'8": 3'0", 2'6"

**Privacy**



- Reeded
  - FC4RXK 6'8": 3'0"
- Satin Etch
  - FC4RXE 6'8": 3'0", 2'8", 2'6"

Oak Rainglass  
FC4RXR 6'8": 3'0", 2'8", 2'6"

**Privacy**



- Reeded
  - S4RXK 6'8": 3'0", 2'10", 2'8", 2'6"
- Satin Etch
  - S4RXE 6'8": 3'0", 2'10", 2'8", 2'6"

Smooth Rainglass  
S4RXR 6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



- Satin Etch
  - FCM4XESL 6'8": 14", 12"

Mahogany Rainglass  
FCM4XRSL 6'8": 14", 12"

**Privacy**



- Reeded
  - S4XKSL 6'8": 14", 12"
- Satin Etch
  - S4XESL 6'8": 14", 12"

Smooth Rainglass  
S4XRSL 6'8": 14", 12"

**Privacy**



- Reeded
  - FCM5LXK 6'8": 3'0", 2'8", 2'6"
- Satin Etch
  - FCM5LXE 6'8": 3'0", 2'8", 2'6"

Mahogany Rainglass  
FCM5LXR 6'8": 3'0", 2'6"


**Privacy**



- Reeded
  - FC5LXK 6'8": 3'0"
- Satin Etch
  - FC5LXE 6'8": 3'0", 2'8", 2'6"

Oak Rainglass  
FC5LXR 6'8": 3'0", 2'8", 2'6"

**Privacy**



- Reeded
  - S5LXK 6'8": 3'0", 2'10", 2'8", 2'6"
- Satin Etch
  - S5LXE 6'8": 3'0", 2'10", 2'8", 2'6"

Smooth Rainglass  
S5LXR 6'8": 3'0", 2'10", 2'8", 2'6"

**Fiber-Classic® & Smooth-Star® PULSE®**

**Key**

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- ▲ ..... 20-Minute Fire-Rated
- ▲ ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**


- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy




Mahogany Rainglass  
FCM5XR  
6'8": 3'0", 2'6"

Privacy



Oak Rainglass  
FC5XR  
6'8": 3'0", 2'8", 2'6"

Privacy



Smooth Rainglass  
S5XR  
6'8": 3'0", 2'10", 2'8", 2'6"

Privacy




Mahogany Rainglass  
FCM5RXR  
6'8": 3'0", 2'6"

Privacy



Oak Rainglass  
FC5RXR  
6'8": 3'0", 2'8", 2'6"

Privacy



Smooth Rainglass  
S5RXR  
6'8": 3'0", 2'10", 2'8", 2'6"

Privacy



Mahogany Rainglass  
FCM5XRSL  
6'8": 14", 12"

Privacy



Smooth Rainglass  
S5XRSL  
6'8": 14", 12"

Privacy




Mahogany Reeded  
FCM8LXK  
6'8": 3'0", 2'8", 2'6"

Privacy



Oak Rainglass  
FC8LXR  
6'8": 3'0", 2'8", 2'6"

Privacy



Smooth Rainglass  
S8LXR  
6'8": 3'0", 2'10", 2'8", 2'6"

Privacy




Mahogany Reeded  
FCM8XK  
6'8": 3'0", 2'8", 2'6"

Privacy



Oak Rainglass  
FC8XR  
6'8": 3'0", 2'8", 2'6"

Privacy



Smooth Rainglass  
S8XR  
6'8": 3'0", 2'10", 2'8", 2'6"

Privacy



Mahogany Reeded  
FCM8RXK  
6'8": 3'0", 2'8", 2'6"

Privacy



Oak Rainglass  
FC8RXR  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
S8RXK  
6'8": 3'0", 2'10",  
2'8", 2'6"

---

**Satin Etch**  
S8RXE  
6'8": 3'0", 2'10",  
2'8", 2'6"

**Smooth**  
**Rainglass**  
S8RXR  
6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



**Satin Etch**  
FCM10XESL  
6'8": 14", 12"

**Mahogany**  
**Rainglass**  
FCM10XRSL  
6'8": 14", 12"

**Privacy**



**Satin Etch**  
S10XESL  
6'8": 14", 12"

**Smooth**  
**Reeded**  
S10XKSL  
6'8": 14", 12"

**Privacy**



**Satin Etch**  
FCM9LXE  
6'8": 3'0", 2'8", 2'6"

**Mahogany**  
**Reeded**  
FCM9LXK  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
FC9LXK  
6'8": 3'0"

---

**Satin Etch**  
FC9LXE  
6'8": 3'0", 2'8", 2'6"

**Oak**  
**Rainglass**  
FC9LXR  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
S9LXK  
6'8": 3'0", 2'10",  
2'8", 2'6"

---

**Satin Etch**  
S9LXE  
6'8": 3'0", 2'10",  
2'8", 2'6"

**Smooth**  
**Rainglass**  
S9LXR  
6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



**Satin Etch**  
FCM9XE  
6'8": 3'0", 2'8", 2'6"

**Mahogany**  
**Reeded**  
FCM9XK  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
FC9XK  
6'8": 3'0"

---

**Satin Etch**  
FC9XE  
6'8": 3'0", 2'8", 2'6"

**Oak**  
**Rainglass**  
FC9XR  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
S9XK  
6'8": 3'0", 2'10",  
2'8", 2'6"

---

**Satin Etch**  
S9XE  
6'8": 3'0", 2'10",  
2'8", 2'6"

**Smooth**  
**Rainglass**  
S9XR  
6'8": 3'0", 2'10", 2'8", 2'6"

**Privacy**



**Satin Etch**  
FCM9RXE  
6'8": 3'0", 2'8", 2'6"

**Mahogany**  
**Reeded**  
FCM9RXK  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
FC9RXK  
6'8": 3'0"

---

**Satin Etch**  
FC9RXE  
6'8": 3'0", 2'8", 2'6"

**Oak**  
**Rainglass**  
FC9RXR  
6'8": 3'0", 2'8", 2'6"

**Privacy**



**Reeded**  
S9RXK  
6'8": 3'0", 2'10",  
2'8", 2'6"

---

**Satin Etch**  
S9RXE  
6'8": 3'0", 2'10",  
2'8", 2'6"

**Smooth**  
**Rainglass**  
S9RXR  
6'8": 3'0", 2'10", 2'8", 2'6"

**Fiber-Classic® & Smooth-Star® PULSE®**

**Key**

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ..... LE3
- CL ..... Clear
- ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ..... Scrolled & Flat Advanta Lite Frame
- ..... Scrolled Advanta Lite Frame
- ..... Flat Advanta Lite Frame
- ..... Standard Lite Frame Available
- ..... 20-Minute Fire-Rated
- ..... 90-Minute Fire-Rated
- ..... WBDR Options
- ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- ..... Door Divider Bars (3 1/2")
- ..... Door Divider Bars (4 1/4")
- ..... Door Divider Bars (5 1/2")
- ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- ..... 1 1/8" Flat SDL
- ..... 3 1/2" Flat SDL
- ..... 4 1/4" Flat SDL
- ..... 5 1/2" Flat SDL
- ..... 4 1/4" & 5 1/2" Flat Combo SDL
- ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy



**Mahogany**  
Satin Etch  
FCM9XESL  
6'8": 14"

Privacy



**Smooth**  
Rainglass  
S9XRSL  
6'8": 14", 12"

- Reeded**  
S9XKSL  
6'8": 14", 12"
- Satin Etch**  
S9XESL  
6'8": 14", 12"

Low-E / Clear



**Mahogany**  
FCM2CL-LE  
6'8": 3'0", 2'8"

- Oak**  
FC2CL-LE  
6'8": 3'0", 2'8"
- Smooth**  
S2CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8"  
S2CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8"

Low-E / Clear



**Mahogany**  
FCM1LCL-LE  
6'8": 3'0"

- Oak**  
FC1LCL-LE  
6'8": 3'0"
- Smooth**  
S1LCL  
6'8": 3'6"  
S1LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S1LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM1CL-LE  
6'8": 3'0"

- Oak**  
FC1CL-LE  
6'8": 3'0"
- Smooth**  
S1CL  
6'8": 3'6"  
S1CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S1CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM1RCL-LE  
6'8": 3'0"

- Oak**  
FC1RCL-LE  
6'8": 3'0"
- Smooth**  
S1RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S1RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S1RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"


Low-E / Clear



**Mahogany**  
FCM4CL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC4CL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S4LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4LCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S4LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"


Low-E / Clear



**Mahogany**  
FCM4CL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC4CL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S4CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4CL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S4CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM4RCL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC4RCL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S4RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4RCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S4RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S4RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM4CLSL-LE  
6'8": 14", 12"

- Smooth**  
S4CLSL  
6'8": 14", 12"  
S4CLSL-LE  
6'8": 14", 12"  
S4CLSL  
6'8": 14", 12"  
S4CLSL-LE  
6'8": 14", 12"  
S4CLSL-LE  
6'8": 14", 12"

Low-E / Clear



**Mahogany**  
FCM5CL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC5CL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S5LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5LCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S5LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM5CL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC5CL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S5CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5CL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S5CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM5RCL-LE  
6'8": 3'0", 2'6"

- Oak**  
FC5RCL-LE  
6'8": 3'0", 2'8", 2'6"
- Smooth**  
S5RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5RCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S5RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S5RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Mahogany**  
FCM5CLSL-LE  
6'8": 14", 12"

- Smooth**  
S5CLSL  
6'8": 14", 12"  
S5CLSL-LE  
6'8": 14", 12"  
S5CLSL  
6'8": 14", 12"  
S5CLSL-LE  
6'8": 14", 12"  
S5CLSL-LE  
6'8": 14", 12"

Low-E / Clear



**Oak**  
FC8CL-LE  
6'8": 3'0", 2'8", 2'6"

- Smooth**  
S8LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8LCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S8LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Oak**  
FC8CL-LE  
6'8": 3'0", 2'8", 2'6"

- Smooth**  
S8CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8CL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S8CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Low-E / Clear**



Oak

FC8RCL-LE  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S8RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8RCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S8RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S8RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Low-E / Clear**



Mahogany

FCM10CLSL-LE  
6'8": 14", 12"

**Smooth**  
S10CLSL  
6'8": 14", 12"  
S10CLSL  
6'8": 14", 12"  
S10CLSL-LE  
6'8": 14", 12"  
S10CLSL-LE  
6'8": 14", 12"

**Low-E / Clear**



Oak

FC9CL-LE  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S9LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9LCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S9LCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9LCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Low-E / Clear**



Oak

FC9CL-LE  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S9CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9CL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S9CL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9CL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Low-E / Clear**



Oak

FC9RCL-LE  
6'8": 3'0", 2'8", 2'6"

**Smooth**  
S9RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9RCL-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"  
S9RCL  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"  
S9RCL-LE  
6'8": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Low-E / Clear**



Smooth

S9CLSL  
6'8": 14", 12"  
S9CLSL-LE  
6'8": 14", 12"

S9CLSL  
6'8": 14", 12"  
S9CLSL-LE  
6'8": 14", 12"  
S9CLSL-LE  
6'8": 14", 12"

**Fiber-Classic® & Smooth-Star® PULSE®**

**Key**

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ..... LE3
- CL ..... Clear
- ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ..... Scrolled & Flat Advanta Lite Frame
- ..... Scrolled Advanta Lite Frame
- ..... Flat Advanta Lite Frame
- ..... Standard Lite Frame Available
- ..... 20-Minute Fire-Rated
- ..... 90-Minute Fire-Rated
- ..... WBDR Options
- ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

**FXG ..... Fixed Grilles**

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



Pulse Echo, Low-E Glass with Flat Frame, Door – S9LCL, Finish – Onyx

# Fiber-Classic® & Smooth-Star® 8'0" FULL GLASS



Smooth-Star, Clear Glass, Door – S8140

## Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▮ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▮ ..... Scrolled & Flat Advanta Lite Frame
- ▮ ..... Scrolled Advanta Lite Frame
- ▮ ..... Flat Advanta Lite Frame

- ▮ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▮ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Privacy



Satin Etch  
S8601XESL  
8'0": 14"

Smooth  
Reeded  
S8601XKSL  
8'0": 14"

## Privacy



Smooth  
Satin Etch  
S81086XESL  
8'0": 14", 12"

## Internal Blinds



Smooth  
S829-RT  
8'0": 3'0", 2'8"  
S829-RTLE  
8'0": 3'0", 2'8"

## Internal Blinds



Smooth  
S81225-RT  
8'0": 3'6", 3'0", 2'10", 2'8"  
S81225-RTLE  
8'0": 3'6", 3'0", 2'10", 2'8"

## Low-E / Clear



Oak  
81200P-LE  
8'0": 3'0"

Smooth  
S818  
8'0": 3'0", 2'8"  
S818-LE  
8'0": 3'0", 2'8"

## Low-E / Clear



Smooth  
S8601SL  
8'0": 14"  
S8601SL-LE  
8'0": 14"

## Low-E / Clear



Mahogany  
FCM81200-LE  
8'0": 3'0"

Oak  
81200-LE  
8'0": 3'0"  
Smooth  
S8140  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"  
S8140-LE  
8'0": 3'6", 3'0", 2'10", 2'8"

## Low-E / Clear



Smooth  
S81086SL-LE  
8'0": 14", 12"

# Fiber-Classic® & Smooth-Star® 8'0" 3/4 GLASS



Smooth-Star, Satin Etch Glass, Door – S880XE, Sidelite – S880XESL

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- ▴ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▨ ..... Scrolled & Flat Advanta Lite Frame
- ▨ ..... Scrolled Advanta Lite Frame
- ▨ ..... Flat Advanta Lite Frame

- ▨ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFAL ..... Flat Almond GBG
- GBGFBR ..... Flat Bronze GBG
- GBGFBL ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Saratoga



Oak

81956P  
8'0": 3'0"

Smooth  
S891  
8'0": 3'0"

## Axis



Oak

FC81646  
8'0": 3'0"

Smooth  
S81646  
8'0": 3'0"

## Privacy with SDLs



Smooth  
Reeded

S881XK-ADVSSDL  
8'0": 3'0"

Satin Etch  
S881XE-ADVSSDL  
8'0": 3'0"

## Privacy



Oak  
Satin Etch

81943PXE  
8'0": 3'0"

## Privacy



Smooth  
Reeded

S880XK  
8'0": 3'0"

Satin Etch  
S880XE  
8'0": 3'0"

## Privacy



Smooth  
Chord

S880XCSL  
8'0": 14"

Reeded  
S880XKSL  
8'0": 14"

Satin Etch  
S880XESL  
8'0": 14"

## Simulated Divided Lites



Smooth  
S881-ADVSSDLLE  
8'0": 3'0"  
S881  
8'0": 3'0"  
S881-LE  
8'0": 3'0"

## GBG Flat



Smooth  
S881-GBGFW  
8'0": 3'0"  
S881-GBGFWLE  
8'0": 3'0"

Note: Product images show exterior side of door.

8'0" 3/4 Glass

**GBG Flat**



Smooth  
S882-GBGFWLE  
8'0": 3'0"

**GBG Flat**



Smooth  
S8311-GBGFKLE  
8'0": 3'0"

**GBG Flat**



Smooth  
S8313-GBGFWLE  
8'0": 3'0"

**GBG Flat**



Smooth  
S898-GBGFWLE  
8'0": 3'0"

**Fixed Grilles**



Smooth  
S881-FXGLE  
8'0": 3'0"

**Fixed Grilles**



Smooth  
S882-FXGLE  
8'0": 3'0"

**Internal Blinds**



Oak  
81964P-ADVRTLE  
8'0": 3'0"  
81964P-RT  
8'0": 3'0"  
81964P-RTLE  
8'0": 3'0"

Smooth  
S8682-ADVRTLE  
8'0": 3'0"  
S8682-RT  
8'0": 3'0"  
S8682-RTLE  
8'0": 3'0"

**Internal Blinds**



Smooth  
S8682SL-RTLE  
8'0": 14"

**Low-E / Clear**



Oak  
81943P  
8'0": 3'0"  
81943P-LE  
8'0": 3'0"  
81943P-LE  
8'0": 3'0"

Smooth  
S880  
8'0": 3'0"  
S880-LE  
8'0": 3'0"  
S880-LE  
8'0": 3'0"

**Low-E / Clear**



Smooth  
S880SL-LE  
8'0": 14"  
S880SL-LE  
8'0": 14"

# Fiber-Classic® & Smooth-Star®

## 8'0" 1/2 GLASS



Smooth-Star, Maple Park Glass, Doors – S86107, Finish – Arctic Ice

### Maple Park.



Oak  
S81939P  
8'0": 3'0"

Smooth  
S81939P  
8'0": 3'0", 2'8"

### Maple Park.



Smooth  
S86107  
8'0": 3'0", 2'8"

### Maple Park.



Oak  
S81982P  
8'0": 3'0"

Smooth  
S85897  
8'0": 3'0"

### Maple Park.



Smooth  
S84324  
8'0": 3'0", 2'8"

### Saratoga.



Smooth  
S81938P  
8'0": 3'0"

### Saratoga.



Smooth  
S86029  
8'0": 3'0"

### Saratoga.



Smooth  
S85908  
8'0": 3'0"

### Saratoga.



Smooth  
S84327  
8'0": 3'0"

### Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- ▴ ..... Flat Frame

#### ADVANTA LITE FRAMES (ADV)

- ▮ ..... Scrolled & Flat Advanta Lite Frame
- ▮ ..... Scrolled Advanta Lite Frame
- ▮ ..... Flat Advanta Lite Frame

▮ ..... Standard Lite Frame Available

- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

#### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

#### SIMULATED DIVIDED LITES (SDL)

- ▮ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

#### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

#### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Note: Product images show exterior side of door.

Axis



Smooth  
S81654  
8'0": 3'0"

Axis



Smooth  
S81656  
8'0": 3'0"

Axis



Smooth  
S81653  
8'0": 3'0"

Axis



Smooth  
S84311  
8'0": 3'0"

Privacy



Smooth  
Satin Etch  
S81929PXE  
8'0": 3'0"

Privacy



Smooth  
Satin Etch  
S86021XE  
8'0": 3'0"

Privacy



Smooth  
Satin Etch  
S830XE  
8'0": 3'0"

Privacy



Smooth  
Satin Etch  
S84305XE  
8'0": 3'0"

GBG Flat



Smooth  
S8322-GBGFKLE  
8'0": 3'0", 2'8"  
S8322-GBGFWLE  
8'0": 3'0", 2'8"

GBG Flat



Smooth  
S8326-GBGFKLE  
8'0": 3'0", 2'8"  
S8326-GBGFWLE  
8'0": 3'0", 2'8"

GBG Flat



Smooth  
S8318-GBGFKLE  
8'0": 3'0"  
S8318-GBGFWLE  
8'0": 3'0"

Internal Blinds



Smooth  
S8132-ADVRTLLE  
8'0": 3'0"  
S8132-RTLLE  
8'0": 3'0", 2'8"

Internal Blinds



Smooth  
S86035-ADVRTLLE  
8'0": 3'0"  
S86035-RTLLE  
8'0": 3'0", 2'8"

Internal Blinds



Oak  
FC8971-ADVRTLLE  
8'0": 3'0"

Smooth  
S8971-ADVRTLLE  
8'0": 3'0"  
S8971-RTLLE  
8'0": 3'0"

Internal Blinds



Smooth  
S84308-ADVRTLLE  
8'0": 3'0"

Low-E / Clear



Oak  
S81929P-LE  
8'0": 3'0"  
S81929P-LE  
8'0": 3'0", 2'8"

Smooth  
S81929P  
8'0": 3'0", 2'8"  
S81929P-LE  
8'0": 3'0", 2'8"  
S81929P-LE  
8'0": 3'0", 2'8"

Low-E / Clear



Smooth  
S86021  
8'0": 3'0", 2'8"  
S86021-LE  
8'0": 3'0", 2'8"

Low-E / Clear



Oak  
81971P-LE  
8'0": 3'0"  
81971P-LE  
8'0": 3'0"

- Smooth S830 8'0": 3'0"
- S830-LE 8'0": 3'0"
- S830-LE 8'0": 3'0"
- S830-LE 8'0": 3'0"

Low-E / Clear



Smooth  
S84315-LE  
8'0": 3'0", 2'8"

# Fiber-Classic® & Smooth-Star®

## 8'0" 1/2 GLASS

### Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- 🔲 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



# Fiber-Classic® & Smooth-Star® 8'0" CRAFTSMAN



Smooth-Star, Satin Etch Glass, Door – S8600XE, Finish – Granite

## Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ◆ ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▤ ..... LE3
- CL ..... Clear
- ▤ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame

- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▤ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Sedona



Smooth  
S82650 ▤ ◆  
8'0": 3'0"

## Sedona



Smooth  
S8604 ▤ ◆  
8'0": 3'0"

## Maple Park



Smooth  
S82630 ▤ ◆ ■  
8'0": 3'0"

## Maple Park



Smooth  
S8609 ▤ ◆ ■  
8'0": 3'0"

## Saratoga



Smooth  
S82660 ▤ ◆ ■  
8'0": 3'0"

## Saratoga



Smooth  
S8602 ▤ ◆ ■  
8'0": 3'0"

## Pembridge



Smooth  
S82640 ▤ ◆  
8'0": 3'0"

## Pembridge



Smooth  
S86520 ▤ ◆  
8'0": 3'0"

Axis



Smooth  
S82620 8'0": 3'0"

Axis



Smooth  
S81650 8'0": 3'0"

Privacy with SDLs



Smooth Chinchilla  
S8605XJ-ADVSSDL  
8'0": 3'0"

- Chord  
S8605XC-ADVSSDL  
8'0": 3'0"

---

- Granite  
S8605XN-ADVSSDL  
8'0": 3'0"

---

- Rainglass  
S8605XR-ADVSSDL  
8'0": 3'0"

---

- Satin Etch  
S8605XE-ADVSSDL  
8'0": 3'0"

Privacy with SDLs



Smooth Chinchilla  
S8606XJ-ADVSSDL  
8'0": 3'0"

- Chord  
S8606XC-ADVSSDL  
8'0": 3'0"

---

- Granite  
S8606XN-ADVSSDL  
8'0": 3'0"

---

- Rainglass  
S8606XR-ADVSSDL  
8'0": 3'0"

---

- Satin Etch  
S8606XE-ADVSSDL  
8'0": 3'0"

Privacy with SDLs



Smooth Chinchilla  
S8607XJ-ADVSSDL  
8'0": 3'0"

- Chord  
S8607XC-ADVSSDL  
8'0": 3'0"

---

- Granite  
S8607XN-ADVSSDL  
8'0": 3'0"


---

- Rainglass  
S8607XR-ADVSSDL  
8'0": 3'0"

---

- Satin Etch  
S8607XE-ADVSSDL  
8'0": 3'0"

Privacy with SDLs



Smooth Chinchilla  
S8608XJ-ADVSSDL  
8'0": 3'0"

- Chord  
S8608XC-ADVSSDL  
8'0": 3'0"

---

- Granite  
S8608XN-ADVSSDL  
8'0": 3'0"

---

- Rainglass  
S8608XR-ADVSSDL  
8'0": 3'0"

---

- Satin Etch  
S8608XE-ADVSSDL  
8'0": 3'0"

Privacy



Smooth Chinchilla  
S82610XJ 8'0": 3'0"

- Chord  
S82610XC 8'0": 3'0"

---

- Granite  
S82610XN 8'0": 3'0"

---

- Rainglass  
S82610XR 8'0": 3'0"

---

- Satin Etch  
S82610XE 8'0": 3'0"

Privacy



Smooth Chinchilla  
S8600XJ 8'0": 3'0"

- Chord  
S8600XC 8'0": 3'0"

---

- Granite  
S8600XN 8'0": 3'0"

---

- Rainglass  
S8600XR 8'0": 3'0"

---

- Satin Etch  
S8600XE 8'0": 3'0"

Simulated Divided Lites




Smooth  
S8605-LE 8'0": 3'0"

Simulated Divided Lites



Smooth  
S8606-LE 8'0": 3'0"

Simulated Divided Lites



Smooth  
S8607-LE 8'0": 3'0"

Simulated Divided Lites



Smooth  
S8608-LE 8'0": 3'0"

Low-E / Clear



Smooth  
S82610-LE 8'0": 3'0"

Low-E / Clear



Smooth  
S8601-LE 8'0": 3'0"  
S8601-LE 8'0": 3'0"

# Fiber-Classic® & Smooth-Star®

## 8'0" MINIMAL GLASS & SOLID PANEL



Smooth-Star Door – S81100; Low-E Glass, Sidelite – S8000SL

### Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▤ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▤ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### Saratoga



Smooth  
S8707 ◆  
8'0": 3'0", 2'8"

### Concorde



Smooth  
S8735 ■ ■ ■ ■  
8'0": 3'0", 2'8"

### Pembridge



Oak  
FC86570 ◆ ◆  
8'0": 3'0"

Smooth  
S86570 ◆ ◆  
8'0": 3'0", 2'8"

### Privacy



Oak  
Rainglass  
FC861XR ▤  
8'0": 3'0"

Satin Etch  
FC861XE ▤  
8'0": 3'0"

### Privacy



Smooth  
Rainglass  
S896XR ▤  
8'0": 3'0", 2'8"

Reeded  
S896XK ▤  
8'0": 3'0"

Satin Etch  
S896XE ▤  
8'0": 3'0", 2'8"

### Privacy



Oak  
Rainglass  
FC86220XR ▤  
8'0": 3'0"

Satin Etch  
FC86220XE ▤  
8'0": 3'0"

### Privacy



Smooth  
Rainglass  
S83120XR ▤  
8'0": 3'0"

Satin Etch  
S83120XE ▤  
8'0": 3'0"

### Fixed Grilles



Smooth  
S8317-FXG  
8'0": 3'0", 2'8"

**Fixed Grilles**



Smooth  
S8704-FXG  
8'0": 3'0", 2'8"

**Low-E / Clear**



Smooth  
S8708  
8'0": 3'0", 2'8"  
S8708-LE  
8'0": 3'0", 2'8"

**Low-E / Clear**



Oak  
FC861-LE  
8'0": 3'0"

Smooth  
S896  
8'0": 3'0", 2'8"  
S896-LE  
8'0": 3'0", 2'8"  
S896  
8'0": 3'0", 2'8"  
S896-LE  
8'0": 3'0", 2'8"  
S896-LE  
8'0": 3'0", 2'8"

**Low-E / Clear**




Smooth  
S83120  
8'0": 3'0"  
S83120-LE  
8'0": 3'0"

**1 Panel Shaker**



Smooth  
S81100  
8'0": 3'0", 2'8"

**2 Panel Craftsman Shaker**



Smooth  
S84800  
8'0": 3'0"

**2 Panel Square Top Shaker**



Smooth  
S8120  
8'0": 3'0", 2'8"

**Flush Panel**



Oak  
S81000  
8'0": 3'0"  
Smooth  
S81000  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6",  
2'0"

Mahogany  
FCM81000  
8'0": 3'0"

**2 Panel Soft Arch**



Smooth  
S897  
8'0": 3'0"

**2 Panel Plank Soft Arch**



Smooth  
S8201  
8'0": 3'0"

**3 Panel**



Oak  
FC862  
8'0": 3'0"

Smooth  
S831  
8'0": 3'0"

**6 Panel**



Mahogany  
FCM860  
8'0": 3'0"


Oak  
FC860  
8'0": 3'0"  
Smooth  
S810  
8'0": 3'0", 2'8"

**2 Panel Square Top**



Smooth  
S8200  
8'0": 3'0", 2'8"

**2 Panel Craftsman**



Smooth  
S8600  
8'0": 3'0"

**3 Panel Shaker**



Smooth  
S85701  
8'0": 3'0"

1 Panel Shaker -  
20-Minute




Smooth  
SSF81100 🔥  
8'0": 3'0"

2 Panel Square Top  
Shaker - 20-Minute



Smooth  
SSF8120 🔥  
8'0": 3'0"



# Fiber-Classic® & Smooth-Star® 8'0" PULSE.



Pulse Ari, Axis Glass with Scrolled Lite Frame, Door - S83AX,  
©TheHouseDesigners.com

## Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- X ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▾ ..... LE3
- CL ..... Clear
- ▾ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▾ ..... Scrolled & Flat Advanta Lite Frame
- ▾ ..... Scrolled Advanta Lite Frame
- ▾ ..... Flat Advanta Lite Frame

- ▾ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- ▾ ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Sedona



Oak  
FC83SN ▾ ◆  
8'0": 3'0"

- Smooth
- S83SN ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8"

## Saratoga



Mahogany  
FCM83SG ▾ ◆  
8'0": 3'0"

- Oak
- FC83SG ▾ ◆ ■
- 8'0": 3'0"
- Smooth
- S83SG ▾ ◆ ■
- 8'0": 3'6", 3'0", 2'10", 2'8"

## Pembridge



Mahogany  
FCM83PB ▾ ◆  
8'0": 3'0"

- Oak
- FC83PB ▾ ◆
- 8'0": 3'0"
- Smooth
- S83PB ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8"

## Pembridge



Oak  
FC84LPB ▾ ◆  
8'0": 3'0"

- Smooth
- S84LPB ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Pembridge



Oak  
FC84PB ▾ ◆  
8'0": 3'0"

- Smooth
- S84PB ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Pembridge



Oak  
FC84RPB ▾ ◆  
8'0": 3'0"

- Smooth
- S84RPB ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Pembridge



Smooth  
S84PBSL ▾ ◆  
8'0": 14", 12"

- Smooth
- S84PBSL ▾ ◆
- 8'0": 14", 12"

## Pembridge



Oak  
FC85LPB ▾ ◆  
8'0": 3'0"

- Smooth
- S85LPB ▾ ◆
- 8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Pembridge-



Smooth  
S85PB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Oak  
FC85PB  
8'0": 3'0"

Pembridge-



Smooth  
S85RPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Oak  
FC85RPB  
8'0": 3'0"

Pembridge-



Smooth  
S85PBSL  
8'0": 14", 12"

Pembridge-



Smooth  
S86LPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Oak  
FC86LPB  
8'0": 3'0"

Pembridge-



Smooth  
S86PB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Oak  
FC86PB  
8'0": 3'0"

Pembridge-



Smooth  
S86RPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Oak  
FC86RPB  
8'0": 3'0"

Pembridge-



Smooth  
S86PBSL  
8'0": 14", 12"

Pembridge-



Oak  
FC810LPB  
8'0": 3'0"

Smooth  
S810LPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM810LPB  
8'0": 3'0"

Pembridge-



Oak  
FC810PB  
8'0": 3'0"

Smooth  
S810PB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM810PB  
8'0": 3'0"

Pembridge-



Oak  
FC810RPB  
8'0": 3'0"

Smooth  
S810RPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM810RPB  
8'0": 3'0"

Pembridge-



Smooth  
S810PBSL  
8'0": 14", 12"

Pembridge-



Oak  
FC811LPB  
8'0": 3'0"

Smooth  
S811LPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM811LPB  
8'0": 3'0"

Pembridge-




Oak  
FC811PB  
8'0": 3'0"

Smooth  
S811PB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM811PB  
8'0": 3'0"

Pembridge-



Oak  
FC811RPB  
8'0": 3'0"

Smooth  
S811RPB  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Mahogany  
FCM811RPB  
8'0": 3'0"

Pembridge-



Smooth  
S811PBSL  
8'0": 14", 12"

Axis



Oak  
FC83AX  
8'0": 3'0"

Smooth  
S83AX  
8'0": 3'6", 3'0",  
2'10", 2'8"

Mahogany  
FCM83AX  
8'0": 3'0"

**Privacy**



**Mahogany Chinchilla**  
FCM83XJ  
8'0": 3'0"

**Chord**  
FCM83XC  
8'0": 3'0"

**Rainglass**  
FCM83XR  
8'0": 3'0"

**Reeded**  
FCM83XK  
8'0": 3'0"

**Satin Etch**  
FCM83XE  
8'0": 3'0"

**Privacy**



**Oak Chinchilla**  
FC83XJ  
8'0": 3'0"

**Chord**  
FC83XC  
8'0": 3'0"

**Granite**  
FC83XN  
8'0": 3'0"

**Rainglass**  
FC83XR  
8'0": 3'0"

**Reeded**  
FC83XK  
8'0": 3'0"

**Satin Etch**  
FC83XE  
8'0": 3'0"

**Privacy**



**Smooth Chinchilla**  
S83XJ  
8'0": 3'6", 3'0",  
2'10", 2'8"

**Chord**  
S83XC  
8'0": 3'6", 3'0", 2'10", 2'8"

**Granite**  
S83XN  
8'0": 3'6", 3'0", 2'10", 2'8"

**Rainglass**  
S83XR  
8'0": 3'6", 3'0", 2'10", 2'8"

**Reeded**  
S83XK  
8'0": 3'6", 3'0", 2'10", 2'8"

**Satin Etch**  
S83XE  
8'0": 3'6", 3'0", 2'10", 2'8"

**Privacy**



**Mahogany Reeded**  
FCM81LXK  
8'0": 3'0"

**Satin Etch**  
FCM81LXE  
8'0": 3'0"

**Privacy**



**Oak Satin Etch**  
FC81LXE  
8'0": 3'0"

**Privacy**



**Smooth Reeded**  
S81LXK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S81LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Privacy**



**Mahogany Reeded**  
FCM81XK  
8'0": 3'0"

**Satin Etch**  
FCM81LXE  
8'0": 3'0"

**Privacy**



**Oak Satin Etch**  
FC81LXE  
8'0": 3'0"

**Privacy**



**Smooth Reeded**  
S81XK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S81LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Privacy**



**Mahogany Reeded**  
FCM81RXK  
8'0": 3'0"

**Satin Etch**  
FCM81RXE  
8'0": 3'0"

**Privacy**



**Oak Satin Etch**  
FC81RXE  
8'0": 3'0"

**Privacy**



**Smooth Reeded**  
S81RXK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S81RXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

**Fiber-Classic® & Smooth-Star®**  
8'0" PULSE®

**Key**

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- LE3 ..... LE3
- CL ..... Clear
- ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ..... Scrolled & Flat Advanta Lite Frame
- ..... Scrolled Advanta Lite Frame
- ..... Flat Advanta Lite Frame
- ..... Standard Lite Frame Available
- ..... 20-Minute Fire-Rated
- ..... 90-Minute Fire-Rated
- ..... WBDR Options
- ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- ..... Door Divider Bars (3 1/2")
- ..... Door Divider Bars (4 1/4")
- ..... Door Divider Bars (5 1/2")
- ..... Door Divider Bars (4 1/4" & 5 1/2")
- ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- ..... 1 1/8" Flat SDL
- ..... 3 1/2" Flat SDL
- ..... 4 1/4" Flat SDL
- ..... 5 1/2" Flat SDL
- ..... 4 1/4" & 5 1/2" Flat Combo SDL
- ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy



Satin Etch  
FCM84LXE  
8'0": 3'0"

Mahogany  
Reeded  
FCM84LXK  
8'0": 3'0"

Privacy



Satin Etch  
FC84LXE  
8'0": 3'0"

Oak  
Rainglass  
FC84LXR  
8'0": 3'0"

Privacy



Reeded  
S84LXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

Satin Etch  
S84LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass  
S84LXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



Satin Etch  
FCM84XE  
8'0": 3'0"

Mahogany  
Reeded  
FCM84XK  
8'0": 3'0"

Privacy



Satin Etch  
FC84XE  
8'0": 3'0"

Oak  
Rainglass  
FC84XR  
8'0": 3'0"

Privacy



Reeded  
S84XK  
8'0": 3'6", 3'0",  
2'8", 2'6"

Satin Etch  
S84XE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass  
S84XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



Satin Etch  
FCM84RXE  
8'0": 3'0"

Mahogany  
Reeded  
FCM84RXK  
8'0": 3'0"

Privacy



Satin Etch  
FC84RXE  
8'0": 3'0"

Oak  
Rainglass  
FC84RXR  
8'0": 3'0"

Privacy



Reeded  
S84RXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

Satin Etch  
S84RXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass  
S84RXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



Satin Etch  
S84XESL  
8'0": 14", 12"

Smooth  
Rainglass  
S84XRSL  
8'0": 14", 12"

Privacy



Satin Etch  
FCM85LXE  
8'0": 3'0"

Mahogany  
Reeded  
FCM85LXK  
8'0": 3'0"

Privacy



Satin Etch  
FC85LXE  
8'0": 3'0"

Oak  
Rainglass  
FC85LXR  
8'0": 3'0"

Privacy



Reeded  
S85LXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

Satin Etch  
S85LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass  
S85LXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



Satin Etch  
FCM85XE  
8'0": 3'0"

Mahogany  
Reeded  
FCM85XK  
8'0": 3'0"

Privacy



Satin Etch  
FC85XE  
8'0": 3'0"

Oak  
Rainglass  
FC85XR  
8'0": 3'0"

Privacy



Reeded  
S85XK  
8'0": 3'6", 3'0",  
2'8", 2'6"

Satin Etch  
S85XE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass  
S85XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

# Fiber-Classic® & Smooth-Star® 8'0" PULSE®

## Privacy



**Satin Etch**  
FCM85RXE  
8'0": 3'0"

**Mahogany Reeded**  
FCM85RXK  
8'0": 3'0"

## Privacy



**Satin Etch**  
FC85RXE  
8'0": 3'0"

**Oak Rainglass**  
FC85RXR  
8'0": 3'0"

## Privacy



**Reeded**  
S85RXK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S85RXE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Rainglass**  
S85RXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Privacy



**Satin Etch**  
S85XESL  
8'0": 14", 12"

**Smooth Rainglass**  
S85XRSL  
8'0": 14", 12"

## Privacy



**Satin Etch**  
FCM86LXE  
8'0": 3'0"

**Mahogany Reeded**  
FCM86LXK  
8'0": 3'0"

## Privacy



**Satin Etch**  
FC86LXE  
8'0": 3'0"

**Oak Rainglass**  
FC86LXR  
8'0": 3'0"

## Privacy



**Reeded**  
S86LXK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S86LXE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Rainglass**  
S86LXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Privacy



**Satin Etch**  
FCM86LXE  
8'0": 3'0"

**Mahogany Reeded**  
FCM86XK  
8'0": 3'0"

## Privacy



**Satin Etch**  
FC86LXE  
8'0": 3'0"

**Oak Rainglass**  
FC86XR  
8'0": 3'0"

## Privacy



**Reeded**  
S86XK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S86XE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Smooth Rainglass**  
S86XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

## Privacy



**Satin Etch**  
FCM86RXE  
8'0": 3'0"

**Mahogany Reeded**  
FCM86RXK  
8'0": 3'0"

## Privacy



**Satin Etch**  
FC86RXE  
8'0": 3'0"

**Oak Rainglass**  
FC86RXR  
8'0": 3'0"

## Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

## ADVANTA LITE FRAMES (ADV)

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Privacy



**Reeded**  
S86RXX  
8'0": 3'6", 3'0",  
2'8", 2'6"

**Satin Etch**  
S86RXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Smooth  
Rainglass

S86RXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

Privacy



Smooth  
Rainglass

S86XRSL  
8'0": 14", 12"

**Satin Etch**  
S86XESL  
8'0": 14", 12"

Privacy



Mahogany  
Rainglass

FCM810LXR  
8'0": 3'0"

**Reeded**  
FCM810LXK  
8'0": 3'0"

**Satin Etch**  
FCM810LXE  
8'0": 3'0"

Privacy



Oak  
Rainglass

FC810LXR  
8'0": 3'0"

**Satin Etch**  
FC810LXE  
8'0": 3'0"

Privacy



Smooth  
Rainglass

S810LXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S810LXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

**Satin Etch**  
S810LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Privacy



Mahogany  
Rainglass

FCM810XR  
8'0": 3'0"

**Reeded**  
FCM810XK  
8'0": 3'0"

**Satin Etch**  
FCM810XE  
8'0": 3'0"

Privacy



Oak  
Rainglass

FC810XR  
8'0": 3'0"

**Satin Etch**  
FC810XE  
8'0": 3'0"

Privacy



Smooth  
Rainglass

S810XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S810XK  
8'0": 3'6", 3'0",  
2'8", 2'6"

**Satin Etch**  
S810XE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Privacy



Mahogany  
Rainglass

FCM810RXR  
8'0": 3'0"

**Reeded**  
FCM810RXK  
8'0": 3'0"

**Satin Etch**  
FCM810RXE  
8'0": 3'0"

Privacy



Oak  
Rainglass

FC810RXR  
8'0": 3'0"

**Satin Etch**  
FC810RXE  
8'0": 3'0"

Privacy



Smooth  
Rainglass

S810RXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S810RXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

**Satin Etch**  
S810RXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Privacy



Smooth  
Rainglass

S810XRSL  
8'0": 14", 12"

**Satin Etch**  
S810XESL  
8'0": 14", 12"

Privacy



Mahogany  
Rainglass

FCM811LXR  
8'0": 3'0"

**Reeded**  
FCM811LXK  
8'0": 3'0"

**Satin Etch**  
FCM811LXE  
8'0": 3'0"

Privacy



Oak  
Rainglass

FC811LXR  
8'0": 3'0"

**Satin Etch**  
FC811LXE  
8'0": 3'0"

Privacy



Smooth  
Rainglass

S811LXR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S811LXK  
8'0": 3'6", 3'0",  
2'8", 2'6"

**Satin Etch**  
S811LXE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Privacy



Mahogany  
Rainglass

FCM811XR  
8'0": 3'0"

**Reeded**  
FCM811XK  
8'0": 3'0"

**Satin Etch**  
FCM811XE  
8'0": 3'0"

**Privacy**



**Oak Rainglass**  
FC811XR  
8'0": 3'0"

**Satin Etch**  
FC811XE  
8'0": 3'0"

**Privacy**



**Smooth Rainglass**  
S811XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S811XK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S811XE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Privacy**



**Mahogany Rainglass**  
FCM811RXR  
8'0": 3'0"

**Reeded**  
FCM811RXK  
8'0": 3'0"

**Satin Etch**  
FCM811RXE  
8'0": 3'0"

**Privacy**



**Oak Rainglass**  
FC811XR  
8'0": 3'0"

**Satin Etch**  
FC811RXE  
8'0": 3'0"

**Privacy**



**Smooth Rainglass**  
S811XR  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Reeded**  
S811RXK  
8'0": 3'6", 3'0", 2'8", 2'6"

**Satin Etch**  
S811RXE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Privacy**



**Smooth Rainglass**  
S811XRSL  
8'0": 14", 12"

**Satin Etch**  
S811XESL  
8'0": 14", 12"

**Low-E / Clear**



**Mahogany**  
FCM83CL-LE  
8'0": 3'0"

**Oak**  
FC83CL-LE  
8'0": 3'0"

**Smooth**  
S83CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8"

S83CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8"

**Low-E / Clear**



**Smooth**  
S81LCL  
8'0": 3'6", 3'0", 2'8", 2'6"

S81LCL-LE  
8'0": 3'6", 3'0", 2'8", 2'6"

S81LCL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Low-E / Clear**



**Smooth**  
S81CL  
8'0": 3'6", 3'0", 2'8", 2'6"

S81CL-LE  
8'0": 3'6", 3'0", 2'8", 2'6"

S81CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Low-E / Clear**



**Smooth**  
S81RCL  
8'0": 3'6", 3'0", 2'8", 2'6"

S81RCL-LE  
8'0": 3'6", 3'0", 2'8", 2'6"

S81RCL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Low-E / Clear**



**Oak**  
FC84CL-LE  
8'0": 3'0"

**Smooth**  
S84CL  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Low-E / Clear**



**Oak**  
FC84CL-LE  
8'0": 3'0"

**Smooth**  
S84CL  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

S84CL-LE  
8'0": 3'6", 3'0", 2'10", 2'8", 2'6"

**Fiber-Classic® & Smooth-Star®**  
8'0" PULSE®

**Key**

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- ▲ ..... 20-Minute Fire-Rated
- ▲ ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



Low-E / Clear



**Mahogany**  
FCM811RCL-LE  
8'0": 3'0"

**Oak**  
FC811RCL-LE  
8'0": 3'0"

**Smooth**  
S811RCL  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

S811RCL-LE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

S811RCL  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

S811RCL-LE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

S811RCL-LE  
8'0": 3'6", 3'0",  
2'10", 2'8", 2'6"

Low-E / Clear



**Smooth**  
S811CLS  
8'0": 14", 12"  
S811CLS-LE  
8'0": 14", 12"

S811CLS  
8'0": 14", 12"

S811CLS-LE  
8'0": 14", 12"

S811CLS-LE  
8'0": 14", 12"

S811CLS-LE  
8'0": 14", 12"

Fiber-Classic® &  
Smooth-Star®  
8'0" PULSE®

Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- ▲ ..... LE3
- CL ..... Clear
- └ ..... Flat Frame

ADVANTA LITE FRAMES (ADV)

- ▲ ..... Scrolled & Flat Advanta Lite Frame
- ▲ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- ▲ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

FLAT PROFILE GRILLES  
BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

CONTOUR PROFILE GRILLES  
BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



# Profiles™ & Traditions

## STEEL FULL & 1/2 GLASS

### Key

- ..... No Stile Lines
  - ▲ ..... Flush-Glazed Glass
  - ..... Vented Sidelite
  - ◆ ..... Black Nickel
  - ..... Brushed Nickel
  - ◆ ..... Brass
  - ✕ ..... Wrought Iron
  - XK ..... Reeded
  - XE ..... Satin Etch
  - XC ..... Chord
  - XJ ..... Chinchilla
  - XR ..... Rainglass
  - XN ..... Granite
  - LE ..... Low-E
  - CL ..... Clear
  - └ ..... Flat Frame
- ADVANTA LITE FRAMES (ADV)**
- ▤ ..... Scrolled & Flat Advanta Lite Frame
  - ▤ ..... Scrolled Advanta Lite Frame
  - ▤ ..... Flat Advanta Lite Frame
  - ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
  - 🔥 ..... 90-Minute Fire-Rated
  - 9 ..... WBDR Options
  - 9 ..... WBDR / HVHZ Options
- DOOR DIVIDER BARS (DDB)**
- 2 ..... Door Divider Bars (3 1/2")
  - 3 ..... Door Divider Bars (4 1/4")
  - 4 ..... Door Divider Bars (5 1/2")
  - 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
  - E** ..... Elevated 10" Bottom Rail Options
- SIMULATED DIVIDED LITES (SDL)**
- 📄 ..... Simulated Divided Lites
  - 1 ..... 1 1/8" Flat SDL
  - 2 ..... 3 1/2" Flat SDL
  - 3 ..... 4 1/4" Flat SDL
  - 4 ..... 5 1/2" Flat SDL
  - 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
  - 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles
- FLAT PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG
- CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)**
- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### Saratoga



#### Profiles

610 ▤ ◆  
6'8": 3'6", 3'0"  
7'0": 3'0"

Traditions  
TS610 ▤ ◆  
6'8": 3'0", 2'10", 2'8"

### Axis



#### Profiles

1651HD ▤ ◆  
6'8": 3'6", 3'0"  
7'0": 3'0"

Traditions  
TS1651 ▤ ◆  
6'8": 3'0", 2'10", 2'8"

### Privacy with SDLs



#### Profiles Satin Etch

128XE-ADVSSDL  
6'8": 3'6", 3'0"

### Privacy with SDLs



Traditions  
Reeded  
TS128XK-ADVSSDL  
6'8": 3'0", 2'8"

Satin Etch  
TS128XE-ADVSSDL  
6'8": 3'0", 2'8"

### Privacy



Profiles  
Reeded  
118XK ▤  
6'8": 3'6", 3'0"  
7'0": 3'0"

Satin Etch  
118XE ▤  
6'8": 3'6", 3'0"  
7'0": 3'0"

### Privacy



Traditions  
Reeded  
TS118XK ▤  
6'8": 3'0", 2'8"

Satin Etch  
TS118XE ▤  
6'8": 3'0", 2'10", 2'8"

### Simulated Divided Lites



Profiles  
128-ADVSSDLLE  
6'8": 3'6", 3'0"  
128 📄  
6'8": 3'6", 3'0"  
128-LE 📄  
6'8": 3'6", 3'0"

Traditions  
TS128-ADVSSDLLE  
6'8": 3'0", 2'8"  
TS128 📄  
6'8": 3'0", 2'8"  
TS128-LE 📄  
6'8": 3'0", 2'8"

### GBG Flat



Profiles  
128-GBGFW  
6'8": 3'6", 3'0"  
7'0": 3'0"  
128-GBGFWLE  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"

Traditions  
TS128-GBGFW  
6'8": 3'0", 2'10", 2'8"  
TS128-GBGFWLE  
6'8": 3'0", 2'10",  
2'8", 2'6"

### GBG Flat



Profiles  
108-GBGFWLE  
6'8": 3'6", 3'0"  
7'0": 3'0"

Traditions  
TS108-GBGFWLE  
6'8": 3'0", 2'10", 2'8"

### GBG Flat



Profiles  
1201-GBGFKLE  
6'8": 3'6", 3'0", 2'8"

Traditions  
TS1201-GBGFKLE  
6'8": 3'0", 2'10", 2'8"

### GBG Flat



Profiles  
1202-GBGFWLE  
6'8": 3'6", 3'0", 2'8"

Traditions  
TS1202-GBGFWLE  
6'8": 3'0", 2'10", 2'8"

### GBG Flat



Profiles  
198-GBGFWLE  
6'8": 3'6", 3'0"

Traditions  
TS198-GBGFWLE  
6'8": 3'0", 2'8"

Style Options in **bold** are stocked items.  
Note: Product images show exterior side of door.

**Fixed Grilles**



Traditions  
TS128-FXG  
6'8": 2'8", 2'6"  
TS128-FXGLE  
6'8": 3'0", 2'10",  
2'8"

Profiles  
128-FXGLE  
6'8": 3'6", 3'0"  
7'0": 3'0"

**Fixed Grilles**



Traditions  
TS108-FXGLE  
6'8": 3'0", 2'10",  
2'8"

Profiles  
108-FXGLE  
6'8": 3'6", 3'0"  
7'0": 3'0"

**Internal Blinds**



Traditions  
TS130-ADVRTLE  
6'8": 3'0", 2'10", 2'8"  
TS130-RT  
6'8": 3'0", 2'10", 2'8",  
2'6", 2'4"  
TS130-RTL  
6'8": 3'0", 2'10", 2'8",  
2'6", 2'4"

Profiles  
130-ADVRTLE  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"  
130-RT  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"  
130-RTL  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"

**Low-E / Clear**



Traditions  
TS118  
6'8": 3'0", 2'10", 2'8", 2'6"  
TS118-LE  
6'8": 3'0", 2'10", 2'8"  
TS118-LE  
6'8": 3'0", 2'10", 2'8",  
2'6", 2'4"

Profiles  
118  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"  
118-LE  
6'8": 3'6", 3'0"  
7'0": 3'0"  
118-LE  
6'8": 3'6", 3'0", 2'8"  
7'0": 3'0"

**Saratoga**



Profiles  
988HD  
6'8": 3'0"

**Saratoga**



Traditions  
TS613  
6'8": 3'0", 2'10", 2'8"

**Concorde**



Profiles  
999HD  
6'8": 3'0"

**Concorde**



Traditions  
TS426  
6'8": 3'0", 2'10", 2'8"

**Privacy with SDLs**



Satin Etch  
982HDXE-ADVSSDL  
6'8": 3'0"

Profiles  
Rainglass  
982HDXR-ADVSSDL  
6'8": 3'0"

**Privacy with SDLs**



Satin Etch  
TS262XE-ADVSSDL  
6'8": 3'0", 2'10",  
2'8"

Traditions  
Rainglass  
TS262XR-ADVSSDL  
6'8": 3'0", 2'10", 2'8"

**Privacy**



Satin Etch  
104XE  
6'8": 3'0"  
7'0": 3'0"

Profiles  
Rainglass  
104XR  
6'8": 3'0"  
7'0": 3'0"

**Privacy**



Satin Etch  
TS104XE  
6'8": 3'0", 2'10",  
2'8"

Traditions  
Rainglass  
TS104XR  
6'8": 3'0", 2'10", 2'8"

**Privacy**



Satin Etch  
TS289XE  
6'8": 3'0", 2'10", 2'8"

Traditions  
Rainglass  
TS289XR  
6'8": 3'0", 2'10", 2'8"

**Privacy**



Satin Etch  
980HDXE  
6'8": 3'0"

Profiles  
Rainglass  
980HDXR  
6'8": 3'0"

**Privacy**



Satin Etch  
TS206XE  
6'8": 3'0", 2'10", 2'8"

Traditions  
Rainglass  
TS206XR  
6'8": 3'0", 2'10", 2'8"

**Simulated Divided Lites**



982HD  
6'8": 3'0", 2'8"  
982HD-LE  
6'8": 3'0", 2'8"

Profiles  
982HD-ADVSSDL  
6'8": 3'0"  
982HD-ADVSSDLLE  
6'8": 3'0", 2'8"

**Simulated Divided Lites**



**Profiles**  
 1123HD-ADVSSDLLE  
 6'8": 3'0"  
 1123HD  
 6'8": 3'0"  
 1123HD-LE  
 6'8": 3'0"

**Simulated Divided Lites**



**Traditions**  
 TS262-ADVSSDL  
 6'8": 3'0", 2'10", 2'8"  
 TS262-ADVSSDLLE  
 6'8": 3'0", 2'10", 2'8"  
 TS262  
 6'8": 3'0", 2'10", 2'8"  
 TS262-LE  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 262HD-ADVSSDLLE  
 6'8": 3'0"  
 262HD  
 6'8": 3'0"  
 262HD-LE  
 6'8": 3'0"

**GBG Flat**



**Profiles**  
 982HD-GBGFW  
 6'8": 3'0", 2'8"  
 982HD-GBGFWLE  
 6'8": 3'0", 2'8"

**GBG Flat**



**Profiles**  
 1123HD-GBGFW  
 6'8": 3'0"  
 1123HD-GBGFWLE  
 6'8": 3'0"

**GBG Flat**



**Traditions**  
 TS262-GBGFW  
 6'8": 3'0", 2'10", 2'8"  
 TS262-GBGFWLE  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 262HD-GBGFW  
 6'8": 3'0"  
 262HD-GBGFWLE  
 6'8": 3'0"

**Fixed Grilles**



**Profiles**  
 982HD-FXG  
 6'8": 3'0", 2'8"  
 982HD-FXGLE  
 6'8": 3'0", 2'8"

**Fixed Grilles**



**Profiles**  
 1123HD-FXG  
 6'8": 3'0"  
 1123HD-FXGLE  
 6'8": 3'0"

**Fixed Grilles**



**Traditions**  
 TS262-FXG  
 6'8": 3'0", 2'10", 2'8"  
 TS262-FXGLE  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 262HD-FXG  
 6'8": 3'0"  
 262HD-FXGLE  
 6'8": 3'0"

**Internal Blinds**



**Traditions**  
 TS131-ADVRTLE  
 6'8": 3'0", 2'10", 2'8"  
 TS131-RT  
 6'8": 3'0", 2'10", 2'8", 2'6"  
 TS131-RTLLE  
 6'8": 3'0", 2'10", 2'8", 2'6"

**Profiles**  
 131-ADVRTLE  
 6'8": 3'0"  
 7'0": 3'0"  
 131-RT  
 6'8": 3'0"  
 7'0": 3'0"  
 131-RTLLE  
 6'8": 3'0"  
 7'0": 3'0"

**Internal Blinds**



**Profiles**  
 984HD-ADVRTLE  
 6'8": 3'0", 2'8"  
 984HD-RT  
 6'8": 3'0", 2'8"  
 984HD-RTLLE  
 6'8": 3'0", 2'8"

**Internal Blinds**



**Profiles**  
 1121HD-ADVRTLE  
 6'8": 3'0"  
 1121HD-RT  
 6'8": 3'0"  
 1121HD-RTLLE  
 6'8": 3'0"

**Internal Blinds**



**Traditions**  
 TS132-ADVRTLE  
 6'8": 3'0", 2'10", 2'8"  
 TS132-RT  
 6'8": 3'0", 2'10", 2'8"  
 TS132-RTLLE  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 132HD-ADVRTLE  
 6'8": 3'0"  
 132HD-RT  
 6'8": 3'0"  
 132HD-RTLLE  
 6'8": 3'0"

**Clear Vented Lite**



**Traditions**  
 TS137  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 137  
 6'8": 3'0"  
 7'0": 3'0"

**Clear Vented Lite**



**Profiles**  
 1004HD  
 6'8": 3'0", 2'8"

**Clear Vented Lite**



**Profiles**  
 1102HD  
 6'8": 3'0"

**Clear Vented Lite**



**Traditions**  
 TS243  
 6'8": 3'0", 2'10", 2'8"

**Profiles**  
 243HD  
 6'8": 3'0"

**Low-E / Clear**



Traditions  
TS104  
6'8": 3'0", 2'10",  
2'8", 2'6"  
TS104  
6'8": 3'0", 2'10", 2'8"  
TS104-LE  
6'8": 3'0", 2'10", 2'8"  
TS104-LE  
6'8": 3'0", 2'10", 2'8",  
2'6"

Profiles  
104  
6'8": 3'0"  
7'0": 3'0"  
104  
6'8": 3'0"  
104-LE  
6'8": 3'0"  
7'0": 3'0"  
104-LE  
6'8": 3'0"  
7'0": 3'0"

**Low-E / Clear**



Traditions  
TS105  
6'8": 3'0", 2'10",  
2'8", 2'6"  
TS105-LE  
6'8": 3'0", 2'10",  
2'8", 2'6"

Profiles  
105  
7'0": 3'0"  
105-LE  
6'8": 3'0"  
7'0": 3'0"

**Low-E / Clear**



Traditions  
TS289  
6'8": 3'0", 2'10",  
2'8"  
TS289-LE  
6'8": 3'0", 2'10",  
2'8"

Profiles  
289HD  
6'8": 3'0"  
289HD-LE  
6'8": 3'0"

**Low-E / Clear**



Profiles  
980HD  
6'8": 3'0", 2'8"  
980HD  
6'8": 3'0"  
980HD-LE  
6'8": 3'0", 2'8"  
980HD-LE  
6'8": 3'0", 2'8"

**Low-E / Clear**



Profiles  
1101HD  
6'8": 3'0"  
1101HD-LE  
6'8": 3'0"  
1101HD-LE  
6'8": 3'0"

**Low-E / Clear**



Traditions  
TS206  
6'8": 3'0", 2'10", 2'8"  
TS206  
6'8": 3'0", 2'10", 2'8"  
TS206-LE  
6'8": 3'0", 2'10", 2'8"  
TS206-LE  
6'8": 3'0", 2'10", 2'8"

Profiles  
206HD  
6'8": 3'0"  
206HD-LE  
6'8": 3'0"  
206HD-LE  
6'8": 3'0"

**Profiles™  
& Traditions**  
STEEL FULL & 1/2 GLASS

**Key**

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- ▵ ..... Flat Frame

**ADVANTA LITE FRAMES (ADV)**

- ▵ ..... Scrolled & Flat Advanta Lite Frame
- ▵ ..... Scrolled Advanta Lite Frame
- ▴ ..... Flat Advanta Lite Frame
- ▴ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

**DOOR DIVIDER BARS (DDB)**

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

**SIMULATED DIVIDED LITES (SDL)**

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

**FLAT PROFILE GRILLES  
BETWEEN GLASS (GBG)**

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

**CONTOUR PROFILE GRILLES  
BETWEEN GLASS (GBG)**

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG



Profiles, Screen Vented, Door – 1004HD

Style Options in **bold** are stocked items.  
Note: Product images show exterior side of door.

# Profiles™ & Traditions

## STEEL CRAFTSMAN

### Key

- ..... No Stile Lines
- ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▥ ..... Scrolled Advanta Lite Frame
- ▦ ..... Flat Advanta Lite Frame
- ▧ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### Sedona



Profiles  
604HD ▤ ◆  
6'8": 3'0"

### Maple Park



Profiles  
609HD ▤ ◆ ■ ■  
6'8": 3'0"

### Saratoga



Profiles  
602HD ▤ ◆ ■ ■  
6'8": 3'0"

### Pembridge



Profiles  
6520HD ▤ ◆  
6'8": 3'0"

### Axis



Profiles  
1650HD ▤ ◆  
6'8": 3'0", 2'8"

### Privacy with SDLs



Profiles  
Chinchilla  
605HDXJ-ADVSSDL  
6'8": 3'0", 2'8"

- Chord  
605HDXC-ADVSSDL  
6'8": 3'0", 2'8"
- Granite  
605HDXN-ADVSSDL  
6'8": 3'0"
- Rainglass  
605HDXR-ADVSSDL  
6'8": 3'0", 2'8"
- Satin Etch  
605HDXE-ADVSSDL  
6'8": 3'0", 2'8"

### Privacy with SDLs



Profiles  
Chinchilla  
606HDXJ-ADVSSDL  
6'8": 3'0", 2'8"

- Chord  
606HDXC-ADVSSDL  
6'8": 3'0", 2'8"
- Granite  
606HDXN-ADVSSDL  
6'8": 3'0"
- Rainglass  
606HDXR-ADVSSDL  
6'8": 3'0", 2'8"
- Satin Etch  
606HDXE-ADVSSDL  
6'8": 3'0", 2'8"

### Privacy with SDLs



Profiles  
Chinchilla  
607HDXJ-ADVSSDL  
6'8": 3'0"

- Chord  
607HDXC-ADVSSDL  
6'8": 3'0"
- Granite  
607HDXN-ADVSSDL  
6'8": 3'0"
- Rainglass  
607HDXR-ADVSSDL  
6'8": 3'0"
- Satin Etch  
607HDXE-ADVSSDL  
6'8": 3'0"

### Privacy with SDLs



Profiles  
Chinchilla  
608HDXJ-ADVSSDL  
6'8": 3'0", 2'8"

- Chord  
608HDXC-ADVSSDL  
6'8": 3'0", 2'8"
- Granite  
608HDXN-ADVSSDL  
6'8": 3'0"
- Rainglass  
608HDXR-ADVSSDL  
6'8": 3'0", 2'8"
- Satin Etch  
608HDXE-ADVSSDL  
6'8": 3'0", 2'8"

### Privacy



Profiles  
Chinchilla  
601XJHD ▤  
6'8": 3'0", 2'8"

- Chord  
601XCHD ▤  
6'8": 3'0", 2'8"
- Granite  
601XNHD ▤  
6'8": 3'0"
- Rainglass  
601XRHD ▤  
6'8": 3'0", 2'8"
- Satin Etch  
601XEHD ▤  
6'8": 3'0", 2'8"

### Simulated Divided Lites



Profiles  
605HD-LE ■  
6'8": 3'0", 2'8"

### Simulated Divided Lites



Profiles  
606HD-LE ■  
6'8": 3'0", 2'8"

Style Options in **bold** are stocked items.  
Note: Product images show exterior side of door.

**Simulated Divided Lites**



Profiles  
607HD-LE   
6'8": 3'0"

**Simulated Divided Lites**



Profiles  
608HD-LE   
6'8": 3'0", 2'8"

**Low-E / Clear**



Profiles  
601HD-LE   
6'8": 3'0", 2'8"  
601HD-LE  
6'8": 3'0", 2'8"

# Profiles™ & Traditions

## MINIMAL GLASS & SOLID PANEL



Profiles Door – 205HD

### Key

- ..... No Stile Lines
- ◆ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

#### ADVANTA LITE FRAMES (ADV)

- └ ..... Scrolled & Flat Advanta Lite Frame
- └ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

#### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

#### SIMULATED DIVIDED LITES (SDL)

- 📖 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL
- FXG ..... Fixed Grilles

#### FLAT PROFILE GRILLES

##### BETWEEN GLASS (GBG)

- GBGFW ... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

##### CONTOUR PROFILE GRILLES

##### BETWEEN GLASS (GBG)

- GBGCW ... Contour White GBG
- GBGCK ..... Contour Black GBG

### Pembridge



Traditions  
TS6570 ◆ ◆  
6'8": 3'0", 2'10", 2'8"

### Privacy



Profiles  
Satin Etch  
296HDXE └ ◆  
6'8": 3'0"

### Privacy



Traditions  
Rainglass  
TS296XR └ ◆  
6'8": 3'0", 2'10", 2'8"

### GBG Flat



Traditions  
TS255-GBGFWLE  
6'8": 3'0"

### Fixed Grilles



Traditions  
TS255-FXG  
6'8": 3'0"

### Fixed Grilles



Profiles  
236HD-FXG  
6'8": 3'0"

Traditions  
TS236-FXG  
6'8": 3'0", 2'10", 2'8"

### Low-E / Clear



Profiles  
296HD  
6'8": 3'0"  
296HD-LE └ ◆  
6'8": 3'0"  
296HD-LE  
6'8": 3'0"

### Low-E / Clear



Traditions  
TS256  
6'8": 3'0"

Style Options in **bold** are stocked items.  
Note: Product images show exterior side of door.

**2 Panel Plank Soft Arch Flush**



Profiles  
205HD   
6'8": 3'0"

**2 Panel Square Top Flush**



Profiles  
978HD   
6'8": 3'0", 2'8"

**6 Panel Flush**



Profiles  
210HD   
6'8": 3'0"

Traditions  
TS210   
6'8": 3'0", 2'10",  
2'8"

**Flush Panel**




Profiles  
100  
6'8": 3'6", 3'0"  
7'0": 3'0"

Traditions  
TS100   
6'8": 3'0", 2'10",  
2'8", 2'6", 2'4", 2'0"

**2 Panel Craftsman Flush**



Profiles  
203HD   
6'8": 3'0", 2'8"



# Profiles™ & Traditions

STEEL PULSE®

## Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

## ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

## FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

### Sedona




Profiles  
2SN ▤ ◆  
6'8": 3'6"

### Saratoga



Profiles  
2SG ▤ ◆ ■ ■  
6'8": 3'6", 3'0"

### Saratoga



Profiles  
1LSG ▤ ◆  
6'8": 3'6"

### Saratoga



Profiles  
1SG ▤ ◆  
6'8": 3'6"

### Saratoga



Profiles  
1RSG ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
2PB ▤ ◆  
6'8": 3'6", 3'0"

### Pembridge



Profiles  
4LPB ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
4PB ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
4RPB ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
5LPB ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
5PB ▤ ◆  
6'8": 3'6"

### Pembridge



Profiles  
5RPB ▤ ◆  
6'8": 3'6"

Style Options in **bold** are stocked items.  
Note: Product images show exterior side  
of door.

**Pembridge**



Profiles  
 8LPB   
 6'8": 3'6"

**Pembridge**



Profiles  
 8PB   
 6'8": 3'6"

**Pembridge**



Profiles  
 8RPB   
 6'8": 3'6"

**Pembridge**



Profiles  
 9LPB   
 6'8": 3'6"

**Pembridge**



Profiles  
 9PB   
 6'8": 3'6"

**Pembridge**



Profiles  
 9RPB   
 6'8": 3'6"

**Axis**




Profiles  
 2AX   
 6'8": 3'6", 3'0"

**Axis**



Profiles  
 1LAX   
 6'8": 3'6"

**Axis**



Profiles  
 1AX   
 6'8": 3'6"

**Axis**



Profiles  
 1RAX   
 6'8": 3'6"

**Privacy**



Profiles  
 Chinchilla  
 2XJ   
 6'8": 3'6", 3'0"

**Chord**  
 2XC   
 6'8": 3'6", 3'0"

**Granite**  
 2XN   
 6'8": 3'6"

**Rainglass**  
 2XR   
 6'8": 3'6", 3'0"

**Reeded**  
 2XK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 2XE   
 6'8": 3'6", 3'0"

**Privacy**



Profiles  
 Chinchilla  
 1LXJ   
 6'8": 3'6"

**Chord**  
 1LXC   
 6'8": 3'6", 3'0"

**Rainglass**  
 1LXR   
 6'8": 3'6"

**Reeded**  
 1LXK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 1LXE   
 6'8": 3'6", 3'0"

**Privacy**



Profiles  
 Chinchilla  
 1XJ   
 6'8": 3'6"

**Chord**  
 1XC   
 6'8": 3'6", 3'0"

**Rainglass**  
 1XR   
 6'8": 3'6"

**Reeded**  
 1XK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 1XE   
 6'8": 3'6", 3'0"

**Privacy**



Profiles  
 Chinchilla  
 1RXJ   
 6'8": 3'6"

**Chord**  
 1RXC   
 6'8": 3'6", 3'0"

**Rainglass**  
 1RXR   
 6'8": 3'6"

**Reeded**  
 1RXK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 1RXE   
 6'8": 3'6", 3'0"

**Privacy**



Profiles  
 Rainglass  
 4LXR   
 6'8": 3'6"

**Reeded**  
 4LXK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 4LXE   
 6'8": 3'6", 3'0"

**Privacy**




Profiles  
 Rainglass  
 4XR   
 6'8": 3'6"

**Reeded**  
 4XK   
 6'8": 3'6", 3'0"

**Satin Etch**  
 4XE   
 6'8": 3'6", 3'0"

Privacy




Reeded  
4RXK  
6'8": 3'6", 3'0"

Satin Etch  
4RXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
4RXR  
6'8": 3'6"

Privacy




Reeded  
5LXK  
6'8": 3'6", 3'0"

Satin Etch  
5LXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
5LXR  
6'8": 3'6"

Privacy




Reeded  
5XK  
6'8": 3'6", 3'0"

Satin Etch  
5XE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
5XR  
6'8": 3'6"

Privacy




Reeded  
5RXK  
6'8": 3'6", 3'0"

Satin Etch  
5RXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
5RXR  
6'8": 3'6"

Privacy




Reeded  
8LXK  
6'8": 3'6", 3'0"

Satin Etch  
8LXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
8LXR  
6'8": 3'6"

Privacy




Reeded  
8XK  
6'8": 3'6", 3'0"

Satin Etch  
8XE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
8XR  
6'8": 3'6"

Privacy




Reeded  
8RXK  
6'8": 3'6", 3'0"

Satin Etch  
8RXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
8RXR  
6'8": 3'6"

Privacy




Reeded  
9LXK  
6'8": 3'6", 3'0"

Satin Etch  
9LXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
9LXR  
6'8": 3'6"

Privacy




Reeded  
9XK  
6'8": 3'6", 3'0"

Satin Etch  
9XE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
9XR  
6'8": 3'6"

Privacy



Reeded  
9RXK  
6'8": 3'6", 3'0"

Satin Etch  
9RXE  
6'8": 3'6", 3'0"

Profiles  
Rainglass  
9RXR  
6'8": 3'6"

Low-E / Clear



Profiles  
2CL-LE  
6'8": 3'6", 3'0"  
2CL-LE  
6'8": 3'6", 3'0"

Low-E / Clear



1LCL-LE  
6'8": 3'6", 3'0"  
1LCL-LE  
6'8": 3'6", 3'0"

Profiles  
1LCL  
6'8": 3'6"

Low-E / Clear



1CL-LE  
6'8": 3'6", 3'0"  
1CL-LE  
6'8": 3'6", 3'0"

Profiles  
1CL  
6'8": 3'6"

Low-E / Clear



1RCL-LE  
6'8": 3'6", 3'0"  
1RCL-LE  
6'8": 3'6", 3'0"

Profiles  
1RCL  
6'8": 3'6"

Low-E / Clear



4LCL  
6'8": 3'6", 3'0"  
4LCL-LE  
6'8": 3'6", 3'0"  
4LCL-LE  
6'8": 3'6", 3'0"

Profiles  
4LCL  
6'8": 3'6", 3'0"  
4LCL-LE  
6'8": 3'6"

Low-E / Clear



4CL  
6'8": 3'6", 3'0"  
4CL-LE  
6'8": 3'6", 3'0"  
4CL-LE  
6'8": 3'6", 3'0"

Profiles  
4CL  
6'8": 3'6", 3'0"  
4CL-LE  
6'8": 3'6"

### Low-E / Clear



4RCL   
6'8": 3'6", 3'0"  
4RCL-LE   
6'8": 3'6", 3'0"  
4RCL-LE  
6'8": 3'6", 3'0"

Profiles  
4RCL  
6'8": 3'6", 3'0"  
4RCL-LE   
6'8": 3'6"

### Low-E / Clear



5LCL   
6'8": 3'6", 3'0"  
5LCL-LE   
6'8": 3'6", 3'0"  
5LCL-LE  
6'8": 3'6", 3'0"

Profiles  
5LCL  
6'8": 3'6", 3'0"  
5LCL-LE   
6'8": 3'6"

### Low-E / Clear



5CL   
6'8": 3'6", 3'0"  
5CL-LE   
6'8": 3'6", 3'0"  
5CL-LE  
6'8": 3'6", 3'0"

Profiles  
5CL  
6'8": 3'6", 3'0"  
5CL-LE   
6'8": 3'6"

### Low-E / Clear



5RCL   
6'8": 3'6", 3'0"  
5RCL-LE   
6'8": 3'6", 3'0"  
5RCL-LE  
6'8": 3'6", 3'0"

Profiles  
5RCL  
6'8": 3'6", 3'0"  
5RCL-LE   
6'8": 3'6"

### Low-E / Clear



8LCL   
6'8": 3'6", 3'0"  
8LCL-LE   
6'8": 3'6", 3'0"  
8LCL-LE  
6'8": 3'6", 3'0"

Profiles  
8LCL  
6'8": 3'6", 3'0"  
8LCL-LE   
6'8": 3'6"

### Low-E / Clear



8CL   
6'8": 3'6", 3'0"  
8CL-LE   
6'8": 3'6", 3'0"  
8CL-LE  
6'8": 3'6", 3'0"

Profiles  
8CL  
6'8": 3'6", 3'0"  
8CL-LE   
6'8": 3'6"

### Low-E / Clear



8RCL   
6'8": 3'6", 3'0"  
8RCL-LE   
6'8": 3'6", 3'0"  
8RCL-LE  
6'8": 3'6", 3'0"

Profiles  
8RCL  
6'8": 3'6", 3'0"  
8RCL-LE   
6'8": 3'6"

### Low-E / Clear



9LCL   
6'8": 3'6", 3'0"  
9LCL-LE   
6'8": 3'6", 3'0"  
9LCL-LE  
6'8": 3'6", 3'0"

Profiles  
9LCL  
6'8": 3'6", 3'0"  
9LCL-LE   
6'8": 3'6"

### Low-E / Clear



9CL   
6'8": 3'6", 3'0"  
9CL-LE   
6'8": 3'6", 3'0"  
9CL-LE  
6'8": 3'6", 3'0"

Profiles  
9CL  
6'8": 3'6", 3'0"  
9CL-LE   
6'8": 3'6"

### Low-E / Clear



9RCL   
6'8": 3'6", 3'0"  
9RCL-LE   
6'8": 3'6", 3'0"  
9RCL-LE  
6'8": 3'6", 3'0"

Profiles  
9RCL  
6'8": 3'6", 3'0"  
9RCL-LE   
6'8": 3'6"

### Key

-  ..... No Stile Lines
-  ..... Flush-Glazed Glass
-  ..... Vented Sidelite
-  ..... Black Nickel
-  ..... Brushed Nickel
-  ..... Brass
-  ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
-  ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

-  ..... Scrolled & Flat Advanta Lite Frame
-  ..... Scrolled Advanta Lite Frame
-  ..... Flat Advanta Lite Frame
-  ..... Standard Lite Frame Available
-  ..... 20-Minute Fire-Rated
-  ..... 90-Minute Fire-Rated
-  ..... WBDR Options
-  ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

-  ..... Door Divider Bars (3 1/2")
-  ..... Door Divider Bars (4 1/4")
-  ..... Door Divider Bars (5 1/2")
-  ..... Door Divider Bars (4 1/4" & 5 1/2")
- E** ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

-  ..... Simulated Divided Lites
-  ..... 1 1/8" Flat SDL
-  ..... 3 1/2" Flat SDL
-  ..... 4 1/4" Flat SDL
-  ..... 5 1/2" Flat SDL
-  ..... 4 1/4" & 5 1/2" Flat Combo SDL
-  ..... 1 3/5" Flat SDL

### FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES

#### BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

#### CONTOUR PROFILE GRILLES

#### BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

# Profiles™ & Traditions

8'0" STEEL FULL GLASS,  
SOLID PANEL & PULSE.

## Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

## ADVANTA LITE FRAMES (ADV)

- ▤ ..... Scrolled & Flat Advanta Lite Frame
- ▤ ..... Scrolled Advanta Lite Frame
- ▤ ..... Flat Advanta Lite Frame
- ▤ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📖 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Internal Blinds



Traditions  
829-RT  
8'0": 3'0"  
829-RTLE  
8'0": 3'0"

## Low-E / Clear



Traditions  
818  
8'0": 3'0"  
818-LE  
8'0": 3'0"

## Flush Panel



Traditions  
800 9  
8'0": 3'0"

## Sedona




Traditions  
TS83SN ▤ ◆  
8'0": 3'0"

## Saratoga



Traditions  
TS83SG ▤ ◆ ■  
8'0": 3'0"

## Pembridge



Traditions  
TS83PB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS84LPB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS84PB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS84RPB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS85LPB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS85PB ▤ ◆  
8'0": 3'0"

## Pembridge



Traditions  
TS85RPB ▤ ◆  
8'0": 3'0"

Style Options in **bold** are stocked items.  
Note: Product images show exterior side  
of door.

Pembridge



Traditions  
TS86LPB  
8'0": 3'0"

Pembridge



Traditions  
TS86PB  
8'0": 3'0"

Pembridge



Traditions  
TS86RPB  
8'0": 3'0"

Pembridge



Traditions  
TS810LPB  
8'0": 3'0"

Pembridge



Traditions  
TS810PB  
8'0": 3'0"

Pembridge



Traditions  
TS810RPB  
8'0": 3'0"

Pembridge



Traditions  
TS811LPB  
8'0": 3'0"

Pembridge




Traditions  
TS811PB  
8'0": 3'0"

Pembridge



Traditions  
TS811RPB  
8'0": 3'0"

Axis



Traditions  
TS83AX  
8'0": 3'0"

Privacy



Traditions  
Chinchilla  
TS83XJ  
8'0": 3'0"

Chord  
TS83XC  
8'0": 3'0"


Granite  
TS83XN  
8'0": 3'0"

Rainglass  
TS83XR  
8'0": 3'0"

Reeded  
TS83XK  
8'0": 3'0"

Satin Etch  
TS83XE  
8'0": 3'0"

Privacy



Traditions  
Satin Etch  
TS81LXE  
8'0": 3'0"

Privacy



Traditions  
Satin Etch  
TS81XE  
8'0": 3'0"

Privacy



Traditions  
Satin Etch  
TS81RXE  
8'0": 3'0"

Privacy



Traditions  
Rainglass  
TS84LXR  
8'0": 3'0"

Satin Etch  
TS84LXE  
8'0": 3'0"

Privacy



Traditions  
Rainglass  
TS84XR  
8'0": 3'0"

Satin Etch  
TS84XE  
8'0": 3'0"

Privacy



Satin Etch  
TS84RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS84RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS85LXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS85LXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS85RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS85RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS85RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS85RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS86LXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS86LXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS86RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS86RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS86RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS86RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS810LXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS810LXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS810RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS810RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS810RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS810RXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS811LXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS811LXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS811LXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS811LXXR  
8'0": 3'0"

Privacy



Satin Etch  
TS811RXXE  
8'0": 3'0"

Traditions  
Rainglass  
TS811RXXR  
8'0": 3'0"

Low-E / Clear



Traditions  
TS83CL-LE  
8'0": 3'0"  
TS83CL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS81LCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS81CL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS81RCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS84LCL  
8'0": 3'0"  
TS84LCL-LE  
8'0": 3'0"

TS84LCL  
8'0": 3'0"  
TS84LCL-LE  
8'0": 3'0"  
TS84LCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS84CL  
8'0": 3'0"  
TS84CL-LE  
8'0": 3'0"

TS84CL  
8'0": 3'0"  
TS84CL-LE  
8'0": 3'0"  
TS84CL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS84RCL  
8'0": 3'0"  
TS84RCL-LE  
8'0": 3'0"

TS84RCL  
8'0": 3'0"  
TS84RCL-LE  
8'0": 3'0"  
TS84RCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS85LCL  
8'0": 3'0"  
TS85LCL-LE  
8'0": 3'0"

TS85LCL  
8'0": 3'0"  
TS85LCL-LE  
8'0": 3'0"  
TS85LCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS85CL  
8'0": 3'0"  
TS85CL-LE  
8'0": 3'0"

TS85CL  
8'0": 3'0"  
TS85CL-LE  
8'0": 3'0"  
TS85CL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS85RCL  
8'0": 3'0"  
TS85RCL-LE  
8'0": 3'0"

TS85RCL  
8'0": 3'0"  
TS85RCL-LE  
8'0": 3'0"  
TS85RCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS86LCL  
8'0": 3'0"  
TS86LCL-LE  
8'0": 3'0"

TS86LCL  
8'0": 3'0"  
TS86LCL-LE  
8'0": 3'0"  
TS86LCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS86CL  
8'0": 3'0"  
TS86CL-LE  
8'0": 3'0"

TS86CL  
8'0": 3'0"  
TS86CL-LE  
8'0": 3'0"  
TS86CL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS86RCL  
8'0": 3'0"  
TS86RCL-LE  
8'0": 3'0"

TS86RCL  
8'0": 3'0"  
TS86RCL-LE  
8'0": 3'0"  
TS86RCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS810LCL  
8'0": 3'0"  
TS810LCL-LE  
8'0": 3'0"

TS810LCL  
8'0": 3'0"  
TS810LCL-LE  
8'0": 3'0"  
TS810LCL-LE  
8'0": 3'0"

Low-E / Clear



Traditions  
TS810CL  
8'0": 3'0"  
TS810CL-LE  
8'0": 3'0"

TS810CL  
8'0": 3'0"  
TS810CL-LE  
8'0": 3'0"  
TS810CL-LE  
8'0": 3'0"

# Profiles™ & Traditions

## 8'0" STEEL FULL GLASS, SOLID PANEL & PULSE.

### Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ◆ ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- ▴ ..... Flat Frame

### ADVANTA LITE FRAMES (ADV)

- ▴ ..... Scrolled & Flat Advanta Lite Frame
- ▴ ..... Scrolled Advanta Lite Frame
- ▴ ..... Flat Advanta Lite Frame
- ▴ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 6 ..... WBDR Options
- 6 ..... WBDR / HVHZ Options

### DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

### SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

### FXG ..... Fixed Grilles

### FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

### CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

Style Options in **bold** are stocked items.  
Note: Product images show exterior side of door.

# Profiles™ & Traditions

8'0" STEEL FULL GLASS,  
SOLID PANEL & PULSE.

## Key

- ..... No Stile Lines
- ▲ ..... Flush-Glazed Glass
- ..... Vented Sidelite
- ◆ ..... Black Nickel
- ..... Brushed Nickel
- ..... Brass
- ✕ ..... Wrought Iron
- XK ..... Reeded
- XE ..... Satin Etch
- XC ..... Chord
- XJ ..... Chinchilla
- XR ..... Rainglass
- XN ..... Granite
- LE ..... Low-E
- CL ..... Clear
- └ ..... Flat Frame

## ADVANTA LITE FRAMES (ADV)

- └ ..... Scrolled & Flat Advanta Lite Frame
- └ ..... Scrolled Advanta Lite Frame
- └ ..... Flat Advanta Lite Frame
- └ ..... Standard Lite Frame Available
- 🔥 ..... 20-Minute Fire-Rated
- 🔥 ..... 90-Minute Fire-Rated
- 9 ..... WBDR Options
- 9 ..... WBDR / HVHZ Options

## DOOR DIVIDER BARS (DDB)

- 2 ..... Door Divider Bars (3 1/2")
- 3 ..... Door Divider Bars (4 1/4")
- 4 ..... Door Divider Bars (5 1/2")
- 5 ..... Door Divider Bars (4 1/4" & 5 1/2")
- E ..... Elevated 10" Bottom Rail Options

## SIMULATED DIVIDED LITES (SDL)

- 📄 ..... Simulated Divided Lites
- 1 ..... 1 1/8" Flat SDL
- 2 ..... 3 1/2" Flat SDL
- 3 ..... 4 1/4" Flat SDL
- 4 ..... 5 1/2" Flat SDL
- 5 ..... 4 1/4" & 5 1/2" Flat Combo SDL
- 6 ..... 1 3/5" Flat SDL

FXG ..... Fixed Grilles

## FLAT PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGFW ..... Flat White GBG
- GBGFA ..... Flat Almond GBG
- GBGFB ..... Flat Bronze GBG
- GBGFK ..... Flat Black GBG

## CONTOUR PROFILE GRILLES BETWEEN GLASS (GBG)

- GBGCW ..... Contour White GBG
- GBGCK ..... Contour Black GBG

## Low-E / Clear



Traditions

TS810RCL  
8'0": 3'0"

TS810RCL-LE └  
8'0": 3'0"

TS810RCL └  
8'0": 3'0"

TS810RCL-LE └  
8'0": 3'0"

TS810RCL-LE  
8'0": 3'0"

## Low-E / Clear



Traditions

TS811LCL  
8'0": 3'0"

TS811LCL-LE └  
8'0": 3'0"

TS811LCL └  
8'0": 3'0"

TS811LCL-LE └  
8'0": 3'0"

TS811LCL-LE  
8'0": 3'0"

## Low-E / Clear



Traditions

TS811CL  
8'0": 3'0"

TS811CL-LE └  
8'0": 3'0"

TS811CL └  
8'0": 3'0"

TS811CL-LE └  
8'0": 3'0"

TS811CL-LE  
8'0": 3'0"

## Low-E / Clear



Traditions

TS811RCL  
8'0": 3'0"

TS811RCL-LE └  
8'0": 3'0"

TS811RCL └  
8'0": 3'0"

TS811RCL-LE └  
8'0": 3'0"

TS811RCL-LE  
8'0": 3'0"



# Composite Door Frame<sup>1</sup> featuring Tru Guard™ Composite Technology



1 Brickmould 2 Jamb 3 Mullions 4 Cove Mould 5 Transom Sill

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



## REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

## AVAILABLE TEXTURES

### Buff Grained



- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry - no sanding or priming required.

### White Smooth



- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is - no painting required. Or finish with stain or paint to complement the entry - no sanding or priming required.

Door System Components

## Warranty

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		<b>Lifetime Transferable Full-System Rider</b>
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		<b>10-Year Transferable Full-System Rider</b>
Composite Door Frame Only		

<sup>1</sup>See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

# Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.

## DID YOU KNOW?



On average, a home is burglarized in the U.S. **every 4 minutes.**<sup>1</sup>



More than half of home burglaries occur **during the daytime.**<sup>1</sup>

### THERMA-TRU® COMPOSITE DOOR FRAME

Our rot-free composite door frame is 50% stronger at resisting forced entry than wood.<sup>2</sup>

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



### THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.<sup>3</sup>

Features durable construction that can withstand impact by absorbing and deflecting the force.<sup>3</sup>

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Fiberglass will not dent or rust, nor will it warp, split, crack or rot.

### THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.



Pendulum Impact Test


<sup>1</sup>Source: FBI Crime Data Explorer.

<sup>2</sup>Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

<sup>3</sup>Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

# Multi-Point Locking Systems (MPLS)


## GRIP-STYLE MPLS



## FINISH OPTIONS



## LEVER-STYLE MPLS



## FINISH OPTIONS



**Tongue**  
Heights: 6'6" 6'8" 7'0" 8'0"  
Configurations: Inswing Outswing

- 1 Self-lubricating locks.
- 2 1" premium stainless steel deadbolt.
- 3 Integrated mishandling device.

# Yale Assure Lock® 2

**You've got enough on your plate, let Yale get the door.™**

With multiple ways to unlock, the ability to share and track entry codes and Auto-Lock with DoorSense®, the Yale Assure Lock 2 makes securing and accessing your home one less thing to worry about – all while making it easier to protect your home and family. Looking for remote access? Purchase a Yale Wi-Fi Smart Module separately. Comes with matching passage mechanical handleset or lever.



Interior Lock



YRD410



YRD420



YRD430



YRD450



**Comes with 1 Key**  
(YRD410 / 420 ONLY)

# Yale Assure Lock® 2 Touch

**A lock as unique as you.**

Make coming home more seamless than ever with the Yale Assure Lock 2 Touch. A simple touch of your finger is all it takes, thanks to the new biometric touchpad. Explore multiple ways to access your home including hands-free Auto-Unlock, a backup key or using your phone or Apple Watch\*. Upgrade at any time with the Yale Smart Wi-Fi Module (sold separately) to operate your lock remotely using the Yale Access app. Comes with matching passage mechanical handleset or lever.



Interior Lock



YRD420



YRD450



**Fingerprint  
Unlocking**



**Comes with 1 Key**  
(YRD420 ONLY)

# Matching Passage Options



Ridgefield



Valdosta



Norwood

## Finish Options



Black Suede



Satin Nickel



# Hinged Patio Door Systems

Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.




## EnLiten™ Flush-Glazed Internal Blinds



### AVAILABLE COLLECTIONS

- Smooth-Star®

### AVAILABLE DOOR STYLES & SIZES




#### Widths

2'6"  
2'8"  
2'10"  
3'0"

#### Heights

6'8"  
8'0"

### Available Configurations




## EnLiten™ Flush-Glazed Low-E Glass



### AVAILABLE COLLECTIONS

- Fiber-Classic® Oak
- Smooth-Star®

### AVAILABLE DOOR STYLES & SIZES




#### Widths

5'0"  
5'4"  
5'8" (Can be used as a 6'0" replacement size.)  
6'0"

#### Heights

6'6"  
6'8"  
8'0"

### Available Configurations




EnLiten™ Flush-Glazed Low-E Grilles Between Glass



**AVAILABLE COLLECTIONS**

- Fiber-Classic® Oak
- Smooth-Star®

**AVAILABLE DOOR STYLES & SIZES**




**Widths**

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

**Heights**

- 6'6"
- 6'8"
- 8'0"

**Available Configurations**




Low-E Internal Blinds



**AVAILABLE COLLECTIONS**

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®

**AVAILABLE DOOR STYLES & SIZES**




**Widths**

- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

**Heights**

- 6'6"
- 6'8"
- 8'0"

**Available Configurations**




## Low-E Glass



### AVAILABLE COLLECTIONS

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®

### AVAILABLE DOOR STYLES & SIZES




#### Widths

- 4'8" (Can be used as a 5'0" replacement size.)
- 5'0"
- 5'4"
- 5'8" (Can be used as a 6'0" replacement size.)
- 6'0"

#### Heights

- 6'6"
- 6'8"
- 8'0"

### Available Configurations




Fiber-Classic Oak Collection, Clear Glass, Doors - FC10, Finish - Barley





## Retractable Screen Doors


Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, they have been quality tested for compatibility with Therma-Tru® entry door systems.



### Available Sizes (Available for most inswing units.)



**Single Door System**  
Widths: 32"–36"  
Heights: 6'6", 6'8", 8'0"



**French Door System**  
Widths: 68"–73"  
Heights: 6'6", 6'8", 8'0"

### AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.<sup>2</sup>



**WARRANTY COVERAGE** All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.



Classic Craft  
Transferable



Fiber-Classic,  
Smooth-Star, Pulse  
Fiberglass



Profiles, Traditions,  
Pulse Steel



When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.

<sup>1</sup>Adjusts quickly for 32"–36" doors. If less than 32" a hacksaw is required for one cut to each track.

<sup>2</sup>Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [thermatru.com](http://thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

**Direct Set Sidelites** – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the rating that is inserted into the door, sidelite or transom.**

**Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

**MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.**

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [thermatru.com](http://thermatru.com):

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star and Pulse Door Systems; Steel – Pulse, Profiles., and Traditions Door Systems
- Therma-Tru Tru-Defense Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic and Smooth-Star Flush-Glazed Fiberglass Door Systems
- PrismaGuard Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse Door Systems; Steel – Pulse, Profiles., and Traditions
- Same-Day Stain 5-Year Limited Warranty: Same-Day Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon Stainable Polyurethane Products
- Therma-Tru Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems
- Therma-Tru Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse Fiberglass Door Systems

## Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [thermatru.com](http://thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more details.**

# Why OrePac

## Our History

OrePac is a family-owned and operated business, founded by the Hart family in 1977. Through strong leadership and a commitment to success, the company has grown into one of the premier distributors in the building industry.


Trust, integrity, and a dedication to excellence are the values most important to OrePac. That commitment can be found in the services we offer, the quality of the products we provide, and the way we treat our employees and customers. This dedication to our markets has enabled us to make a positive impact on the shelter industry and the communities we serve.

## OrePac Marketplace

At OrePac, our goal is to **Make Complicated Simple™**. That's why we've created an industry-leading configurator to simplify the door ordering process for our dealers. Talk to your OrePac Sales Representative to find out more about this easy and time-saving tool.



[www.orepac.com](http://www.orepac.com)



- ★ CORPORATE
- BRANCH

Boise, ID	Sacramento, CA
Bozeman, MT	Salt Lake City, UT
Denver, CO	Spokane, WA
Ontario, CA	Tacoma, WA
Phoenix, AZ	Wilsonville, OR

# THERMA-TRU® DOORS

[thermatru.com](http://thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru

Cover: Smooth-Star, Low-E Glass with SDLs, Door – S84200, Finish – Golden Wheat  
Back Cover: Smooth-Star, Clear Glass with SDLs, Door – S4200, Sidelites – S2000SL, Finish – Elk

©2025 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

HOT 25060175 / SEPT 2025 Made with Pagnation.com

