

INDEX

TRANSFUSION & INFUSION

2-4

GASTROENTEROLOGY

04

ANESTHESIA

5-07

GENERAL SURGERY

08

UROLOGY

08

MISCELLANEOUS

08



TRANSFUSION & INFUSION

BEWEL INFUSION SET - IV Infusion Set



Specifications

- 1. Bewel Non Vented
 - 2. Bewel Vented
 - 3. Bewel Vented Premium (Y- Injection site & Combi lock)
 - 4. Bewel with Microdrip Set.
- ▶ Conventional Infusion Set.
 - ▶ Superior quality latex bulb for additional medication
 - ▶ Sterile, disposable, non-pyrogenic, individually packed.
 - ▶ 150 cm long super smooth kink resistant tubing
 - ▶ Manufactured from non-toxic and transparent material

B.T SET

Blood transfusion set is use for Blood transfusion



Specifications

Features and Benefits

- ▶ Blood transfusion set with single drip chamber, latex bulb, luer slip.
- ▶ Strong and sharp spike for easy insertion in blood container.
- ▶ Clear, transparent and kink resistant tubing of medical grade bio-compatible PVC.
- ▶ Provided with 200µ blood filter facilitated with latex bulb
- ▶ Kink Resistance tubing facilitate with thumb controlling roller clamp.
- ▶ Roller clamp provide efficient flow control of blood infusion.
- ▶ Facilitate with latex bulb provide the self-sealing injection site.
- ▶ Drip tube designed as approximately 20 drops of distilled water equivalent to 1ml.
- ▶ Tube length: 150cm.
- ▶ In compliance with IS and ISO standard.
- ▶ Single use, Sterile, Non Pyrogenic.

M.V SET

Measure volume burette set Specifications



Features and Benefits

- ▶ Super Smooth Kink Resistance Tube
- ▶ Smooth penetration of fluid with beveled strong spike
- ▶ Efficient Roller Controller Give Flow Rate Accuracy
- ▶ Latex/ Latex Free for Flushing
- ▶ Needle:medical grade disposable hypodermic needle
- ▶ E.O. Sterile & Disposable products
- ▶ Individual Packed In PE/Blister/Ribbon Pack
- ▶ Clear, Transparent & soft cylindrical measure volume chamber with built in air vent & with hanger, available in 110 ml & 150 ml
- ▶ Available With "Y" Connector for Extra Medication
- ▶ Supply and Lure Lock for Secure Connection.

IV CANNULA

IV Cannula with wings & Injection Port




Specifications

GAUGE	COLOUR	INT-EXT DIA	LENGTH	WATER FLOW
14G	▲	2.1	32,45	300
16G	▲	1.7	32,45	200
18G	▲	1.3	32,38,45	90
20G	▲	1.1	25,32,38	60
22G	▲	0.9	19,25	33
24G	▲	0.7	17,19	20
26G	▲	0.6	17,19	15

- ▶ All age group
- ▶ 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.

TRANSFUSION & INFUSION

AV FISTULA NEEDLE



Specifications

- ▶ Latex free product.
- ▶ Ultra-thin wall and Siliconized for smoother penetration.
- ▶ Special process on blade reduces pain and skin damage for smoother penetration.
- ▶ Colour coded wings makes it efficient and quicker to be used.
- ▶ Back eye feature is designed with slippery prevention for smooth puncture.
- ▶ Sterilization by EO gas and Gamma rays.

EXTENSION LINE – BEWEL LINE



Specifications

Features and Benefits

- ▶ Low pressure large bore extension line made up of PVC.
- ▶ Used primarily to connect the transducer system to the indwelling catheter.
- ▶ Male luer lock at one end and 3-way stop cock at other enabling the user to run two lines simultaneously.
- ▶ Three way stop cock may be used for blood sampling or extra medication.
- ▶ Can sustain a pressure upto 7 kg/ cm² or 100 psi.
- ▶ Sterile, individually packed in Blister pack.

THREE WAY STOP COCK



Specifications

Features and Benefits

- ▶ Available in both- Smooth 360° rotation or Dispoclick 45° Step rotation
- ▶ Clear body for easy visual of fluid flow.
- ▶ Arrow for indicating flow direction.
- ▶ Prevents vortex and reduces thrombus formation.
- ▶ Excellent pressure resistance upto 300kPa 045 psi.
- ▶ Two 120 female luer, one 110 male luer for secure connection with accessories.

I.V FLOW REGULATOR



Specifications

Features and Benefits

- ▶ Designed to control flow rate from 5ml/hr – 250 ml/hr manually.
- ▶ Built-in Y-connector inject on site for extra medication.
- ▶ Two hand operation eliminates the danger of accidental tampering.
- ▶ Provision of male and female luer lock makes it compatible with other devices.
- ▶ Disposable, sterile and non-pyrogenic.

TRANSFUSION & INFUSION

HIGH PRESSURE MONITORING LINE - Extension Tube High Pressure




Specifications

Features and Benefits

- ▶ Pressure monitoring lines are used to transmit the invasive blood pressure to the pressure monitoring system.
- ▶ It also can be used with Syringe infusion pump
- ▶ Thick wall to avoid fluctuation in pressure monitoring.
- ▶ Transparent, kink resistant tube.
- ▶ Standard luer connectors in compliance with 6% luer taper. so it can be used with all standard Equipments.

GASTROENTEROLOGY

INFANT FEEDING TUBE - CAT IN



Specifications

- ▶ For neonatal and paediatric nutritional feeding.
- ▶ Super smooth kink resistance tubing ensures uniform flowrate.
- ▶ Atraumatic, soft rounded, closed tip with two lateral eyes for efficient aspiration & administration.
- ▶ Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe.
- ▶ Color coded connectors for easy identification of size as per standards.
- ▶ Tube is marked at 20cm away from the distal tip.
- ▶ X-Ray opaque line provided through out the length of Tube.
- ▶ Available with graduation mark after every cm.

RYLE'S TUBE - Nusogastric Feeding Tube



Specifications

Features and Benefits

- ▶ Made of Soft, frosted and kink resistant PVC tubing.
- ▶ Placement. Four lateral eyes for aspiration and administration.
- ▶ Tube with radio-opaque line, marked at 50, 60 and 70 cms from the tip for accurate placement.
- ▶ Manufactured from Non-toxic, Non-irritant medical grade PVC.
- ▶ Smooth, low friction surface facilitates easy introduction.
- ▶ Disposable, Sterile, single use.

ANESTHESIA

RESP-ON-O - OXYGEN MASK KIT - Oxygen mask with star lumen tube. It has been made to deliver oxygen to the patient from the oxygen source.



Specifications

Features and Benefits

- ▶ Soft, Kink resistant, star lumen, anti-crush tube
- ▶ Soft, large, anatomical shaped face mask, comfortably fits over face.
- ▶ Nose clip for easy adjustment over patient nose
- ▶ Provide rotating connector for patient comfort.
- ▶ Made from Non-toxic, non-irritant, biocompatible medical grade PVC.
- ▶ elastic strap provided to position the mask properly.
- ▶ Tube length- 200 cm

RESP-ON-N - NEBULIZER MASK KIT - Disposable nebulizer mask with chamber & tube for nebulization with the help of nebulizer machine.



Specifications

Features and Benefits

- ▶ Soft, large, anatomical shaped face mask fits comfortably over face.
- ▶ Nose clip for easy adjustment over patient nose.
- ▶ Made from Non-toxic, non-irritant, bio-compatible, medical grade PVC.
- ▶ Elastic strip provided to position the mask properly.
- ▶ Transparent graduated chamber with capacity of 6ml and over limit of 4ml.
- ▶ Soft, kink resistant, Star lumen, anti-crush tube.
- ▶ Tube length-200cm
- ▶ Fast & efficient generation.
- ▶ Sizes available are Adult, Pediatric and Infant.

NAS-ON - NASAL OXYGEN SET



Specifications

Features and Benefits

- ▶ Single use| Sterile| Non pyrogenic.
- ▶ Two extra soft nasal prongs fits properly into the nostrils.
- ▶ Provide end connector to attach with oxygen source
- ▶ Provide with adjustment clip to properly fix around ears/head.
- ▶ Tube length -200 cm. Made up of soft, non-toxic, medical grade PVC to ensure long term use.
- ▶ Light weight twin O2 set provide maximum comfort to the patient and keep patient's mouth free for communication and nutritional zone.
- ▶ Star lumen non crush tube ensure uninterrupted supply of oxygen to patient even tie tube bends or kink accidentally.

HIGH MASK - High Concentration Oxygen Mask.



Specifications

Features and benefits

- ▶ Soft, transparent and odor free mask for greater patient comfort.
- ▶ The mask also has a reservoir bag that is inflated with pure oxygen.
- ▶ The mask fits snugly over the patient's mouth and nose.
- ▶ Adjustable elastic strap fits over the patient's head holding the mask in place.
- ▶ Non-return valves provided at inhale and exhale points prevent carbon-dioxide retention.
- ▶ Light weight reservoir improves the oxygen efficiency.
- ▶ The smooth, feathered edges are designed for patient comfort while reducing irritation points.

ANESTHESIA

VENTURI OXYGEN MASK



Specifications

Features and Benefits

- ▶ Single Dial Venturi masks are devices that are constructed to supply oxygen or other gases to an individual.
- ▶ Transparent green or white plastic masks also leave the face visible, allowing care providers to better ascertain patients conditions.
- ▶ Smooth and feathered edge of face mask for patient comfort and reducing irritation points.
- ▶ Made of medical-grade PVC, 100% latex free.
- ▶ Tube Length : As per requirements
- ▶ EO Sterile/ Disposable/ Individual Packed

G- WAY GUEDEL AIRWAYS - Oro - Pharyngeal Airway



Specifications

Features and Benefits

- ▶ Manufactured from non-toxic, non-irritant Pt polymer
- ▶ Provides access for the insertion of suction catheters.
- ▶ Flexible to ensure dental protection.
- ▶ Design of the tube conforms to the oropharyngeal anatomy.
- ▶ Stepless airway path for easy cleaning.
- ▶ Bite blocks are color coded for instant size identification.
- ▶ Individually packed in peelable soft blister pack.
- ▶ Sterile, ready for use.

VENT ON - VENTILATOR BREATHING CIRCUIT



Specifications

Features and Benefits

- ▶ Provide expandable tube helps in adjustment of length as when required.
- ▶ Options available - With HME filter or without HME filter.
- ▶ Provided with 360° swivel connector for easy connection and positioning and the gas sampling with 90° angle prevents kinking of tubing.
- ▶ With Nebulization port

LIMBO CIRCUIT



Size : 1.5 Meter, 2 Meter, 3 Meter

ANESTHESIA

CATHETER MOUNT



Specifications

Features and Benefits

- ▶ Expandable corrugated tube for adjustment of length as per need.
- ▶ All tube and connector are compatible with gases and reagents.
- ▶ 360° rotation at both junction for patient.
- ▶ Universal 15mm ID, 22mm OD connector.
- ▶ The end-cone is of 22 mm to connect with ventilator circuit.
- ▶ Equipped with gas sampling & Suction port.
- ▶ Single use, Sterile, Non-Pyrogenic.

BREATHING FILTER



Specifications

Features and Benefits

- ▶ Clear housing.
- ▶ Low flow resistance High filtration efficiency.
- ▶ Mign neat & numidty level, Cuz Mentoring level
- ▶ Port Sterile package.
- ▶ Size: Adult, Paediatric
- ▶ Sterile / Disposable / Individually Packed.

SPIRO PLUS - 3 BALL RESPIROMETER - Intended use for increasing lung capacity.



Specifications

Features and Benefits

- ▶ Made up of medical grade Poly carbonate material.
- ▶ Provide detachable Parts helpul in cleaning ana maintenance
- ▶ Provide with tube and mouthpiece to easily inspiration.
- ▶ Non-Sterile.
- ▶ Provided with three color coded balls Red, Yellow, Blue in specially designed three stages chamber 600 CC/Sec, 900 CC/Sec, 1200 CC/Sec respectively for efficient and stepwise monitoring of improvements.

YANSU - YANKUR SUCTION SET



Specifications

Features and Benefits

- ▶ Smooth transparent Injection moulded handle.
- ▶ Packea In Mobon pouchi
- ▶ Provide with or without vacuum thumb control.
- ▶ Available in Standard tip or crown tip.
- ▶ Sterile, Non-Pyrogenic, Single use.
- ▶ 2.5 meter long flexible kink resistant tube with a length for unobstructed drainage.
- ▶ Flexible connectors at both the ends for easy and safe connection with handle and machine.

GENERAL SURGERY

CAT -SU - SUCTION CATHETER - For removal of secretion from mouth, oropharynx, trachea and bronchial tubes.



Specifications

Features and Benefits

- ▶ Single use, Sterile, Non Pyrogenic.
- ▶ Trocar needle assist in placement of catheter inside wound.
- ▶ Depending on need different sizes of redon drain tube and trocar available.
- ▶ Leak proof cap and single step pinch clamp for easy and one hand operation.
- ▶ Smooth and atraumatic multiple eyes for easy Drainage and prevents Post-operative trauma. With two redon drain tube with RO line and smooth eyes to check and
- ▶ discuss drainage in case of need.

MISCELLANEOUS

CODSEAL - UMBILICAL CORD CLAMP

For the clamping of umbilical cord in new born.



Specifications

Features and Benefits

- ▶ Provided with secure and leak proof jaws to ensure better clamping.
- ▶ Provided with non re-openable locks to avoid any accidental opening of clamp.
- ▶ Grooved clamping area to prevent slipping of umbilical cord.
- ▶ Made up of non-toxic material
- ▶ Single use, Non Pyrogenic, Sterile..

UROLOGY

URI FLOW - URO BAG - Urine Collection Bag with Measuring Chamber



Specifications

Features and Benefits

- ▶ Use for urine collection. bag capacity of 2000ml urine.
- ▶ Made of medical grade Non-toxic. bio-compatible PVC.
- ▶ Main tube length is approximately 100cm.
- ▶ Non return valve & drainage outlet at top.
- ▶ Provided with premium hanging & carrying systems.
- ▶ Printed with Patients detail like: Patient name, bed, Ward, Doctor's name, Date.
- ▶ Options- U bag premium with/without Bi-lam sheet.
- ▶ Single use, Sterile, Non-Pyrogenic.