

IMPORTANT NOTE:-

Fixing heads / spreader washer covered over with Compego Tape (or other approved), 60mm wide.

Side joint & End Joints in panel to be sealed using Compego (or other approved) Tape, 60mm wide. - Liase with Archityne and the insulated panel manufacturer.

Side joints and end joints must remain adhesive free over the Compego (or other approved) tape.

CodeMark

CMNZ70216

REV.	DATE	DESCRIPTION
1.	May 2026	First Issue

Archityne

Archityne Limited
PO Box 58129
Botany, Auckland
2163
New Zealand

TITLE:
RENOLIT ALKORPLAN A Raised Kerb
Detail - Insulated Panel Substrate

SCALE	DATE	DRG NO.	REV. NO.
1:5@A3.	18/05/26	710	1.

NOTE – UPSTAND INSULATION BOARD MAY BE INSULATED PANEL OR PLYWOOD IN LIEU OF INSULATION BOARD.

= denotes welding joint

RENOLIT ALKORMETAL edge trim.

RENOLIT ALKORPLAN F

RENOLIT ALKORMETAL upstand trim

RENOLIT ALKORPLAN D cover strip

RENOLIT ALKORPLAN A membrane

RENOLIT ALKORPLUS 81068/81168 PU adhesive.

Composite Panel Substrate, 'by others'

Under Flashing as per insulated panel manufacturers requirements.

RENOLIT ALKORPLAN A membrane

RENOLIT ALKORPLUS 81068/81168 PU adhesive.

Composite Panel Substrate, 'by others'

RENOLIT ALKORPLUS peel stop bar and fastener.

Insulation edge protector

RENOLIT ALKORPLAN F membrane.

RENOLIT ALKORPLUS peel stop bar and fastener.

Under Flashing as per insulated panel manufacturers requirements.

Archityne approved fastener

ALTERNATE VERSION WITH PEEL STOP BAR.

Insulation edge protector

RENOLIT ALKORPLAN A membrane

RENOLIT ALKORPLUS 81068/81168 PU adhesive.

Composite Panel Substrate, 'by others'

RENOLIT ALKORPLAN F membrane fully bonded with appropriate adhesive

Under Flashing as per insulated panel manufacturers requirements.

ALTERNATE VERSION FULLY BONDED UPSTAND.