

COMBI-HITCH COUPLING SYSTEM

JUST HOOK UP AND GO

With SIWI Combi-Hitch the operator can easily switch between a variety of tractors, trailers, implements and other machinery on the farm. The SIWI Combi-Hitch can be used for many vehicles – everything from choppers to manure and lime spreaders, trailed seeders, feed mixers and many more. Switching between operations is quick and easy.

FEATURES

CUSTOMIZABLE

The modules are designed to accommodate PTO power transmission, hydraulic hoses, pneumatic brakes, electrical cables, ISOBUS, and load sensing hydraulic systems for efficient machine and implement connectivity.

CONNECT DIRECTLY FROM THE CAB

The hydraulic and electrical connections will automatically connect without leaving the tractor seat.

SAVE TIME AND LABOUR

The operator can hitch the tractor in under 10 seconds without having to get out of the cab. No hoses to forget to connect or disconnect.

IMPROVE PRODUCTIVITY OF MACHINERY

Using machinery more efficiently by switching easily between implements results in cost savings from machinery and labour within the first year.

SAFER WORKING ENVIRONMENT

Lower the risk of injuries because the operator doesn't have to get in and out of the tractor, with the risk of falling or being crushed between machines. EC Type approved.

BUILT TO LAST

The heavy-duty construction ensures longevity of the Combi-Hitch. It is the most robust system of its kind on the market.







POSSIBLE TRANSFER SOLUTIONS:

ISOBUS and LS



Electrical Cables



Hydraulic Hoses 150L/min



PTO



Pneumatic Brakes

BENEFITS BY USING THE SIWI COMBI HITCH SOLUTION:



Payback within the first season



Build for Heavy Duty



Working environment at the highest possible level



Reduce soil compression and save 5-15% crops productivity



Save manpower



Minimize your Carbon Footprint



Strongest system available on the market



Produced, tested and packed in Denmark



Oria
AGRICULTURE

www.oriaagriculture.com