




PRODUCT SPECIFICATIONS

ONE with mechanical limit switch



Important: Please fill out this form correctly and completely to ensure proper tracking of your order

Individual (Last Name, First Name) :

Ref. :

BUSINESS

COMPANY: INSTALLER:

ADDRESS: ZIP : CITY:

PHONE: FAX: EMAIL:

Desired delivery week number: Subject to booking availability

POOL SPECIFICATIONS

LENGTH: M WIDTH: M YEAR BUILT: M

☐ MASONRY POOL

☐ PANEL(S)

☐ SHELL > SHELL REFERENCE:

☐ OTHER:




☐ RECTANGULAR POOL WITHOUT VISIBLE STEPS



☐ WITH A STRAIGHT STAIRCASE ACROSS THE WIDTH



☐ WITH A TRAPEZOIDAL STAIRCASE ACROSS THE WIDTH



☐ WITH AN OFFSET OR REVERSE STAIRCASE




☐ WITH A STAIRCASE ACROSS A WIDTH




☐ OTHER SHAPE, PROVIDE A TEMPLATE OR A PLAN PAGE 4

☐ INFINITY POOL

REQUIRED INFORMATION



INFORMATION ABOUT THE POOL



> POOL DIMENSIONS

(IN CM)	
AC	
BD	
AB	
CD	

> THE DIAGONALS

(IN CM)	
AD	
BC	

> DIMENSIONS

THE WIDTH OF THE POOL IS MEASURED EVERY METER STARTING FROM A TO C

POOL WIDTH (IN METERS)	
AB + 1 m	
AB + 2 m	
AB + 3 m	
AB + 4 m	
AB + 5 m	
AB + 6 m	
AB + 7 m	
AB + 8 m	
AB + 9 m	
AB + 10 m	
AB + 11 m	
AB + 12 m	

> SKIMMERS

IF SKIMMERS ARE INSTALLED ALONG THE LENGTH, INDICATE THEIR LOCATION AND THE THICKNESS OF THE FLANGE. UNLESS OTHERWISE SPECIFIED, WE WILL ASSUME THEY ARE NOT LOCATED ALONG THE LENGTH.

> CORNERS

	Sharp corner	Rounded (in cm)	Chamfer (in cm)			FINISH
			X	X1	X2	
A	☐	☐				right-angled ☐
B	☐	☐				with shaped fins ☐
C	☐	☐				
D	☐	☐				

> LINING

Liner ☐

150/100th ☐

Polyester ☐


Tiled ☐

IF APPLICABLE, PROVIDE THE MISSING MEASUREMENTS THE DIMENSIONS REQUESTED ARE THOSE AT THE WATERLINE OF THE POOL, NOT THOSE OF THE DESIRED FINISHED SLATS. WE DEFINE THESE DIMENSIONS IN THE FACTORY DURING MANUFACTURING TO COMPLY WITH STANDARD NF P 90-308



PRODUCT SPECIFICATIONS

ONE with mechanical limit switch




Important: Please fill out this form correctly and completely to ensure proper tracking of your order

Individual (Last Name, First Name) :

Ref. :


MODELS

☐ One



24V motor with mechanical limit switch

☐ One Green



1 24 V 7 Ah battery - High-density LITHIUM-ION technology
Charger included with jack connection
(wireless without LED)

SUPPORTS

Reel

- | | | |
|--------------------------|----------|--------------------------|
| ☐ | RAL 9010 | ☐ |
| ☐ | RAL 7035 | ☐ |
| ☐ | RAL 7040 | ☐ |
| ☐ | RAL 1015 | ☐ |
| ☐ | Taupe | ☐ |

Bases

- | | | |
|--------------------------|----------|--------------------------|
| ☐ | RAL 9010 | ☐ |
| ☐ | RAL 7035 | ☐ |
| ☐ | RAL 7040 | ☐ |
| ☐ | RAL 1015 | ☐ |
| ☐ | Taupe | ☐ |

OPTIONS

- | | |
|---|--------------------------|
| Base with LED lighting on the engine side | ☐ |
| Bluetooth smartphone app
(except solar reel and LED) | ☐ |
| Wireless remote switch for opening/closing the cover
(except solar-powered roller and LED) | ☐ |

SLATS

75 mm flat PVC



Fixed end caps + fixed fins, 20 mm
Removable brushes (optional)

- | | | |
|--------------------------|------------|--------------------------|
| ☐ | White | ☐ |
| ☐ | Light gray | ☐ |
| ☐ | Gray | ☐ |
| ☐ | Sand | ☐ |
| ☐ | Taupe | ☐ |

70 mm polycarbonate*



Glued end caps + black clip-on fins

- | | | |
|--------------------------|--------------------|--------------------------|
| ☐ | Smoked - Black | ☐ |
| ☐ | Pearl gray - Black | ☐ |
| ☐ | Blue - Black | ☐ |

*Not recommended for pools
treated with bromine

Anti-lift device


- | | |
|---|--------------------------|
| Safety clip system to be attached to the front (included as standard) | ☐ |
| Clip-on safety system to be attached flush with the coping (optional) | ☐ |

- | | | | | | |
|--------------------------|------------|--------------------------|--------------------------|------|--------------------------|
| ☐ | White | ☐ | ☐ | Gray | ☐ |
| ☐ | Light gray | ☐ | ☐ | Sand | ☐ |



PRODUCT SPECIFICATIONS

ONE with mechanical limit switch




Important: Please fill out this form correctly and completely to ensure proper tracking of your order

Individual (Last Name, First Name) :

Ref. :

SPECIFICATIONS FOR STAIRS



Right-angle cut


☐

Shaped cut


(except two-tone flat slats and polycarbonates)

☐


> STRAIGHT STAIRCASE



> TRAPEZOIDAL STAIRCASE




> ROMAN STAIRCASE



Divide the semicircle of the staircase into 8 equal parts.
Record the dimensions of: (e.g., from 1 to 4; from 4 to 9...)

If the radius is not constant, record the measurements according to the table to be completed or provide a template

Radius of cm



1/2	cm
2/9	cm
1/3	cm
3/9	cm
1/4	cm
4/9	cm
1/5	cm
5/9	cm
1/6	cm
6/9	cm
1/7	cm
7/9	cm
1/8	cm
8/9	cm
1/9	cm

DELIVERY

Name and phone number to provide to the driver for delivery:

Mr./Ms.:

Tel. :

Delivery address:

Mr./Ms.:

Address:

Code:

City:

Tel. :

Date:

Name:

Signature:

> PACKAGING

Cardboard

☐

(max. dimensions 5.10 x 12 m, otherwise wooden crate)

Wooden crate

☐

> ACCESS CONDITIONS

Weight restriction

Yes

☐

No

☐

If yes, how much.....

Height restriction

Yes

☐

No

☐

if yes, how much.....

> UNLOADING

ARRANGE FOR PERSONNEL TO ASSIST WITH UNLOADING

Access possible with a semi-trailer

Yes

☐

No

☐

Surcharge for flatbed (7m deck)

Yes

☐

No

☐

Surcharge for onboard trolley

Yes

☐


No

☐



PRODUCT SPECIFICATIONS

ONE with mechanical limit switch



Important: Please fill out this form correctly and completely to ensure proper tracking of your order

Individual (Last Name, First Name) :


Ref. :

**For a pool configuration different from the one shown above,
please sketch your pool design below.**

Examples: triangulation dimensions, differently positioned steps, geometric shapes...

Please provide as much information as possible to help us design your cover: roller position, dimensions, corner radii, stairs...

*Examples of dimensions
required*



1m