




Rental services for specialized foundation engineering with fixed-price expertise. www.borama.rent

LIEBHERR


LB 25 unplugged

DRILLING RIGS ELECTRIC DRIVE

Technical data

LB 25 unplugged**DRILLING RIGS ELECTRIC DRIVE****LIEBHERR**

Kelly Drilling

CFA
Continuous
Flight Auger DrillingFDP
Full Displacement PilingFoW
Front of Wall

Bio-oil



Low Headroom

Complete
data sheet**LB 25 unplugged**


Technical data	
Rotary drive	BAT 250
Torque for casing operation	252 kNm
Max. speed of rotation	58 rpm
Drill axis	900 mm
Crowd winch	
Max. sledge stroke	17,300 mm
Crowd force push and pull	300 kN / 300 kN
Speed (down/up)	0–88 m/min
Main winch	
Line pull	200 kN
Line speed	0–95 m/min
Auxiliary winch	
Line pull	80 kN
Line speed	0–82.5 m/min
Base carrier	
Engine	Li-Ion NMC
Rated output	390 kW
Mains voltage	400 V AC
Under carriage	
Transport width	3,000 mm

LB 25 unplugged

DRILLING RIGS ELECTRIC DRIVE

LIEBHERR

Transport position




Complete data sheet



LB 25 unplugged	
Transport weights	
Machine without counterweight	52.4 t
Counterweight	5.0 t
BAT 250	5.3 t
Kelly bar MD 20/3/27	4.6 t
Drilling process limits	
Kelly	DN 1200
CFA	DN 1000 / 16,1 meters
FDP	DN 500 / 16,6 meters
FoW	DN 620 / 16,4 meters

Rental services for specialized
foundation engineering
with fixed-price expertise.



BORAMA Rent GmbH
Neustädter Straße 27
92685 Floß

+49 9603 903 163-0

info@borama.rent
www.borama.rent

Efficient, close by.

-  Headquarters
-  Service locations