

Scape

MODULAR LOUNGE

PRIVATE CLUB

TABLES

Price List Effective January 2026



SOURCE

How to Build a Scape Lounge Number

5520 - SCR - NP

Style

5520 Club Chair

5521 Center Section Unit

5522 Left Hand End Unit

5523 Right Hand End Unit

5524 Ottoman

5525 Quarter Round Ottoman

5526 Quarter Round Inside Corner

5527 Quarter Round Outside Corner

5528 Square Inside Corner

5529 Square Outside Corner

Frame Finish - Textured

Standard Powder Coats

SCR Soft Chrome (standard)

BLK Black Matte

WHT White

LBNZ Light Bronze

MBNZ Medium Bronze

DBNZ Dark Bronze

GMTL Gunmetal

Power Outlets

NP No Power

PWR___L left, C center, R right

Features

- Scape modular units available with two back heights, 29" and 43" High Back
- Frame/Base is textured powdercoat finish in seven standard powder coat color options
- Optional felt glides
- Leveling glides not available
- Power and USB Port Option have selected locations options based on unit
- L, C and R are Left, Center and Right as you sit in the unit
- 108" cord for each power unit
- Power plate finish will match seating unit frame finish
- Power Components are UL Listed
- Greenguard Certified
- Meets ANSI/ BIFMA Standards
- Lifetime Limited Warranty

Dimensions

Club Chair

Seat	26"W x 21"D x 17"H
Back	26"W x 12.25"H
Overall Size	34"W x 30"D x 29.25"H
C.O.M.	5.5 yds
C.O.L.	99 sqft.

Ottoman

Seat	30"W x 30"D x 17"H
C.O.M.	1.75 yds
C.O.L.	31.5 sqft

Quarter Round Ottoman

Seat	30"W x 30"D x 17"H
C.O.M.	1.75 yds
C.O.L.	31.5 sqft
C.O.L.	72 sqft

Center Section Unit

Seat	26"W x 21"D x 17"H
Back	26"W x 12.25"H
Overall Size	26"W x 30"D x 29.25"H
C.O.M.	2.25 yds
C.O.L.	40.5 sqft.

Quarter Round Inside Corner

Seat	21"W x 17"H
Back	12.25"H
Overall Size	30"W x 30"D x 29.25"H
C.O.M.	4 yds

Quarter Round Outside Corner

Seat	21"W x 17"H
Back	12.25"H
Overall Size	30"W x 30"D x 29.25"H
C.O.M.	2.25 yds
C.O.L.	36 sqft

Left Hand/Right Hand End Unit

Seat	26"W x 21"D x 17"H
Back	26"W x 12.25"H
Overall Size	30"W x 30"D x 29.25"H
C.O.M.	3.6 yds
C.O.L.	65 sqft.

Square Inside Corner

Seat	21"W x 21"D x 17"H
Back	26"H
Overall Size	30"W x 30"D x 29.25"H
C.O.M.	4.5 yds
C.O.L.	81 sqft






Square Outside Corner





Seat	30"W x 30"D x 17"H
Back	26"H
Overall Size	30"W x 30"D x 29.25"H
C.O.M.	3.75 yds
C.O.L.	54 sqft

Option Pricing

	Standard Powder Coat Finish Options -	
	Specify Finish Option From Above	N/C
F1	CAL 133 Compliance, Chairs, Corner Units	\$170
F2	CAL 133 Compliance, Ottomans	\$60
MB1	Moisture Barrier, Chairs, Corner Units, Seats only	\$60
GD	Ganging Connector -	
	Connects Two Upholstered Pieces - Field Installed	\$25
FGS	Felt Glides, Set of Four	\$20
PWR	Power Outlet - Two Plugs and Two USB Ports	\$515

Scape

	COM/ Grade A	Grade B	COL/ Grade C	Grade D	Grade E	Grade F	Grade G	Grade H/ L1	L2	L3	
 Club Chair	5520	3705	3820	4000	4080	4195	4535	4770	5070	5650	6885
 Center Section Unit	5521	2205	2265	2380	2425	2490	2695	2825	3015	3355	3860
 Left Hand Unit	5522	2940	3035	3180	3235	3325	3595	3775	4015	4485	5295
 Right Hand Unit	5523	2940	3035	3180	3235	3325	3595	3775	4015	4485	5295
 Ottoman	5524	1920	1990	2085	2115	2185	2350	2475	2635	2925	3315

	COM/ Grade A	Grade B	COL/ Grade C	Grade D	Grade E	Grade F	Grade G	Grade H/ L1	L2	L3
 Quarter Round Ottoman										
5525	1825	1870	1975	2005	2070	2230	2340	2490	2780	3175
 Quarter Round Inside Corner										
5526	3525	3620	3805	3875	3985	4315	4530	4800	5360	6260
 Quarter Round Outside Corner										
5527	2210	2270	2385	2430	2490	2700	2825	3015	3360	3865
 Square Inside Corner 90° Transition Unit										
5528	3345	3435	3600	3670	3770	4085	4290	4560	5090	6100
 Square Outside Corner										
5529	2620	2700	2825	2885	2965	3205	3365	3580	3995	4670

Upholstery and Planning Notes

Layout plans should be sent with PO when possible

CAD 2D, 3D, Revit and CET symbols available on website

Source International will cut randomly off the bolt with our best layout discretion as standard procedure

Solid fabrics with some stretch are best suited for the curved seating units in Scape

Fabrics with stiff backing can cause upholstery wrinkles on the curved units

For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit

Additional fabric will be required and costs will need to be specially quoted based on total quantities

Fabrics in our graded in program are not automatically approved for all Scape units

To submit fabrics for approval, please note the products they will be used on and send to:

Customer Relations/Fabric Approval

Source International

17 Gilmore Drive

Sutton, MA 01590

cr@sourceinternationaldesign.com

Scape High Back

How to Build a Scape High Back Lounge Number

5521HB - SCR - NP

Style	Frame Finish - Textured Standard Powder Coats	Power Outlets
5521HB Center Section Unit	SCR Soft Chrome (standard)	NP No Power
5522HB Left Hand End Unit	BLK Black Matte	PWR ___ L left, C center, R right
5523HB Right Hand End Unit	WHT White	
5526HB Quarter Round Inside Corner	LBNZ Light Bronze	
5527HB Quarter Round Outside Corner	MBNZ Medium Bronze	
5528HB Square Inside Corner	DBNZ Dark Bronze	
5529HB Square Outside Corner	GMTL Gunmetal	

Features

- Scape modular units available with two back heights, 29" and 43"High Back
- Frame/Base is textured powdercoat finish in seven standard powder coat color options
- Optional felt glides
- Leveling Glides Not Available
- Power and USB Port Option have selected locations options based on unit
- L, C and R are Left, Center and Right as you sit in the unit
- 108" cord for each power unit
- Power plate finish will match seating unit frame finish
- Power Components are UL Listed
- Worksurfaces to be installed at 42" high
- Worksurfaces field installed with factory supplied hardware and instructions
- Worksurface finish options in laminate, wood, or Corian
- 25" Wide Worksurface for center section and end units, models 5521HB, 5522HB, 5523HB unit model
- 29" Wide Worksurface for inside square unit model 5528HB only
- 30" Radius for corner unit 5526HB only
- Greenguard Certified
- Meets ANSI/BIFMA Standards
- Lifetime Limited Warranty

Dimensions

Center Section HB

Seat	26"W x 21"D x 17"H
Back	26"W x 12.25"H
Overall Size	26"W x 30"D x 43"H
C.O.M.	3 yds
C.O.L.	54 sqft.

Right Hand End Unit HB

Seat	26"W x 21"D x 17"H
Back	30"W x 26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	5.5 yds
C.O.L.	99 sqft.

Left Hand End Unit HB

Seat	26"W x 21"D x 17"H
Back	30"W x 26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	5.5 yds
C.O.L.	99 sqft.

Quarter Round Inside Corner HB

Seat	21"R x 17"H
Back	26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	4.5 yds
C.O.L.	99 sqft

Quarter Round Outside Corner HB

Seat	21"R x 17"H
Back	26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	2.75 yds
C.O.L.	54 sqft

Square Inside Corner HB

Seat	30"W x 30"D x 17"H
Back	26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	5 yds
C.O.L.	99 sqft

Square Outside Corner HB

Seat	30"W x 30"D x 17"H
Back	26"H
Overall Size	30"W x 30"D x 43"H
C.O.M.	3.75 yds
C.O.L.	54 sqft

Worksurface






WKS 25	25"W x 11"D x .75"H
WKS 29	29"W x 11"D x .75"H
WKS Radius	30"W x 11"D x .75"H

Corian Worksurfaces .5"H

Option Pricing


	Standard Powder Coat Finish Options -	
	Specify Finish Option From Above	N/C
WKS 25 LAM	Laminate Work Surface - 25	\$445
WKS 29 LAM	Laminate Work Surface - 29	\$445
WKS Radius LAM	Laminate Work Surface - Corner	\$950
WKS 25 WDL	Wood Work Surface - 25	\$575
WKS 29 WDL	Wood Work Surface - 29	\$575
WKS Radius WDL	Wood Work Surface - Corner	\$1,125
WKS 25 COR	Corian Work Surface - 25	\$1,195
WKS 29 COR	Corian Work Surface - 29	\$1,195
WKS Radius COR	Corian Work Surface - Corner	\$1,950
F1	CAL 133 Compliance, Seat Only	\$275
MB1	Moisture Barrier, Chairs, Corner Units, Seats only	\$60
GD	Integrated Ganging Connector -	
	Connects Two Upholstered Pieces	\$25
FGS	Felt Glides, Set of Four	\$20
PWR	Power Outlet - Two Plugs and Two USB Ports	\$515

Scape High Back


	COM/ Grade A	Grade B	COL/ Grade C	Grade D	Grade E	Grade F	Grade G	Grade H/ L1	L2	L3
Center Section Unit High Back										
										
5521HB	2530	2600	2740	2785	2860	3100	3260	3460	3855	4530
Left Hand End Unit High Back										
										
5522HB	3475	3585	3755	3825	3930	4255	4470	4760	5305	6540
Right Hand End Unit High Back										
										
5523HB	3475	3585	3755	3825	3930	4255	4470	4760	5305	6540
Quarter Round Inside Corner High Back										
										
5526HB	3975	4085	4290	4365	4485	4860	5100	5420	6055	7065
Quarter Round Outside Corner High Back										
										
5527HB	2525	2595	2715	2775	2840	3085	3230	3445	3845	4460
Square Inside Corner High Back 90° Transition Unit										
										
5528HB	3540	3650	3825	3900	4005	4335	4550	4835	5395	6520
Square Outside Corner High Back										
										
5529HB	2560	2640	2775	2815	2895	3135	3290	3500	3900	4740

Scape High Back


Worksurfaces for Scape High Back



WKS25 Can be installed on 5521HB, 5522HB, 5523HB



WKS29 Can be installed on 5528HB



WKS30 Can be installed on 5526HB

Upholstery and Planning Notes

Layout plans should be sent with PO when possible

CAD 2D, 3D, Revit and CET symbols available on website

Source International will cut randomly off the bolt with our best layout discretion as standard procedure

Solid fabrics with some stretch are best suited for the curved seating units in Scape

Fabrics with stiff backing can cause upholstery wrinkles on the curved units

For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit

Additional fabric will be required and costs will need to be specially quoted based on total quantities

Fabrics in our graded in program are not automatically approved for all Scape units

To submit fabrics for approval, please note the products they will be used on and send to:

Customer Relations/Fabric Approva

Source International

17 Gilmore Drive

Sutton, MA 01590

cr@sourceinternationaldesign.com

Scape Private Club

How to Build a Scape Private Club Number

5550 - SCR - NP

Style

5550 Private Club

Frame Finish - Textured
Standard Powder Coats

SCR Soft Chrome (standard)
BLK Black Matte
WHT White
LBNZ Light Bronze
MBNZ Medium Bronze
DBNZ Dark Bronze
GMTL Gunmetal

Power Outlets

NP No Power (standard)
PWR __ C __ C center location only

Features

- Scape Private Club is 49" high. The Scape high back units are 43" high
- Frame/Base is textured powdercoat finish in seven standard powder coat color options
- Power and USB Port Option available in Center Location only
- 108" cord for each power unit
- Power plate finish will match seating unit frame finish
- Power Components are UL Listed
- Greenguard Certified
- Meets ANSI/ BIFMA Standards
- Lifetime Limited Warranty

Dimensions


Private Club	
Seat	30"W x 21"D x 17"H
Back	30"W x 33.25"H
Overall Size	38"W x 30"D x 49"H
C.O.M.	9 yds

Option Pricing

F3	Cal 133 Compliance - Private Club	\$170
MB1	Moisture Barrier - Seat Only	\$60
GD	Ganging Device (connects two upholstered pieces)	\$25
FG-1	Felt Glide Sleeve for chair, set of four	\$60
PWR	Power Outlet-Two Power and Two USB Ports	\$515

10

COM/
Grade A Grade B Grade C Grade D Grade E Grade F Grade G Grade H



Private Club

5550	4710	4860	5095	5185	5330	5775	6055	6445
------	------	------	------	------	------	------	------	------

Upholstery and Planning Notes

Layout plans should be sent with PO when possible
CAD 2D, 3D, Revit and CET symbols available on website
Source International will cut randomly off the bolt with our best layout discretion as standard procedure
Solid fabrics with some stretch are best suited for the curved seating units in Scape
Fabrics with stiff backing can cause upholstery wrinkles on the curved units
For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit
Additional fabric will be required and costs will need to be specially quoted based on total quantities
Fabrics in our graded in program are not automatically approved for all Scape units
To submit fabrics for approval, please note the products they will be used on and send to:
Customer Relations/Fabric Approval
Source International
17 Gilmore Drive
Sutton, MA 01590
cr@sourceinternationaldesign.com

Scape Tables

How to Build a Scape Table Number

5530 - SCR - WDT - NAT

Style		Frame Finish - Textured Standard Powder Coats	Table Top	Top Finish
5530	Table 30" x 30" x 9"H	SCR Soft Chrome (standard)	WDT Wood Top	WDT Wood Finish
5531	Table 30" x 30" x 15" H	BLK Black Matte	LAM Laminate Top	NAT Natural
5532	Quarter Radius Table 30" x 30" x 15" H	WHT White	COR Corian Top	CHY Cherry
5533	Quarter Radius Table 30" x 30" x 9" H	LBNZ Light Bronze	GLS Glass Top	WCH Warm Cherry
5536	Power Table 30" x 30" x 15"H	MBNZ Medium Bronze		MAH Mahogany
		DBNZ Dark Bronze		ESP Espresso
		GMTL Gunmetal		WLT Weathered Light
				WMD Weathered Medium
				WCR Walnut
				WGR Weathered Grey
				DWNT Dark Walnut
				001 Black
				999 Custom
				PCN Pecan
				LAM Laminate Color
				WHT Linen Matte D427-60
				BLK Black
				MPL Fusion Maple 7909-60
				GRY Fashion Grey D381-60
				GRY2 Slate Grey D91-60
				WLT Montana Walnut 7110K-78
				TEAK Studio Teak 7960K-18
				COR Corian
				Glacier White

Features

Scape Tables offered with seven textured frame finish options
 Four Table Top Finish Material Options
 Frame/Base is textured powdercoat finish in seven standard powder coat color options
 Laminates are all by Wilsonart
 Corian color is Glacier White
 Glass Top is white painted back
 Power Table available with laminate top only
 Corian and Glass Table tops are field installed and attached to frame with double back adhesive tape
 Wood and Laminate tops mechanically fastened to frame
 Power Table is standard with two power outlets and two UBS ports on opposite table sides
 108" cord for Power Table, one for each power unit
 Power plate finish will match table frame finish
 Power Components are UL Listed
 Lifetime Limited Warranty

Option Pricing

NET

FGS	Felt Glides, set of four	\$20
999	Set up Charge for Custom Wood Finish	\$225

Scape Tables




Table
30" x 30" x 9"

5530 WDT	Wood Top	1445
5530 LAM	Laminate Top	1750
5530 GLS	Glass Top	1510
5530 COR	Corian Top	3245




Table
30" x 30" x 15"

5531WDT	Wood Top	1545
5531 LAM	Laminate Top	1850
5531 GLS	Glass Top	1590
5531 COR	Corian Top	3350




Quarter Radius Table
30" x 30" x 15"

5532 WDT	Wood Top	1395
5532 LAM	Laminate Top	1415
5532GLS	Glass Top	1445
5532 COR	Corian Top	2900



Quarter Radius Table
30" x 30" x 9"

5533 WDT	Wood Top	1435
5533 LAM	Laminate Top	1450
5533 GLS	Glass Top	1475
5530 COR	Corian Top	2940



Power Table
30" x 30" x 15"

5536LAM	Laminate Top	6065
----------------	--------------	-------------

Scape Power Information

Each Power Outlet will have two Power, two 2.1 AMP USB and a 108" Power Cord in Black



Features

2.50" x 6" 2 Power Outlet – 2 UBS Outlets

12A, 120 VAC Spill Resistant receptacles

USB charging ports that work with USB compatible devices

USB Ratings: 2.1A, 11 watts, 5V/DC

Integral circuit breaker protection

All metal construction

Power plate finish will match seating unit frame finish


Rugged powder coat, and aluminum anodize finishes for lasting durability

Outside Quarter Round units 5525, 5527, and 5527HB do not have power capability


Scape Power Outlet Location Options

L, C and R are Left, Center and Right as you sit in the unit


5520




5550




5521




5521HB




5522




5522HB




5523




5523HB




5526




5526HB




5528




5528HB




5529



5529HB



5524



Scape Pillows

How to Build a Scape Pillow Number

5540

Style _____

5540 Pillow 18" x 18"

5540TF Two Fabrics

5541 Pillow 20" x 20"

5541TF Two Fabrics

5542 Pillow 14" x 20"

5542TF Two Fabrics

5543 Pillow 32" x 16" For Scape Private Club

5543TF Two Fabrics

5544 Pillow 16" x 16"

5544TF Two Fabric

Features

All pillows are fully upholstered with sewn seams on all four sides
Two fabric pillows available. If fabric is graded in, price at higher grade level
Filled with 100% premium fiberfill
Pillows to be cut randomly off the bolt

Dimensions

5540	5541	5542	5543	For Scape Private Club
18" x 18"	20" x 20"	14" x 20"		16" x 32"
C.O.M. .6 yds per one pillow .6 yds per side if two fabrics	C.O.M. .6 yds per one pillow .6 yds per side if two fabrics	C.O.M. .5 yds per one pillow .5 yds per side if two fabrics	C.O.M. 1 yd per one pillow .6 yds per side if two fabrics	
C.O.L. 10 sqft per one	C.O.L. 10 sqft per one	C.O.L. 9 sqft per one	C.O.L. 15 sqft per one	
C.O.L. 5 sqft per side	C.O.L. 5 sqft per side	C.O.L. 5 sqft per side	C.O.L. 8 sqft per side	

Scape Pillows

		COM/ Grade A	Grade B	COL/ Grade C	Grade D	Grade E	Grade F	Grade G	Grade H/ L1	L2	L3
	Pillow 18" x 18"										
5540		185	190	205	210	220	230	235	270	280	400
5540TF	Two Fabrics	250	255	265	280	295	310	325	365	360	485
	Pillow 20" x 20"										
5541		190	205	210	215	225	235	250	275	280	405
5541TF	Two Fabrics	250	255	270	280	295	315	325	375	385	510
	Pillow 14" x 20"										
5542		185	190	205	210	220	230	235	265	275	385
5542TF	Two Fabrics	230	240	250	255	265	280	300	340	345	470
	Pillow 16" x 32" For Scape Private Club										
5543		185	190	205	210	220	230	235	265	275	385
5543TF	Two Fabrics	230	240	250	255	265	280	300	340	345	470
	Pillow 16" x 16"										
5544		185	190	205	210	220	230	235	270	280	260
5544TF	Two Fabrics	230	240	250	255	265	280	300	340	345	470

PRICES

All published prices are recommended retail prices. Applicable sales taxes are additional. Prices are subject to change without notice.

PAYMENT TERMS

Net 30 days, with established credit. Until credit is approved, a fifty percent deposit must be sent with the order, the balance is due prior to shipment. Deposits are non-refundable in the event of cancellation. If deposit has been placed on original order, applicable cancellation charges to be deducted from the deposit amount. Remainder of deposit will be held in the form of a credit for future orders.

FREIGHT POLICY

All orders are FOB Destination.

Orders under \$7500 net will incur a minimum freight charge of \$225.

Orders over \$7500 net will be charged the standard 3% of net freight fee.

These fees are applicable for any shipment being made within the contiguous U.S.

Source International reserves the right to select method of shipment and carrier.

CONCEALED DAMAGE

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within the specific carrier's predetermined timeline. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

RETURNS AND ALLOWANCES

All product is made to order. No merchandise may be returned without a return authorization and shipping instructions. No credit or allowance will be given for repairs to defective materials unless Source International has given authority to make such repairs.

ORDER ENTRY

All orders must be submitted in writing. Email to cr@sourceinternationaldesign.com or Fax to 508-842-1838.

ACKNOWLEDGEMENTS

All orders will be acknowledged in writing. Orders will be manufactured based on the written acknowledgement. It is the customer's responsibility to review each acknowledgement and communicate with the factory if there are errors within 48 hours.

CANCELLATIONS

Any changes or cancellation may result in charges if materials have entered into production. If an order is cancelled while in production, a cancellation fee will be applied based on the status of order at time of cancellation.

FABRICS

Not all graded in fabrics are approved for all product lines. Send memo samples for approval to:
Source International 17 Gilmore Dr, Sutton, MA 01590.

Please tag memo samples with:

The product the fabric is being reviewed for, and your contact information

Graded In Partners

We are proud to offer graded in fabric programs with the following companies:

Anzea
Architex
Camira
CF Stinson
Culp
DesignTex
Knoll
Kvadrat
Maharam
Mayer
Momentum
Ultrafabrics

Customer's Own Material

C.O.M. fabric must be approved prior to acceptance of the order. The material must be provided in 54" wide continuous yardage. All fabric will be directionally cut straight off the bolt unless otherwise specified. A C.O.M. form must be filled out and submitted along with purchase order. Yardage requirements listed are for small patterns or plain materials. The material must be shipped to the factory prepaid and with proper reference to the order. Source International is not responsible for appearance, performance or durability of C.O.M