




Lena

SOURCE


gh
GREEN
HIDES.




6644
AZURE



8050
SNOW




8000
WHITE



2202
STUCCO



2200
ALPI




5432
DOVER



3392
MING



2547
OYSTER



2206
VANIGLIA



2204
CHAMOIS



5461
SAFFRON



9592
SUNSHINE



7704
VIOLA




4420
AMETHYST



7701
ORCHID



2511
FERRARI



3368
CHATEAU



6688
TANGERINE




7708
FUCHSIA




7700
RUBINO



5484
SALSA



2557
JAVA




4480
BLUSH




8023
CLAY



6622
CARDINAL




3343
RANCH




3364
SEQUOIA



3362
BUTTERSCOTCH



6677
TAN



5478
CARAMEL



3324
NUTMEG



3322
SMOKE



6367
DIJON




2532
MELON



3388
PUTTY



3328
CAMEL



3350
BURLYWOOD



7063
LIMONE



6400
CANARY




2535
PISTACHIO




6699
KIWI



6068
SPEARMINT




5458
CHOCOLATE



9000
BLACK




3338
NAVY



2583
COBALT



443
MARINER



3370
ESPRESSO



1433
PUMICE



5158
OCEANO



9200
QUAHOG



9199
HEATHER



3326
ALBA




1413
GREYSTONE




2526
STERLING



3348
TAHOE




2500
PEWTER




3396
LINEN



1414
CAFE LATTE




2523
MYSTIC



103
ARCTIC



2210
THUNDER




3394
PIETRA




3390
SAFARI




1464
ELFIN




9187
ONDA



2208
GHIACCIO



2561
EVERGREEN



5454
CELTIC



3360
EUCALYPTUS



9188
ACQUA



2527
CARIBE

Lena

Full grain leather with even coloration throughout the entire hide. Superior selection of European and New Zealand cattle hides are hand selected for Lena. These hides are recognized industry wide for their clean surfaces and excellent cutting yields. Luxurious soft hand and smooth supple surface make this one of the most beautiful leathers available. The protective finish allows Lena to be suitable for most public and private environments.

Produced in compliance with REACH (EC 1907/2006) standards to enhance human and environmental health, Lena is processed using low-emission mineral tanning formulas that are environmentally responsible. The hides are re-tanned in aged oak drums with vegetable agents, natural fat liquors, oils, and dyes, ensuring deep, uniform dye penetration. Natural variations in color may occur within the same dye lot.

Application: Aviation*, Workplace, Hospitality, Residential, Marine**

Raw Material: European and New Zealand

Hide Size: Average 48 sqft

Thickness: 0.9 to 1.0 mm

Wet Rub Test: (Nr 150): IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Dry Rub Test: (Nr 500): IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Abrasion: (ASTM D 3884-92) 500 gram load: 1500 cycles

Abrasion: Wyzenbeek (ASTM D4157) 100,000 Rubs

Alkaline pH 8: IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Flexing Endurance: IUP 20: $\geq 30,000$

Tear Strength: IUP 40 / UNI EN ISO 3377-I: ≥ 20 N

Adhesion: IUF 470 / UNI EN ISO 11644: ≥ 3.50 N/cm

Water repellency: AATCC 22-2010: 93

Light resistance (Xenon Test): IUF 402 / UNI EN ISO 105-B02: 5 blue scale

Flammability Resistance: UFAC Class 1, CAL TB 117-2013, NFPA 260

Soil/Stain Release: AATCC 130-2015: Grade 5 represents best stain removal (immediate). Nail polish remover (5), Betadine (5), Bleach (5), Urine (5), Blood (5). Fluid Resistance: Red wine (5), Beer (5), Whiskey (4.5), Cola (5), Coffee (4.5), Red Bull (5) Mayonnaise (5), Olive Oil (5), Catsup (5), Vegetable oil (5), Chocolate (melted) (5), Lipstick (3.5), Lysol (5), Formula 409 (5), Windex (5). Test procedure modified to clean stains with 1 part household bleach/10 parts water solution.

Bleach Cleanable: BIFMA Health Care Furniture 8.1-2017 Section 7: Household bleach (sodium hypochlorite). CDC/EPA recommended ratios (1:48) parts bleach to water for the sanitizing and disinfecting of viruses and bacteria. Reference CDC/EPA and product specifications for approved dilution ratio and cleaning agent instructions for dwell time.

Origin: Italy

*May be treated to meet Federal Aviation Regulations for Flammability Resistance.

**May be treated to meet Wheelmark IMO Resolution A.652(1b).



greenhides.com

T: 336.315.9720 F: 336.315.9738

