



PLATINUM

TRAILERS



HOPPER BOTTOM

END DUMP

CUSTOM TRAILERS



At Platinum,

We Take Extra Care Of The Details

HIGHEST \$ PAYLOAD TRAILER

MOST DURABLE TRAILER

BEST CLEAN-OUT IN THE INDUSTRY

MOST SERVICABLE

EASIEST TO KEEP CLEAN



<https://platinumtrailersmfg.com/>

STANDARD FEATURES ON ALL OUR TRAILERS

01 GALVANIZED STEEL FRAMES

Built for maximum durability, every trailer features a galvanized steel frame that delivers an unbeatable strength-to-weight ratio and superior rust protection.

02 SMOOTH SIDEWALL

Smooth walls with no rivets. All welded on the inside of the trailer for the best look and making it the easiest to pull.

03 UHMW CHUTE MECHANISM

No more rusty bearings or problems, our chutes open on a set of poly slides and stainless steel components that will last for the life of the trailer.

04 HUCK-BOLT FLEX DESIGN


Aluminum body huckbolted to the frame to allow the trailer to flex along the frame and not crack. Made to stand up to whatever you can throw at it.



Grain Hoppers



TANDEM-AXLE TWO HOPPER



42'



72"/104"


102"

DIMENSIONS			
Length	42ft	King Pin	18"
Exterior Width	102"	Overall Height	144"
Wall Height	82"	Slopes	Min 30°

Volume CU.FT.	STANDARD SPEC 102" W x 82" WALL HEIGHT
Water Level	1983
Heaped	2141
Bushels	1605

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

TRI-AXLE TWO HOPPER



45.7' / 47.5'



82" / 104"

102"

DIMENSIONS


Length	45ft7"	King Pin	18"
Exterior Width	102"	Overall Height	144"
Wall Height	82"	Slopes	Min 30°

Volume CU.FT.

STANDARD SPEC 102" W x 82" WALL HEIGHT

Water Level	2028
Heaped	2190
Bushels	1645

TRI-AXLE THREE HOPPER



47' / 50'



82" / 100"

102"

DIMENSIONS

Length	47ft	King Pin	18"
Exterior Width	102"	Overall Height	144"
Wall Height	82"	Slopes	Min 30°


Volume CU.FT.

STANDARD SPEC 102" W x 82" WALL HEIGHT

Water Level	2064
Heaped	2247
Bushels	1685

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

TRI DRIVE / TRI-AXLE TWO HOPPER



47' / 50'



72" / 100"

102"

DIMENSIONS


Length	45ft6"	King pin	18"
Exterior width	102"	Overall height	144"
Wall Height	82"	slopes	Min 30°

Volume CUFT

STANDARD SPEC 102" W x 82" WALL HEIGHT

Water Level	2028
Heaped bushels	2190
	1645

TRI DRIVE / TRI-AXLE THREE HOPPER



45.7' / 47.5'



72" / 100"

102"

DIMENSIONS

Length	45ft6"	King pin	18"
Exterior width	102"	Overall height	140"
Wall Height	82"	slopes	min 30°


Volume CUFT

STANDARD SPEC 102" W x 82" WALL HEIGHT

Water Level	2064
Heaped bushels	2247
	1685

Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders

QUAD-AXLE THREE HOPPER



82-104"

47.7'

DIMENSIONS


Length	47ft7"	King Pin	18"
Exterior Width	102"	Overall Height	144"
Wall Height	82"	Slopes	Min 30°

Volume CU.FT.

STANDARD SPEC 102" W x 82" WALL HEIGHT

Water Level	2533
Heaped	2735
Bushels	2051

FIVE-AXLE SUPER B



82-104"

62"

DIMENSIONS

Length	62 FT
Exterior Width	102"
Wall Height	82"
King Pin	18"-24"
Overall Height	144"
Slopes	min 30°

Volume CU.FT.

STANDARD SPEC 102" W x 82" WALL HEIGHT

	LEAD	PUP
Water Level	1305	1347
Heaped	1409	1454
Bushels	1056	1090

TOTAL

Water Level	2652
Heaped	2863
Bushels	2146

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

FIVE-AXLE SUPER B HY-CUBE



82\"/>

64\"/>

DIMENSIONS

Length	64 FT
Exterior Width	102"
Wall Height	82"
King Pin	18"-24"
Overall Height	144"
Slopes	min 30°

Volume CU.FT.


STANDARD SPEC 102" W x 82" WALL HEIGHT

	LEAD	PUP
Water Level	1380	1450
Heaped	1491	1550
Bushels	1119	1164

TOTAL

Water Level	2830
Heaped	3041
Bushels	2283

SEVEN-AXLE SUPER B



82\"/>

60\"/>

DIMENSIONS

Length	60 FT
Exterior Width	102"
Wall Height	82"
King Pin	18"
Overall Height	144"
Slopes	min 30°

Volume CU.FT.

STANDARD SPEC 102" W x 82" WALL HEIGHT

	LEAD	PUP
Water Level	1265	1265
Heaped	1306	1306
Bushels	979.5	979.5

TOTAL

Water Level	2530
Heaped	2612
Bushels	1959

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

STANDARD FEATURES



WEIGHT SENSING

A Bluetooth weight monitor can be found inside the air gauge box and can be connected using your phone or an external screen.



JOST LANDING GEAR

Aluminum Jost landing gear.



EASY HOSE ROUTING

Brake chamber hoses are mounted to make it easier to repair. Instead of replacing a long piece of hose you will only have to change a short one.



ROBUST CHUTES

UHMW/Poly plastic slides and stainless steel gates with rack and pinion gear so you never have to worry about corrosion under your chutes.



EASYCHUTE LOCK

The only trailer with the EASYCHUTE LOCK spring loaded mechanism that automatically locks the chute.



INTERIOR STEPS

Included with Every trailer are interior steps to make it an easy way to access the inside of the trailer.



POLY FENDERS

Poly fenders, your choice of colour. Light weight design.



IN-LINE AIR FILTER

An in-line airfilter so your system doesn't get backlogged with debris. It is serviceable and replaceable.



HAMMER HIT BRACKET

The hammer hit bracket is used when hauling light or compacting materials that do not flow easily. Instead of leaving a dent on the hopper sheet you hit the bracket.



AUXILIARY AIR

Each trailer comes with its own air chuck inside of the air gauge box which can be used for filling the tires to the optimal PSI or blowing things off.

OPTIONAL FEATURES



ELECTRIC CHUTES

Easy to use button operated chute openers. The buttons can be placed anywhere you like.



CUSTOM BUMPER

Get your bumper custom tailored the way you want it with your colour scheme and engraved logo.



AIR INFLATION

Henderickson TIREMAAX PRO.



TWO SPEED OPENERS

Two speed chute openers for when you want to control how much material comes out.



STAINLESS FENDERS

Stainless steel fenders to make your trailers look good going down the road.



LIGHTING

So many different ways to dress your trailer up with lights. Ask to see what all we can do.



CHUTE OPTIONS

- Dual chute locks
- Chutes facing towards or away
- Vibrators
- Oversized chutes up to 30" wide by 40" long.



LIFT AXLES

Various configurations. Available to suit.



ELECTRIC TARPS

Remote and button operated tarp.



ALUPROTEX CLEAR/ PAINT/POLISH

The trailer can be customized to your liking. Cleared with AluproTex or painted. Also available in polished finish.

HEAVYWEIGHT STRENGTH, LIGHTWEIGHT PERFORMANCE



BODY STRUCTURE

COUPLER	JOST fifth wheel coupler
FRONT & REAR WALLS	All welded aluminum box body, hollow core. C/W ACCESS: Ladders and catwalk, radius corners
HOPPER CHUTES	Standard opening driver side 24" long x 24" wide chute 22 3/8" clearance stainless shafts, u joints, doors, rack and gear
LANDING GEAR	JOST AX Series 2 speed landing gear
LIGHTING	Seven wire connector at front: Grote LED lighting standard lifetime warranty lamps: fully sealed Grote wiring harnesses
MUD FLAPS	1/2" rubber anti-sail rear flaps standard, other options available
PAINT	Aluprotex Clear or Paint/Polish upon request
SIDE WALLS	All welded aluminum panels. Welded from the inside of the trailer leaving a flat outside surface
SLOPES	Aluminum panels. No less than 30°
TARPS	Michels manual roll tarp, black canvas, aluminum roof bows and end caps

RUNNING GEAR

AXLES AND SUSPENSION	25000 lb Henderickson INTRAXX AAT Air Ride, 77.5" track width
BRAKE SYSTEM	Haldex 30/30 longstroke chambers, Centrifuge drums/long-life brake linings, Wabco ABS
FENDERS	Aluminum fender on lead trailer, poly fenders with stainless hardware
HUBS	Semifluid grease hubs
WHEELS	8.5R22.5 American Racing polished aluminum rims
WHEEL SEALS	Henderickson
TIRES	11R22.5 Hankook

HENDRICKSON

Hankook

Michel's

MERITOR WABCO
Safety Strong. Efficiency Smart.

LIFT
AXLE CONTROLS LTD

Grote

JOST



SEALCO

DXP
PROTECTED BY
ALUMINUM COATING

Dump Trailers



TRI-AXLE END DUMP



DIMENSIONS



Length	36 Ft	King Pin	18"
Exterior Width	102"	Overall Height	128"
Wall Height	72"		

VOLUME: CUBIC FT. / CUBIC YARDS

STANDARD SPEC 102"W X 72" WALL HEIGHT

CUBIC FEET LEVEL	1764
CUBIC FEET HEAPED	1905
CUBIC YARDS LEVEL	65
CUBIC YARDS HEAPED	70

QUAD-AXLE END DUMP



DIMENSIONS

Length	45"	King Pin	18"
Exterior Width	102"	Overall Height	128"
Wall Height	72"		

VOLUME: CUBIC FT. / CUBIC YARDS

STANDARD SPEC 102"W X 72" WALL HEIGHT

CUBIC FEET LEVEL	2205
CUBIC FEET HEAPED	2381
CUBIC YARDS LEVEL	82
CUBIC YARDS HEAPED	88

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

STANDARD FEATURES



Open Crossmembers

Open crossmember design to make it easier for cleaning and maintenance as well as weight savings



MUDFLAPS

One Mudflap in front of each set of tandems



LANDING GEAR

SAF HOLLAND



TAILGATE SEAL

Rubber Seal to stop leaks out of your tailgate



GALVANIZED FRAMES

Galvanized steel frames to reduce weight, increase torsion resistance, and no corrosion.

OPTIONAL FEATURES



LIGHTING

So many different ways to dress your trailer up with lights. Ask to see what all we can do.



DIVIDING WALL

Wall inside the dump trailer to allow hauling two commodities



LIFT AXLES

Various configurations



AIR INFLATION

Henderickson TIREMAAX PRO.



UNLOADING AUGER

Auger to help unload your product faster



**HEAVYWEIGHT
STRENGTH,
LIGHTWEIGHT
PERFORMANCE**

BODY STRUCTURE

FRONT & REAR WALLS	All welded aluminum box body, hollow core. C/W ACCESS: Ladders and catwalk, radius corners
LANDING GEAR	SAF-Holland V Landing Gear 5-year Warranty
LIGHTING	Seven wire connector at front: Grote LED lighting standard lifetime warranty lamps: fully sealed Grote wiring harnesses
MUD FLAPS	1/2" rubber anti-sail rear flaps standard, other options available
PAINT	Aluprotex Clear or Paint/Polish upon request
SIDE WALLS	All welded aluminum panels. Welded from the inside of the trailer leaving a flat outside surface
TARPS	Michels manual roll tarp, black canvas, aluminum roof bows and end caps

RUNNING GEAR

AXLES AND SUSPENSION	30000 lb Henderickson INTRAXX AAT Air Ride, 77.5" track width
BRAKE SYSTEM	Haldex 30/30 longstroke chambers, Centrifuge drums/long-life brake linings, Wabco ABS
FENDERS	As per customer
HUBS	Semifluid grease hubs
WHEELS	8.5R22.5 American Racing polished aluminum rims
WHEEL SEALS	Henderickson
TIRES	11R22.5 Hankook

 **HENDRICKSON**

 **Hankook**

Michel's

MERITOR WABCO
Safety Strong. Efficiency Smart.

 **LIFT**
AXLECONTROLS LTD

Grote

JOST

SEALCO



 **DXP**
PROTECTED BY
ALUMINUM COATING



Custom Trailers



TANDEM-AXLE CARBON BLACK / SILICA



DIMENSIONS

Length	48ft	King Pin	18"
Exterior Width	102"	Overall Height	148"
Wall Height	82"	Slopes	Min 45°

Volume CU.FT.

Water Level

STANDARD SPEC 102" W x 82" WALL HEIGHT

3266

****Custom Lengths, Wall Heights, King Pin Set and Slopes Available-Dealer Request / Customer Orders****

PLATINUM
Trailers MFG.

PLATINUMTRAILERSMFG.COM

2302 125 Rd, St. Marys,
Ontario, Canada
N4X 1C9
Ph. 226-301-4048

ALLEQUIP
SALES & SERVICE

Stratford & St. Marys, ON

