



**ADAKVEO (CRIZANLIZUMAB)
INFUSION ORDERS**
P: 331-236-0610 | F: 331-314-8989

PATIENT INFORMATION

Fax completed form, insurance information, and clinical documentation to 331-314-8989

Name:	DOB:	Gender: ☐ Female ☐ Male
Address:	City:	State: ZIP:
Phone:	Email:	Height: ☐ inches ☐ cm Weight: ☐ lbs. ☐ kg
Allergies:		

Diagnosis Code ICD-10 (required):

Diagnosis Description:

Patient Status: ☐ New to Therapy ☐ Continuing Therapy

Next Treatment Date:

PHYSICIAN INFORMATION

Prescriber Name:	Phone:	Fax:
Office Contact:		Email:
Address:	City:	State: ZIP:
NPI #:	DEA#:	Tax ID:

INSURANCE INFORMATION (or attach copy of cards)

Primary Insurance:	Policy #:	Group #:
Secondary Insurance:	Policy #:	Group #:

PRESCRIPTION INFORMATION (or attach a copy of the prescription)

Drug	Dosing	Refills
Adakveo (crizanlizumab)	☐ Initial start: 5mg/kg IV on week 0 and 2, then every 4 weeks thereafter ☐ 5mg/kg IV every 4 weeks	☐ x 1 year ☐ _____

Other orders: _____

Lab orders: _____ Lab Frequency: _____

As required by your state, Prescriber to check "Dispense as written" or handwritten "Brand Medically Necessary" and sign to prevent generic substitution. ☐ Dispense as written

PRESCRIBER SIGNATURE By signing this form and utilizing our services, you are authorizing *LIVbetter Infusions* and its employees to serve as your prior authorization and specialty pharmacy designated agent in dealing with medical and prescription insurance companies, and to select the preferred site of care for the patient.

Prescriber Signature: X

Date:



COMPREHENSIVE SUPPORT FOR ADAKVEO (CRIZANLIZUMAB) THERAPY

PATIENT INFORMATION

Name:

DOB:

REQUIRED DOCUMENTATION FOR REFERRAL PROCESSING & INSURANCE APPROVAL

- ☐ Include signed and completed order (MD/prescriber to complete page 1)
- ☐ Include patient demographic information and insurance information
- ☐ Include patient's medication list
- ☐ Supporting clinical notes to include any past tried and/or failed therapies, intolerance, benefits, or contraindications to conventional therapy

Please answer the following:

- Does the patient have a history of 2 or more sickle cell-related vaso-occlusive crises within the previous 12 months? ☐ Yes ☐ No
 - Is the patient currently receiving hydroxyurea therapy? ☐ Yes ☐ No
 - Does the patient have a history of treatment failure, intolerance, or contraindication to hydroxyurea therapy? ☐ Yes ☐ No
- ☐ Include labs and/or test results to support diagnosis
- ☐ Other medical necessity: _____