


# PRODUCT DATA SHEET

## MaxiDry® Elite™ 64-226

|                     |                                |
|---------------------|--------------------------------|
| Colour – Coating    | Purple, Black                  |
| Colour – Liner      | Grey                           |
| Design              | Drivers style knitwrist        |
| Coating             | NBR (Nitrile Butadiene Rubber) |
| Coating texture     | Micro-Foam with Non-Slip Grip  |
| Liner               | Nylon                          |
| Palm thickness (mm) | 0.70                           |



### Dimensions

| Size Range                    | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|-------------------------------|-------------|------------|------------|------------|--------------|---------------|
| Total glove length (+/- 5 mm) | 245         | 245        | 250        | 250        | 250          | 260           |
| Wrist length (mm)             | 85          | 76         | 78         | 82         | 77           | 78            |
| Wrist width (mm)              | 84          | 89         | 91         | 93         | 97           | 100           |
| Palm width (mm)               | 95          | 102        | 105        | 110        | 113          | 115           |
| Over lock colour              | Blue        | Red        | Orange     | White      | Yellow       | Black         |

### EN Test Results

| Test                               | Notified body | Result/Pass |
|------------------------------------|---------------|-------------|
| EN ISO 21420: 2020                 | SATRA IRE     | Yes         |
| EN 388:2016 + A1:2018              | SATRA IRE     | 3111X       |
| EN ISO 374-1:2016 + A1:2018/Type C | SATRA IRE     |             |
| EN ISO 374-5:2016                  | SATRA IRE     | Yes         |
| ISO 18889:2019                     | SATRA IRE     | G1          |

### Typical Performance Values

|                                                            |                                                                              |
|------------------------------------------------------------|------------------------------------------------------------------------------|
| EN ISO 21420: General requirements Dexterity               | Level 5                                                                      |
| EN 388:2016 + A1:2018 A. Abrasion Resistance               | > 2000 Cycles                                                                |
| EN 388:2016 + A1:2018 B. Cut Resistance                    | > 1.2 index                                                                  |
| EN 388:2016 + A1:2018 C. Tear Resistance                   | > 10 newtons                                                                 |
| EN 388:2016 + A1:2018 D. Puncture Resistance               | > 20 newtons                                                                 |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO                | X                                                                            |
| EN ISO 374-5:2016 Protective gloves against microorganisms | Protective gloves which form a protective barrier to microbiological agents. |

# PRODUCT DATA SHEET

## MaxiDry® Elite™ 64-226

### Permeation Breakthrough Times (BT)

|                                  |          |           |
|----------------------------------|----------|-----------|
| Isopropanol 99% (67-63-0)        | 5 (262)  | SATRA IRE |
| n-Heptane (142-82-5)             | 5 (398)  | SATRA IRE |
| Sodium hydroxide 40% (1310-73-2) | 6 (>480) | SATRA IRE |

### HandCare®

|                                                      |           |
|------------------------------------------------------|-----------|
| Skin Health Alliance Dermatologically Accredited     | Yes       |
| REACH compliant                                      | Yes       |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certified |
| Sanitized®                                           | Yes       |



### Special features

|              |     |
|--------------|-----|
| Liquid proof | Yes |
|--------------|-----|

### Packaging

|                        |                 |
|------------------------|-----------------|
| Pairs per poly bag     | 12              |
| Poly bags per carton   | 6               |
| Carton count           | 72              |
| Carton dimensions (mm) | 500 x 295 x 200 |

### Weight

| Size Range                       | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|----------------------------------|-------------|------------|------------|------------|--------------|---------------|
| Glove weight / pair (+/- 6 gram) | 42          | 44         | 48         | 52         | 54           | 56            |
| Gross weight (kg)                | 4           | 4.1        | 4.4        | 4.7        | 4.8          | 5             |
| Carton weight (kg)               | 1           | 1          | 1          | 1          | 1            | 1             |
| Net weight (kg)                  | 3.0         | 3.1        | 3.4        | 3.7        | 3.8          | 4.0           |

# PRODUCT DATA SHEET

## MaxiDry® Elite™ 64-226

Issue date: 21/03/2025

