




**READY
FOR
IMPACT**



SAFETY BARRIERS

**PROTECTION OF PEOPLE, MACHINES,
EQUIPMENT, INFRASTRUCTURE AND
BUILDINGS AGAINST VEHICLES**

SAFETY BARRIERS



PROTECTION OF PEOPLE, MACHINES, EQUIPMENT, INFRASTRUCTURE AND BUILDINGS AGAINST VEHICLES

FLEX IMPACT® safety barriers provide protection against collisions with forklifts and other vehicles. They are indispensable in busy traffic environments or locations where loads are moved or transported, such as warehouses, production halls and airports.

A unique characteristic of this safety solution is that a collision will not rip the fasteners out of the ground, and the flexible components retain their original shape after the impact. Thanks to the safety barriers' modular design, you can install your company's safety equipment zone by zone or expand it later.



ICE FLEX®

For temperatures down to -30°C



Effective safety barriers prevent severe and even fatal accidents. It is therefore crucial to make a well-considered choice based on the right criteria.

Boplan offers a wide range of safety barrier systems for mobile equipment. These are perfect for high-risk zones with mixed pedestrian and forklift traffic. They also provide ground-level protection and protect pedestrians from poorly stacked or falling objects.



EFFECTIVE SAFETY BARRIERS PREVENT SERIOUS AND EVEN FATAL ACCIDENTS.

Safety barriers are a solution primarily designed to protect pedestrians, infrastructure and buildings from collisions and damage caused by vehicles. They are the perfect solution to keep designated routes clear by separating pedestrian traffic from vehicles. We offer various types of safety barriers that can also be combined with our other safety products.

KEY FEATURES AND BENEFITS




IMPACT RESISTANCE AND FLEXIBILITY

Our products are made from EXTRILENE®, a high-performance polymer. This material is ideal for absorbing heavy impacts. Crash tests show that our safety barriers can withstand impacts of up to 50.10 kJ, depending on the model. The deformation that occurs after each collision disappears once the vehicle has gone.



EASY INSTALLATION DUE TO MODULAR DESIGN

Our safety barriers are constructed using a minimum of components. You don't need screws or bolts to secure these components. All parts slide or click together. This allows a certain degree of freedom of movement. And that's a very good thing, because a rigid lock increases the risk of breakage on impact. Moreover, the polymer components are lightweight, making them easy to handle and transport.



TYPICAL ENVIRONMENTS

For the protection of people, machines, equipment, infrastructure and buildings in:


- Warehouses and storage facilities
- Distribution centres
- Transport & logistics centres
- Food industry
- Parking facilities
- Logistics, supply chain and material handling industries
- Petrochemical and chemical industries
- Aviation



ICE FLEX®

Protection in environments down to -30°C.

ICE FLEX® safety barriers offer optimal impact protection and maximum safety in extremely cold conditions.



EASY TO CUSTOMISE AND EXPAND

Our safety barriers are available in different sizes and configurations. They are also easy to expand. This makes them suitable for rapidly changing environments. You can easily adapt them to your needs, unlike steel safety barriers, which must be welded. Additionally, you can easily connect the safety barriers to other FLEX IMPACT® safety products such as safety gates, handrails and bollards.



OPTIMAL VISIBILITY

The safety barriers' standard colour is yellow, as yellow grabs attention and increases safety awareness. The safety barriers are also available in other colours such as red. Red is commonly used for matters related to fire safety. Thanks to this recognisability, the colour reinforces the function. This allows for a fast and efficient response in precarious situations. Moreover, the polymer is coloured throughout, eliminating the need for painting.



Read the full case online



Red TB 260 PLUS set-up to protect a fire hose reel in a JCL Logistics warehouse (the Netherlands).



RESISTANCE TO CHEMICALS AND UV RADIATION

Our weather-resistant safety barriers are resistant to chemicals and do not rust. They are perfect for environments where the use of chemicals is common and strict hygiene standards apply. Bacteria do not adhere to the polymer and it is easy to clean.



LOW MAINTENANCE

FLEX IMPACT® safety barriers require little to no maintenance. When used correctly, our systems have an extremely long lifespan.




FLEX IMPACT® SAFETY BARRIERS


SAFETY BARRIERS




FLEX IMPACT® TB safety barriers protect people, machines, equipment, infrastructure and buildings from forklifts and other vehicles. Our range includes models that act as wheel guides or wheel stops, as well as models that can stop heavy forklifts. The impact resistance ranges from 5 kJ to an impressive 50.1 kJ. The gap between the ground and the bottom of the bar also varies depending on the model. The key is to choose the right set-up for your needs. You can rely on our team of experts to help you make the right choice.




TB MINI
5.00 kJ



TB MINI DOUBLE
5.00 kJ



TB 200
21.80 kJ



Available with removable base plates


TB 260
21.20 kJ

TB MINI

BOPLAN IMPACT CALCULATOR

With the Boplan Impact Calculator, you can accurately calculate the required impact resistance for your safety barriers. This powerful tool is easy to use and allows you to make informed decisions with just a few clicks.

Enter specific parameters related to your workspace to instantly receive recommendations on the most suitable models and strength levels of safety barriers to avoid accidents and protect valuable assets.



FLEX IMPACT® SAFETY BARRIERS




TB 260 DOUBLE
46.50 kJ




TB 400
20.10 kJ




TB 400 DOUBLE
39.10 kJ



TB 550
18.30 kJ



TB SUPER DOUBLE
50.10 kJ



TB SUPER TRIPLE
48.30 kJ



TB 400 DOUBLE




FLEX IMPACT® SAFETY BARRIERS


SAFETY BARRIERS WITH RAIL SYSTEM




FLEX IMPACT® TB PLUS safety barriers consist of a strong barrier plus one or two handrails. This safety solution protects pedestrians from collisions with forklifts and other vehicles. It creates an effective separation between the pedestrian walkway and the area where the forklifts are active.




TB 260 PLUS
21.20 kJ



TB 400 PLUS
20.10 kJ



**TB 260
DOUBLE PLUS**
46.50 kJ



**TB 400
DOUBLE PLUS**
39.10 kJ




TB 260 PLUS

SAFETY BARRIER AGAINST FALLING GOODS




The FLEX IMPACT® TB GRILL safety barrier combines a strong barrier with a series of bars. This type of safety barrier protects pedestrians from falling goods and collisions with forklifts and other vehicles. It provides pedestrians with enhanced safety in storage areas with forklift traffic. Depending on the size of the goods, you can opt for a set-up with either 275 mm or 550 mm of space between the bars.

TB 260 GRILL
21.20 kJ



TB 400 GRILL
20.10 kJ



**TB 400
DOUBLE GRILL**
39.10 kJ



TB 260 GRILL




FLEX IMPACT® SAFETY BARRIERS

SAFETY BARRIERS WITH FENCING




FLEX IMPACT® TB PLUS FENCE safety barriers combine a strong barrier and built-in fencing. With this fencing, the TB 260 and TB 400 reach a height of 2,300 mm. This provides protection for machinery from falling goods and keeps pedestrians at a safe distance. The TB 550, with its height of 1,100 mm, is designed for the protection of pedestrians in parking garages, parking lots and ramps. These strong and flexible safety barriers absorb impact, and the integrated fencing offers additional pedestrian protection.



Available with removable base plates
TB 260 PLUS FENCE
21.20 kJ



Available with removable base plates
TB 400 PLUS FENCE
20.10 kJ



TB 550 PLUS FENCE
18.30 kJ

TB 260 PLUS FENCE



**READY
FOR
IMPACT**

BOPLAN HQ

Muizelstraat 12
8560 Moorsele, Belgium
+32 56 20 64 20
info@boplan.com

BOPLAN UK

Science Centre, Wolverhampton Science Park
Glaisher Drive, Wolverhampton WV10 9RU
+44 1902 82 4280
info@boplan.co.uk

BOPLAN USA

4350 W. White Road, St 300
Flowery Branch, GA 30542
+1 678-890-5906
info@boplan.us

BOPLAN DEUTSCHLAND

IHP-Nord · Babenhäuser Str. 50
63762 Großostheim
+49 6026 999 51 90
info@boplan.de

BOPLAN FRANCE

617, Avenue de Bayonne
64210 Bidart
+33 (0)5 35 45 75 35
info@boplan.fr

BOPLAN ESPAÑA

Carrer d'Aragó 208, 2o 6a
08002 Barcelona
+34 936 81 66 88
info@boplan.es

BOPLAN NEDERLAND

Toermalijnring 100
3316 LC Dordrecht
+31 85 13 07 500
info@boplan.nl

BOPLAN POLSKA

Ul. Graniczna 34B / U16
41-300 Dąbrowa Górnicza
+48 32 224 74 85
info@boplan.pl

BOPLAN ITALIA

Via Privata Maria Teresa 7
20123 Milano
+39 02 81287168
info@boplan.it

BOPLAN JAPAN

4F Matsuoka II Building,
1-2-11 Nijyooji Minami
Nara City, Nara 630-8012
+81 (0)742-93-8705
info@boplan.co.jp

FOLLOW US



BOPLAN.COM

For more information about our products,
services and worldwide network

