

SAFETY DATA SHEET				
SECTION 1 - IDENTIFICATION				
PRODUCT NAME: Slick Willie 2 PART NUMBER: SLICK2_BX, SLICK2_PA, SLICK2DRUM750 GENERAL USE: Concrete Pump Primer PRODUCT DESCRIPTION: White powder, odorless				
MANUFACTURER'S NAME: Concrete Pump Supply		DATE PREPARED: 10 OCT 2023 SUPERSEDES: 11 Sep 2022		Page 1 of 4
ADDRESS (NUMBER, STREET) 5300 Riverview Rd SE		TELEPHONE NUMBER FOR INFORMATION: (678) 370-0000		
CITY, STATE, AND ZIP CODE COUNTRY Mableton, GA 30126 USA		EMERGENCY TELEPHONE NUMBER: InfoTrac (800) 535-5053; Outside USA (352) 323-3500		
DISTRIBUTOR'S NAME: Concrete Pumping Equipment NZ Limited				
ADDRESS (NUMBER, STREET) 47 South Road		TELEPHONE NUMBER FOR INFORMATION: (06) 368-4044		
CITY, STATE, AND ZIP CODE COUNTRY Levin 5510, New Zealand		EMERGENCY TELEPHONE NUMBER: National Poisons Centre NZ 0800 764 766 (0800 POISON)		
SECTION 2 – HAZARD(S) IDENTIFICATION				
HAZARD CLASSIFICATION: Health Hazard SIGNAL WORD: Warning HAZARD STATEMENT(S): May cause irritation to respiratory tract. Contact with eyes may cause irritation. PICTOGRAM: EXCLAMATION POINT and HEALTH HAZARD				
PRECAUTIONARY STATEMENT(S): Granular powder is harmful and irritating to respiratory tract. Contact with eyes may cause irritation.				
DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED: None				
SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS				
Hazardous Components	% by weight	CAS #	EINECS #	Other
Flux calcined diatomaceous Earth, may contain:	45 – 55	68855-54-9	272-489-0	
Silica, cristobalite	< 25	14464-46-1	238-455-4	
Silica, crystalline quarts (a,b)	< 2	14808-60-7	238-878-4	
Tetrasodium ethylenediaminetetraacetate hydrate	15 – 25	64-02-8	200-573-9	
SECTION 4 – FIRST-AID MEASURES				
INHALATION: Remove affected person to fresh air; if symptoms persist seek medical attention.				

SKIN: Wash contacted area with soap and water; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

INGESTION: Give two glasses of water for dilution; DO NOT induce vomiting; never give anything to an unconscious person; seek medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

GENERAL HAZARDS: Product is not considered flammable or combustible.

EXTINGUISHING MEDIA: Carbon dioxide, water, water fog, dry chemical, chemical foam.

FIRE FIGHTING PROCEDURES: None.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

HAZARDOUS COMBUSTION PRODUCTS: Smoke, fumes or vapors, oxides of carbon

SECTION 6 – ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Small spills: Wash to sanitary sewer with plenty of water.

Large spills: Recover and segregate product for reuse; shovel product into approved container for disposal.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep container closed when not in use. Protect containers from abuse. Keep container in a cool, dry area. Keep this and all chemicals out of reach of children.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Flux, calcined diatomaceous earth, may contain:								
Silica, cristobalite	--	0.05	--	--	--	0.05	-----	-----
Silica, crystalline quartz (a,b)	--	0.05	--	--	--	0.05	-----	-----
Tetrasodium								
Ethylenediaminetetraacetate hydrate		not established				not established		

PERSONAL PROTECTION

PROTECTIVE EQUIPMENT: NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, et c. Neoprene or nitrile rubber gloves. Chemical splash goggles. Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals, in general.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: White powder, odorless. pH: 6.5 – 7.5 (1% aqueous suspension) BOILING POINT / BOILING RANGE: Not available FLASH POINT: Non-flammable FLAMMABLE LIMITS: LEL: N/A UEL: N/A AUTOIGNITION TEMPERATURE: N/A	VAPOR PRESSURE: Not available SPECIFIC GRAVITY: (WATER =1) 2.0 - 2.5 SOLUBILITY IN WATER: Complete VISCOSITY: Solid VAPOR DENSITY: (AIR=1) N/A EVAPORATION RATE: (WATER=1) N/A		
SECTION 10 – STABILITY AND REACTIVITY			
STABILITY STABLE: X UNSTABLE:		CONDITIONS TO AVOID: Excess heat. Incompatible materials.	
INCOMPATABILITY (MATERIALS TO AVOID:) Strong oxidizers, strong acids.			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.			
HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: X			
CONDITIONS TO AVOID: None			
SECTION 11 – TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient	LC50 of Ingredient
Flux calcined diatomaceous Earth, may contain:	68855-54-9	272-489-0	
Silica, cristobalite	14464-46-1	238-455-4	
Silica, crystalline quarts (a,b)	14808-60-7	238-878-4	
Tetrasodium ethylenediaminetetraacetate hydrate	64-02-8	200-573-9	
SECTION 12 – ECOLOGICAL INFORMATION			
No data are available on the adverse effects of this material on the environment.			
SECTION 13 – DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. According to the European Waste Catalogue, waste codes are application-specific and should be assigned by the user based on the application for which the product is used.			
SECTION 14 – TRANSPORT INFORMATION			
PROPER SHIPPING NAME: Non-Hazardous for Transport DOT HAZARD CLASS / PKG GROUP: N/A		IATA HAZARD CLASS / PKG GROUP: N/A IMDG HAZARD CLASS: N/A RID / ADR DANGEROUS GOODS CODE: N/A	

REFERENCE: N/A UN / NA IDENTIFICATION NUMBER: N/A LABEL: N/A HAZARD SYMBOLS: N/A	UN TDG CLASS / PKG GROUP: N/A HAZARD IDENTIFICATION NUMBER (HIN:) N/A
Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 – 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials, and methods of shipping.	
SECTION 15 – REGULATORY INFORMATION	
TSCA (USA – Toxic Substance Control Act) All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.	
SARA TITLE III (USA – Superfund Amendments and Reauthorization Act) 31 1/312 Hazard Categories Immediate health 313 Reportable Ingredients: None	
CERCLA (USA – Comprehensive Response Compensation and Liability Act) None	
California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 There is a reportable chemicals present (silica, crystalline quartz) known to the State of California to cause cancer or reproductive toxicity. CPR (Canadian Controlled Products Regulations) This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B. IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2. DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as “hazardous” are listed in Section 2 unless otherwise indicated. EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.	
WGK Water Quality Index: 1 VbK Index: Not applicable	
RISK PHRASES: R20 Harmful by irritation R36/37 Irritating to eyes and respiratory system. R40 Limited evidence of carcinogenic effect.	SYMBOL(S) REQUIRED: N/A
SAFETY PHRASES: S22 Do not breathe dust S25 Avoid contact with eyes.	
SECTION 16 – OTHER INFORMATION	
HMIS HAZARD RATINGS: MODERATE HEALTH: 1 FLAMMABILITY: 0 EXTREME PHYSICAL HAZARD: 0 PERSONAL PROTECTIVE EQUIPMENT: E Safety glasses, gloves, dust respirator	
* = CHRONIC HEALTH HAZARD	2 = 0 = INSIGNIFICANT 1 = SLIGHT
3 = HIGH 4 =	

REVISION SUMMARY This SDS has been revised in the following sections: Complete format revision for HazCom2012 OSHA GHS SDS	MSDS PREPARED BY: Concrete Pump Supply 5300 Riverview RD SE Mableton, GA 30126 Prior: Comprehensive Data Base, Inc.
The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable, and suites to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.	