

SPLIT TYPE

25SEER Pular R32

TWH24AG25D6DO



Outdoor Unit Model			TWH24AG25D6DO
Outdoor Unit	Compressor Manufacturer	--	ZHUHAI LANDA COMPRESSOR CO. LTD.
	Compressor Model	--	QXFS-A150zX170S
	Compressor Oil	--	FW68DA or equivalent
	Compressor Type	--	Rotary
	Compressor LRA.	A	35
	Compressor RLA	A	15.3
	Compressor Power Input	W	1330
	Compressor Overload Protector	--	/
	Throttling Method	--	Electron expansion valve
	Set Temperature Range	°F	61-86
	Cooling Operation Ambient Temperature Range	°F	-20-122
	Heating Operation Ambient Temperature Range	°F	-22-86
	Condenser Form	--	Aluminum Fin-copper Tube
	Condenser Pipe Diameter	mm	Φ7
	Condenser Rows-fin Gap	mm	2-1.4
	Condenser Coil Length (LXD _{XW})	mm	839 × 38.1 × 616
	Fan Motor Speed	rpm	800
	Fan Motor Power Output	W	60
	Fan Motor RLA	A	0.9
	Fan Motor Capacitor	μF	/
	Outdoor Unit Air Flow Volume	m ³ /h	1883
	Fan Type	--	Axial-flow
	Fan Diameter	mm	Φ520
	Defrosting Method	--	Automatic Defrosting
	Climate Type	--	T1
	Isolation	--	1
	Moisture Protection	--	IPX4
	Permissible Excessive Operating Pressure for the Discharge Side	MPa	4.3
	Permissible Excessive Operating Pressure for the Suction Side	MPa	2.5
	Sound Pressure Level	dB (A)	58
	Sound Power Level	dB (A)	68
	Dimension(WXHXD)	inch	37 23/32 × 25 63/64 × 15 53/64
	Dimension of Carton Box (LXWXH)	inch	40 33/64 × 17 53/64 × 28 5/32
Dimension of Package(LXWXH)	inch	40 5/8 × 17 61/64 × 29 1/64	
Net Weight	lb	92.6	
Gross Weight	lb	102.5	
Refrigerant	--	R32	
Refrigerant Charge	oz	42.3	
Connection Pipe	Connection Pipe Length	ft	24.6
	Connection Pipe Gas Additional Charge	oz/ft.	0.4
	Outer Diameter Liquid Pipe		1/4"
	Outer Diameter Gas Pipe		5/8"
	Max Distance Height	ft	82
	Max Distance Length	ft	131.2
Note: The connection pipe applies metric diameter.			

Job Name:


Schedule Reference:

Date:


Specification are subject to change without notice.

Capacity Variation Ratio According to Temperature

Cooling:



Heating:




Job Name:

Schedule Reference:


Date:

Indoor Unit



Unit:mm(inch)


AGE



Unit:inch

Model	W	H	D	W1	W2	W3
ATC	42 21/64	13 7/64	9 11/16	7 7/32	27 55/64	7 1/4

Outdoor Unit




Unit:inch

Job Name:

Schedule Reference:

Date:

Installation Dimension Diagram



Job Name:

Schedule Reference:

Date: