



Environment Protection Licence

Licence - 11555

Licence Details	
Number:	11555
Anniversary Date:	19-April

Licensee	
SELL & PARKER PTY LTD	
PO BOX 755	
MATRAVILLE NSW 2036	

Premises	
SELL & PARKER PTY LTD	
23-43 AND 45 TATTERSALL ROAD	
KINGS PARK NSW 2148	

Scheduled Activity	
Metallurgical activities	
Waste storage	

Fee Based Activity	Scale
Scrap metal processing	> 100000-500000 T annual production capacity
Waste storage - hazardous, restricted solid, liquid, clinical and related waste and asbestos waste	Any listed waste type stored

Contact Us	
NSW EPA	
4 Parramatta Square	
12 Darcy Street	
PARRAMATTA NSW 2150	
Phone: 131 555	
Email: info@epa.nsw.gov.au	
Locked Bag 5022	
PARRAMATTA NSW 2124	



Environment Protection Licence

Licence - 11555

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Information supplied to the EPA	6
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	7
L1 Pollution of waters	7
L2 Concentration limits	7
L3 Waste	8
L4 Noise limits	9
L5 Hours of operation	10
L6 Potentially offensive odour	11
L7 Other limit conditions	11
4 OPERATING CONDITIONS	11
O1 Activities must be carried out in a competent manner	11
O2 Maintenance of plant and equipment	12
O3 Dust	12
O4 Emergency response	12
O5 Processes and management	13
O6 Other operating conditions	13
5 MONITORING AND RECORDING CONDITIONS	13
M1 Monitoring records	13
M2 Requirement to monitor concentration of pollutants discharged	14
M3 Testing methods - concentration limits	15
M4 Weather monitoring	15



Environment Protection Licence

Licence - 11555

M5	Recording of pollution complaints	16
M6	Telephone complaints line	16
M7	Other monitoring and recording conditions	16
6	REPORTING CONDITIONS	17
R1	Annual return documents	17
R2	Notification of environmental harm	18
R3	Written report	18
R4	Other reporting conditions	19
7	GENERAL CONDITIONS	20
G1	Copy of licence kept at the premises or plant	20
DICTIONARY		21
	General Dictionary	21

Environment Protection Licence

Licence - 11555

Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



Environment Protection Licence

Licence - 11555

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

SELL & PARKER PTY LTD
PO BOX 755
MATRAVILLE NSW 2036

subject to the conditions which follow.



Environment Protection Licence

Licence - 11555

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Metallurgical activities	Scrap metal processing	> 100000 - 500000 T annual production capacity
Waste storage	Waste storage - hazardous, restricted solid, liquid, clinical and related waste and asbestos waste	Any listed waste type stored

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
SELL & PARKER PTY LTD
23-43 AND 45 TATTERSALL ROAD
KINGS PARK
NSW 2148
LOT 5 DP 7086, LOT 2 DP 550522

A3 Information supplied to the EPA

A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

Environment Protection Licence

Licence - 11555

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.

P1.2 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

Air

EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
3	Air discharge and monitoring	Air discharge and monitoring	Hammermill Stack

P1.3 The following points referred to in the table below are identified in this licence for the purposes of weather and/or noise monitoring and/or setting limits for the emission of noise from the premises.

Noise/Weather

EPA identification no.	Type of monitoring point	Location description
1	Noise monitoring	189 Sunnyholt Road, BLACKTOWN NSW 2148 (Lot 23, DP 1063300)
11	Air blast overpressure monitoring	23-43 & 45 TATTERSALL ROAD, KINGS PARK NSW 2148
12	Meteorological Station	23-43 & 45 TATTERSALL ROAD, KINGS PARK NSW 2148
13	Noise monitoring	27 Charles Street, Blacktown NSW 2148 (Lot 1 DP 27141)

3 Limit Conditions

L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

L2.1 For each monitoring/discharge point or utilisation area specified in the table below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the



Environment Protection Licence

Licence - 11555

concentration limits specified for that pollutant in the table.

L2.2 Air Concentration Limits

POINT 3

Pollutant	Units of measure	100 percentile concentration limit	Reference conditions	Oxygen correction	Averaging period
Type 1 and Type 2 substances in aggregate	milligrams per cubic metre	1	Dry 273K, 101.3kPa		1hr or the min. sampling period specified
Solid Particles	milligrams per cubic metre	20	Dry, 273K, 101.3kPa		1hr or the min. sampling period specified

L3 Waste

- L3.1 The licensee must not cause, permit or allow any waste to be received at the premises, except the wastes expressly referred to in the column titled “Waste” and meeting the definition, if any, in the column titled “Description” in the table below.
- Any waste received at the premises must only be used for the activities referred to in relation to that waste in the column titled “Activity” in the table below.
- Any waste received at the premises is subject to those limits or conditions, if any, referred to in relation to that waste contained in the column titled “Other Limits” in the table below.
- This condition does not limit any other conditions in this licence.

Code	Waste	Description	Activity	Other Limits
D220	Lead; lead compounds		Waste storage	No more than 100 tonnes of lead; lead compounds is to be stored at any one time.
NA	Scrap metal		Metallurgical Activities	As permitted by licence conditions L3.2 & L3.3.

- L3.2 A maximum of 350,000 tonnes of scrap metal is permitted to be *received* at the Premises per year on a weekly pro rata basis.
- L3.3 A maximum of 350,000 tonnes of scrap metal is permitted to be *processed* at the Premises per year on a weekly pro rata basis.
- L3.4 The Licensee must record the amount of waste (in tonnes) received at the premises on a daily basis.

Environment Protection Licence

Licence - 11555

L4 Noise limits

L4.1 Noise generated at the premises that is measured at each noise monitoring point established under this licence must not exceed the noise levels specified in Column 4 of the table below for that point during the corresponding time periods specified in Column 1 when measured using the corresponding measurement parameters listed in Column 2.

POINT 1,13

Time period	Measurement parameter	Measurement frequency	Noise level dB(A)
Day	L _{Aeq} (15 minute)	-	46
Evening	L _{Aeq} (15 minute)	-	46
Morning-Shoulder	L _{Aeq} (15 minute)	-	46
Morning-Shoulder	L _{max} OR L _{A1,1min}	-	58

L4.2 For the purpose of condition L4.1;

- Day is defined as the period from 7am to 6pm Monday to Saturday.
- Evening is defined as the period from 6pm to 10pm Monday to Saturday.
- Morning Shoulder is defined as the period 6am to 7am Monday to Saturday.

L4.3 The noise limits set out in condition L4.1 apply under all meteorological conditions except for the following:

- a) Wind speeds greater than 3 metres/second at 10 metres above ground level.
- b) Stability category F temperature inversion conditions and wind speeds greater than 2 metres/second at 10 metres above ground level; or
- c) Stability category G temperature inversion conditions.

L4.4 For the purposes of condition L4.3:

- a) Data recorded by a meteorological station installed on the premises must be used to determine meteorological conditions; and
- b) Temperature inversion conditions (stability category) are to be determined by the sigma-theta method referred to in Fact Sheet D of Noise Policy for Industry (section D1.4 - use of sigma theta data).

L4.5 To determine compliance:

- a) With the L_{Aeq}(15 minute) noise limits in condition L4.1, the noise measurement equipment at monitoring points 1 and 13 must be located:
 - Approximately on the property boundary, where any dwelling is situated 30 metres or less from the property boundary closest to the premises; or
 - Within 30 metres of a dwelling façade, but not closer than 3m, where any dwelling on the property is situated more than 30 metres from the property boundary closest to the premises; or, where applicable within approximately 50 metres of the boundary of a National Park or a Nature Reserve.



Environment Protection Licence

Licence - 11555

- b) With the $L_{A1,1min}$ noise limits in condition L4.1, the noise measurement equipment at the monitoring points 1 and 13 must be located within 1 metre of a dwelling façade.
- c) With the noise limits in condition L4.1, the noise measurement equipment at the noise monitoring point/s specified in this licence must be located:
- At the most affected point at a location where there is no dwelling at the location; or
 - At the most affected point within an area at a location prescribed by conditions L4.5(a) or L4.5(b).

- L4.6 A non-compliance of condition L4.1 will still occur where noise generated from the premises in excess of the appropriate limit is measured:
- at a location other than an area prescribed by conditions L4.5(a) and L4.5(b); and/or
 - at a point other than the most affected point at a location.

- L4.7 For the purposes of determining the noise generated at the Premises the modification factors in Fact Sheet C of the Noise Policy for Industry must be applied, as appropriate, to the noise levels measured by the noise monitoring equipment.

Note: Noise is 'sound pressure levels' for the purposes of conditions L4.1 to L4.7.

Note: Noise Policy for Industry is the document titled "Noise Policy for Industry" published by the NSW Environment Protection Authority in October 2017".

L5 Hours of operation

- L5.1 Activities at the premises must be conducted within the following approved hours:

Activity	Day	Hours
Construction	Monday to Friday	7am to 6pm
	Saturday	8am to 1pm
	Sunday & Public Holidays	Nil
Oxy-acetylene torch cutting	Monday to Saturday	9am to 3pm
	Sunday & Public Holidays	Nil
Cleaning & Maintenance	Monday to Saturday	9pm to 6am
	Sunday & Public Holidays	24 hours
All other operational activities	Monday to Saturday	6am to 9pm
	Sunday & Public Holidays	Nil

Note: The EPA will not permit any changes to hours of oxy-acetylene torch cutting unless the Secretary of the NSW Department of Planning and Environment (or nominee) agrees in writing to change the hours of

Environment Protection Licence

Licence - 11555

operation specified in development consent No. SSD 5041.

- L5.2 Condition L5.2 does not apply to the delivery of material outside the hours of operation permitted by condition L5.2, if that delivery is required by police or other authorities for safety reasons. In such circumstances, prior notification must be provided to the EPA and affected residents as soon as possible or within a reasonable period in the case of emergency.

L6 Potentially offensive odour

- L6.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

L7 Other limit conditions

Airblast Overpressure

- L7.1 The airblast overpressure level from explosions on the Premises must not exceed 120dB (Lin Peak) when measured at Monitoring Point 11.
- L7.2 The licensee must measure airblast overpressure at the boundary of the premises whilst any activities are being carried out at the premises.
- L7.3 The licensee shall undertake all reasonable and feasible measures necessary to prevent explosions from occurring at the premises.
- L7.4 The licensee must prepare and implement an Air Blast Overpressure Management Plan. The Plan must include, but not be limited to, a description of all reasonable and feasible measures that will be implemented to achieve the noise limits in condition L7.1 such as:
- All petrol tanks and other dangerous chemical containers removed from scrap metal prior to shredding;
 - Any potentially explosive devices including gas cylinders, not entering the shredder.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

- O1.1 Licensed activities must be carried out in a competent manner.

This includes:

- a) the processing, handling, movement and storage of materials and substances used to carry out the activity;

Environment Protection Licence

Licence - 11555

and

b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:

- a) must be maintained in a proper and efficient condition; and
- b) must be operated in a proper and efficient manner.

O3 Dust

O3.1 All operations and activities occurring at the premises must be carried out in a manner that will minimise emission of dust from the premises.

O3.2 The licensee must manage stockpiles of scrap metal and processed material to ensure air emissions are minimised.

O3.3 All areas on the premises must be maintained, at all times, in a condition which effectively minimises the emission of wind-blown or traffic-generated dust.

O3.4 The licensee must ensure that no material, including sediment or oil, is tracked onto public roads from the premises.

O3.5 Ambient real time PM10 Dust Monitors must be installed and operated in accordance with the information supplied to the EPA in the report by ERM, *Waste Metal Recovery, Processing and Recycling Facility 45 and 23-43 Tattersall Road, Kings Park, Blacktown, Air Quality Assessment, Sell & Parker Pty Ltd, September 2015*.

O3.6 The licensee must keep a legible record of when dust generating activities are reduced or ceased as a result of the dust monitoring required by Condition O3.4 including:

- a) the date and time that dust generating activities were reduced or ceased; and
- b) what activities were reduced or ceased.

These records must be made available to the EPA on request.

O4 Emergency response

O4.1 The licensee must develop, implement, maintain and test a Pollution Incident Response Management Plan (PIRMP) in accordance with the requirements under Part 5.7A of the *Protection of the Environment Operations Act 1997* and its regulations.

Fire Control

O4.2 There must be no burning or incineration of waste at the premises.

Environment Protection Licence

Licence - 11555

O4.3 The height of any stockpile of shredder floc must not exceed 4 metres.

O5 Processes and management

O5.1 The licensee must ensure that any waste generated and/or stored at the Premises is assessed and classified in accordance with the EPA's Waste Classification Guidelines as in force from time to time.

O5.2 The licensee must ensure that waste identified for recycling is stored separately from other waste.

O5.3 The Licensee must store all chemicals, fuels and oils at the Premises in appropriately bunded areas in accordance with the requirements of all relevant Australian Standards, and/or the EPA's *Storing and Handling Liquids: Environment Protection - Participant's Manual 2007*.

O6 Other operating conditions

O6.1 The hammermill must be serviced by a emission collection system consisting of a wet scrubber and cyclone or other pollution control equipment capable of achieving equivalent emission control performance. The use of alternate control equipment must be approved in writing by the EPA prior to installation.

O6.2 (a) Oxy-cutting must be undertaken under wet conditions.

(b) Oxy-cutting must be undertaken by only one oxy-cutter at a time.

O6.3 Truck unloading of raw materials and output from pre-shredder onto stockpiles must be completed with a water spray suppression control.

O6.4 By-product stockpiles, including all automotive shredder residue (floc), must be stored in an enclosed structure.

O6.5 All conveyors and conveyor transfer points must be fully enclosed.

O6.6 All enclosures required by conditions O6.4 and O6.5 must be designed and operated to minimise the release of fugitive emissions.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

Environment Protection Licence

Licence - 11555

M1.2 All records required to be kept by this licence must be:

- a) in a legible form, or in a form that can readily be reduced to a legible form;
- b) kept for at least 4 years after the monitoring or event to which they relate took place; and
- c) produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- a) the date(s) on which the sample was taken;
- b) the time(s) at which the sample was collected;
- c) the point at which the sample was taken; and
- d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

Air Monitoring Requirements

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

POINT 3

Pollutant	Units of measure	Frequency	Sampling Method
Dry gas density	kilograms per cubic metre	Yearly	TM-23
Moisture	percent	Yearly	TM-22
Molecular weight of stack gases	grams per gram mole	Yearly	TM-23
Solid Particles	milligrams per cubic metre	Yearly	TM-15
Temperature	Celsius	Yearly	TM-2
Type 1 substance	milligrams per cubic metre	Yearly	TM-12
Type 2 substance	milligrams per cubic metre	Yearly	TM-13
Velocity	metres per second	Yearly	TM-2
Volumetric flowrate	cubic metres per second	Yearly	TM-2

M2.3 The selection of sampling positions for the above air monitoring condition must be selected in accordance with sampling method TM1.

Environment Protection Licence

Licence - 11555

M3 Testing methods - concentration limits

Air Emissions

- M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:
- a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
 - b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
 - c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2021* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

M4 Weather monitoring

- M4.1 At the point(s) identified below, the licensee must monitor (by sampling and obtaining results by analysis) the parameters specified in Column 1 of the table below, using the corresponding sampling method, units of measure, averaging period and sampling frequency, specified opposite in the Columns 2, 3, 4 and 5 respectively.

POINT 12

Parameter	Sampling method	Units of measure	Averaging period	Frequency
Siting	AM-1	-	-	-
Sigma Theta	AM-2 & AM-4	Degrees	10 minutes	Continuous
Temperature at 2 metres	AM-4	Kelvin	10 minutes	Continuous
Temperature at 10 metres	AM-4	Kelvin	10 minutes	Continuous
Total Solar Radiation	AM-4	Watts per square metre	10 minutes	Continuous
Wind Direction at 10 metres	AM-2 & AM-4	Degrees	10 minutes	Continuous
Wind Speed at 10 metres	AM-2 & AM-4	metres per second	10 minutes	Continuous
Rainfall	AM-4	millimetres per hour	1 hour	Continuous

- M4.2 The meteorological weather station must be maintained so as to be capable of continuously monitoring the parameters specified in Condition M4.1 except during specified maintenance periods. Written notification must be submitted to the EPA not later than 24 hours prior to any time periods that continuous monitoring will

Environment Protection Licence

Licence - 11555

be interrupted due to any specified maintenance.

M5 Recording of pollution complaints

- M5.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M5.2 The record must include details of the following:
- a) the date and time of the complaint;
 - b) the method by which the complaint was made;
 - c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
 - d) the nature of the complaint;
 - e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
 - f) if no action was taken by the licensee, the reasons why no action was taken.
- M5.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M5.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M6 Telephone complaints line

- M6.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M6.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M6.3 The preceding two conditions do not apply until one month after the date of the issue of this licence.

M7 Other monitoring and recording conditions

Airblast overpressure

- M7.1 An airblast overpressure monitor must be operated continuously whilst any activities are being carried out at the premises to measure and electronically record airblast overpressure levels.
- M7.2 Instrumentation used to measure and record the airblast overpressure must meet the requirement of Australian Standard AS 2187.2-2006.
- M7.3 Explosions resulting in an airblast overpressure reading exceeding 120dB (Linear Peak) must be recorded and reported to the EPA's Environment Line within 24 hours of the explosion. The written record and report of the explosion must include:

Environment Protection Licence

Licence - 11555

- a) the time and date of the explosion; and
- b) the airblast overpressure for the explosion.

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

- 1. a Statement of Compliance,
- 2. a Monitoring and Complaints Summary,
- 3. a Statement of Compliance - Licence Conditions,
- 4. a Statement of Compliance - Load based Fee,
- 5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
- 6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
- 7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints

Environment Protection Licence

Licence - 11555

Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R2 Notification of environmental harm

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

- a) where this licence applies to premises, an event has occurred at the premises; or
 - b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
- and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

R3.3 The request may require a report which includes any or all of the following information:

- a) the cause, time and duration of the event;
- b) the type, volume and concentration of every pollutant discharged as a result of the event;
- c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
- d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not

Environment Protection Licence

Licence - 11555

satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions

- R4.1 The licensee must complete and submit to the EPA an Annual Waste Summary Report each financial year commencing in 2016/17, comprising the following information:
1. Amount of waste received and removed from the Premises (in tonnes);
 2. Waste stream (Municipal, Commercial and Industrial, Construction and Demolition or Other) and waste type (Refer to Table 3.1 of the NSW EPA's Waste Levy Guidelines); and
 3. Amount of waste processed to a Resource Recovery Order (RRO), if applicable.

- R4.2 The Annual Waste Summary Report must be submitted to the EPA via the Waste and Resource Reporting Portal (WARRP) within 60 days of the end of the financial year.

Annual Shredder Floc Performance Report

- R4.3 The Licensee must provide an Annual Shredder Floc Performance Report to the EPA within 60 days of the end of each financial year period up to and including 30 June 2024. The report must detail for the previous financial year period:
- a) performance against the shredder floc benchmark of an annual recovery rate of 77.5% from the facilities scrap metal infeed and a maximum shredder floc generation rate of 22.5% from this same infeed material;
 - b) The quantity in tonnes for each calendar month of:
 - i. scrap metal infeed received,
 - ii. shredder floc disposed offsite, including the name of the waste disposal facility accepting the shredder floc,
 - iii. scrap metal removed offsite,
 - iv. any waste including shredder floc, that was transported off the premises under a Resource Recovery Order.
 - v. the waste types (determined in accordance with the Waste Levy Guidelines) of waste received at the premises.
 - c) Measures taken to improve the resource recovery rate of scrap metal and reduce the amount of shredder floc generated and disposed of at scheduled waste disposal facilities.

The Annual Shredder Floc Performance Report must be submitted to
RegOps.MetroRegulations@epa.nsw.gov.au

- R4.4 The following records must be kept for 6 years and made available to the EPA on request:
- a) information required to compile the Annual Shredder Floc Performance Report, as specified in Condition R4.3.
- R4.5 For conditions R4.3 and R4.4:
- a) *Shredder Floc* means residual waste generated directly from the shredding of scrap metal.

Environment Protection Licence

Licence - 11555

b) *financial year period* means the period of 12 months commencing on 1 July in any year.

7 General Conditions

G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Environment Protection Licence

Licence - 11555

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 11555

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .



Environment Protection Licence

Licence - 11555

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste

Ms Juanita Croft

Environment Protection Authority

(By Delegation)

Date of this edition: 16-April-2002



Environment Protection Licence

Licence - 11555

End Notes	
1	Licence varied by Admin corrections to archived record, issued on 10-Dec-2002, which came into effect on 10-Dec-2002.
2	Licence varied by notice 1080373, issued on 22-Nov-2007, which came into effect on 22-Nov-2007.
3	Licence varied by notice 1110271, issued on 18-Feb-2010, which came into effect on 18-Feb-2010.
4	Licence varied by notice 1113375, issued on 21-Apr-2010, which came into effect on 21-Apr-2010.
5	Licence varied by notice 1117853, issued on 10-Feb-2011, which came into effect on 10-Feb-2011.
6	Licence varied by notice 1536305 issued on 19-Apr-2016
7	Licence varied by notice 1547799 issued on 10-Jan-2017
8	Licence varied by notice 1562328 issued on 04-Sep-2018
9	Licence varied by notice 1572488 issued on 10-Dec-2018
10	Licence varied by notice 1594186 issued on 24-Apr-2020
11	Licence varied by notice 1598291 issued on 27-Aug-2020
12	Licence varied by notice 1604064 issued on 24-Mar-2021
13	Licence varied by notice 1608175 issued on 15-Apr-2021
14	Licence varied by notice 1616635 issued on 22-Feb-2022