FLY2SKY

Available for ACMI / Charter

AIRBUS A320-233

LZ-FSJ · MSN 3570



Noise Category

ICAO Annex 16, Volume I, Chapter number 14

FLY2SKY

A320-200 Series

TCDS EASA.A.064

EASA Part-M / Part-CAMO Compliance



CAT III B
Autoland Category

77,000 kg
MTOW

64,500 kg
BEW

2 × IAE V2527E-A5
Engine Type

Carbon
Brake Type

180
Economy Seats

August 2008
Date of Manufacture

27 January 2026
Last C-Check

→

15 October 2027
Next Check Due

FLY2SKY



RECARO 3510
Seat Type

28" – 29"
Seat Pitch

180 Passengers
Single-class Economy

WC

x4

WC

WC

ATLAS
Galley Standard

3
Lavatories

2
Galleys


4
Cabin Crew Stations

FLY2SKY

LOPA Seat Layout

LZ-FSJ · MSN 3570

DRAWING CHANGE LOG			
REV.	DRAWN BY	DATE	MODIFICATION
0	C.M.CIPOLLETTI	04/02/2025	FIRST RELEASE



180 Y/C PAX

HC DISABLE PEOPLE ARMREST

IN-ARMREST TABLE

SYMBOLS

NOTES:

- SEE SHEET 2 FOR DETAILS OF FRONT ROW SEATS (ITEM 10/20)
- SEE SHEET 2 FOR DETAILS OF LAST ROW SEATS (ITEM 110/120)
- SEE SHEET 3 FOR DETAILS OF EMERGENCY EXIT SEATS (ITEM 50/60; 70/80; 90/100)
- SEE SHEET 4 FOR FRONT VIEW OF ITEM 10/20; 30/40; 50/60
- SEE SHEET 5 FOR FRONT VIEW OF ITEM 70/80; 90/100; 110/120

Item	Partnumber	Description	Quantity	Manufacturer	Item	Partnumber	Description	Quantity	Manufacturer
10	3510A364-31-212	TPL LH IAT	1	Recaro	20	3510A364-32-212	TPL RH IAT	1	Recaro
30	3510A364-31-012	TPL LH STD	25	Recaro	40	3510A364-32-012	TPL RH STD	25	Recaro
50	3510A364-31-022	TPL LH STD	1	Recaro	60	3510A364-32-022	TPL RH STD	1	Recaro
70	3510A364-31-032	TPL LH EXIT	1	Recaro	80	3510A364-32-032	TPL RH EXIT	1	Recaro
90	3510A364-31-042	TPL LH EXIT	1	Recaro	100	3510A364-32-042	TPL RH EXIT	1	Recaro
110	3510A364-31-052	TPL LH NARROW	1	Recaro	120	3510A364-32-052	TPL RH NARROW	1	Recaro


11) THE LOCATION OF PASSENGERS SERVICE/INFORMATION UNITS MUST COMPLY WITH THE REQUIREMENTS SPECIFIED IN AIRBUS A320 AMM AND DWG n° 41117-01-A-PSU-R00
10) FWD MONUMENTS AND ALL PASSENGERS SEAT BACKRESTS MUST HAVE PLACARDS: "LIFE VEST UNDER YOUR SEAT" AND "FASTEN SEAT BELT WHILE SEATED"
9) EACH SEAT PLACE MUST BE PROVIDED WITH LIFE VEST, TSO C13() APPROVED
8) EACH SEAT PLACE MUST BE PROVIDED WITH SAFETY BELT, TSO C-22() APPROVED
7) SEAT COVERINGS AND FOAMS MUST MEET FLAMMABILITY REQUIREMENTS OF CS/FAR 25.853
6) ALL SEATS MUST BE ETSO/TSO C127a APPROVED
5) EMERGENCY EXIT OVERHEAD LOCATION SIGNS MUST BE VISIBLE TO OCCUPANTS APPROACHING ALONG THE CENTER AISLE IAW CS/FAR 25.811(d).
4) INSTALL/RELOCATE SEATS IAW A320 AMM SECTION 25-21-41
3) SEATS DO NOT HAVE BREAK OVER FEATURE, EXCEPT WHERE OTHERWISE NOTED
2) REFER TO RECARO CMM 25-25-94 for "3510A364 SERIES" SEATS DETAILS AND OTHER DIMENSIONS
1) EACH SEAT LOCATION IDENTIFIED IN THIS DOCUMENT REFER TO THE SEAT FRONT STUD IN ITS LOCKED POSITION

This document is proprietary to the ABC INTERNATIONAL S.r.l. and shall not be reproduced or disclosed in whole or in part or used without written authorization from ABC INTERNATIONAL Srl.

FLY2SKY

LOPA ROW Details

LZ-FSJ · MSN 3570



This document is proprietary to the ABC INTERNATIONAL S.r.l. and shall not be reproduced or disclosed in whole or in part or used without written authorization from ABC INTERNATIONAL Srl.

FLY2SKY

Your trusted ACMI & Charter Partner

Fly2Sky Commercial Team

Aleksandrs Gusevs · CCO

sales@fly2sky.aero

fly2sky.aero

