

AUTHORIZATION TO MARK

In recognition of its compliance with PFS TECO's policies, the manufacturer listed below is authorized to mark their product(s) with the following certification mark.



Manufacturer: Huber Engineered Woods LLC.
Crystal Hill, VA

PFS TECO Plant No.: 229

Product: Wood Structural Panels, Oriented Strand Board (OSB)

Product Description: Refer to the following page for list of approved products

Standards: US Department of Commerce Voluntary Product Standard PS 2-18,
Performance Standard for Wood Structural Panels
Canadian Standards Association CSA O325-21,
Construction Sheathing


Authorized by:

Revision Date: 06 January 2026

A handwritten signature in black ink that reads "Gregory D. Dupuis". The signature is written in a cursive style and is positioned above a horizontal line.

Greg Dupuis
Building Products Leader

PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.



List of Approved Products

Huber Engineered Woods LLC.
 Crystal Hill, VA
 Mill No. 229

Oriented Strand Board (OSB)

| PS 2 Performance Category ¹ | CSA O325 Nominal Thickness ² (mm) | Span Rating | |
|--|--|--------------------|--------------------------|
| | | PS 2 ¹ | CSA O325 ² |
| 3/8, 7/16 | | Wall-24 | |
| 3/8, 7/16 | | 24/0 | |
| 3/8, 7/16 | | 24/0 Structural 1 | |
| 7/16 | 11.0 | 24/16 | 1R24 / 2F16 / W24 |
| 7/16 | | 24/16 Structural 1 | |
| 15/32, 1/2 | 12.5 | 32/16 | 2R32 / 1R24 / 2F16 / W24 |
| 1/2 | | 32/16 Structural 1 | |
| 19/32, 5/8 | 15.5 | 40/20 | 2R40 / 1R32 / 2F20 / W24 |
| 5/8 | | 40/20 Structural 1 | |
| 23/32, 3/4 | 18.0 | 48/24 | 2R48 / 2F24 |
| 23/32, 3/4 | | 48/24 Structural 1 | |
| 19/32, 5/8 | | 20oc | |
| 23/32, 3/4 | 18.0 | 24oc | 1F24 |
| 7/8, 1, 1-1/8 | 22.0, 25.0 | 32oc | 1F32 |
| 1-1/8 | 28.5 | 48oc | 1F48 |

- 1 US Department of Commerce Voluntary Product Standard PS 2-18, *Performance Standard for Wood Structural Panels*
 2 Canadian Standards Association CSA O325-21, Construction Sheathing. Product types with no span rating under CSA O325 are not approved for use in Canada.

PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
 The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.

