



---

---

## HEARTH PRODUCT CLIENT LISTING

---

---

PFS TECO clients that manufacture Hearth Products are listed under a service designated as *Listing by Report*. The description of these products or construction, and information concerning proper field assembly and/or installation, are contained in this Client Listing.


The PFS checkmark certification mark(s) on these products – as illustrated below – is evidence that the manufacturer is under contract with PFS TECO for trademarking and follow-up inspection service.


PFS TECO is recognized by the *International Accreditation Service, Inc. (IAS)* as an ISO/IEC 17025-accredited testing laboratory and as an ISO/ICE 17020-accredited inspection agency for heating and gas appliances ([www.iasonline.org](http://www.iasonline.org)). PFS TECO is also recognized by the *Standards Council of Canada (SCC)* as a certification body for heating and gas appliances put into service in Canada ([www.scc.ca](http://www.scc.ca)).


For fireplace mantle installations, hearth extensions, and floor protection, please refer to the manufacturer's installation instructions.

*Look for these Certification Marks*






Listed Model/s:	Gas Log Sets as referenced in PFS Report #08-117
Mfg's Designation:	GF-16/18-11, GF-16/18-11P, GF-24-11, GF-24-11P, GF-30-11, GF-30-11P
Standard/s:	ANSI Z21.60b-2004 / CSA 2.26b-2004: Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas Grills as referenced in PFS File #F09-006
Mfg's Designation:	24(N,P)C(L,T)(-)(R,00SP,CSP,10SP), 30(N,P)C(L,T)(-)(R,00SP,CSP,10SP), 36(N,P)C(L,T)(-)(R,00SP,CSP,10SP), 24(N,P)(P,G)(-)(00SP,CSP), 24(N,P)B-SCP, 30(N,P)B-SCP, 36(N,P)B-SCP, 24(N,P)B(L,T)(-)(R,00SP,CSP), 24(N,P)B-SCP, 30(N,P)B(L,T)(-)(R,00SP,CSP), 30(N,P)B-SCP, 36(N,P)B(L,T)(-)(R,00SP,CSP), 36(N,P)B-SCP, 24(N,P)(P,G)(L,T)(-)(00SP,CSP) AOG24L, AOG30L, AOG36L, AOG24T, AOG30T, AOG36T, (24,30,36)CRT-25,AOG24(GP,PP,PA,GA
Standards:	ANSI Z21.58-22 / CSA 2.58-22: Outdoor Cooking Gas Appliances
Certification Mark:	


Listed Model/s:	Gas Log Sets as referenced in PFS Report #09-023
Mfg's Designation:	G4-18/20A-SS, G4-18/20PA-SS, G4-24A-SS, G4-24PA-SS, G4-30A-SS, G4-30A-SS
Standard/s:	ANSI Z21.60b-2004 / CSA 2.26b-2004: Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces ANSI Z21.97 - 2010: Decorative Outdoor Gas Appliances CAN1-2.21 - M85 Gas-Fired Appliances For Outdoor Installation
Certification Mark:	


Listed Model/s:	RH Peterson Gas Grills Accessories as referenced in PFS File #F09-041
Mfg's Designation:	3279(R,5,7)-1(P), 328(0,3)(P) Single Side Burners 3281(R,5,5H,7)(P) Double Side Burners 3287(K,5,7)-1(P) Single Searing Station 3288(K,5,7)-1(P) Double Searing Station 19-(K,5,H5,7)B(1,2)(N,P)-0 Power Burner


	32816(P) Double Side Burner 19-6B0(N,P)-0 Power Burner
Standards:	ANSI Z21.58-2022 / CSA 2.58-2022: Outdoor Cooking Gas Appliances
Certification Mark:	
Listed Model/s:	Outdoor Gas Fireplaces as referenced in PFS Report #09-066
Mfg's Designation:	OCR-34-BASE-(01,05)(M), OCR-34-BASE, OCR-27(-01)(M), OCBE-34(-01,-05), OCBP-24(-01,-05), OCBM-34, OCBM-24, OCBP-4418(-01,-05), OCBP-2525(-01,-05), CTBI-01, CTB(-01), OCR-34-BASE-(01,05)(M)P, OCR-34P-BASE, OCR-27(-01)(M)P, OCBE-34(-01,-05)P, OCBP-24(-01,-05)P OCBM-34P, OCBM-24P, OCBP-4418(-01,-05)P, OCBP-2525(-01,-05)P, CTBI-01P CTB(-01)P
Standard/s:	ANSI Z21.97 - 2010: Decorative Outdoor Gas Appliances CAN1-2.21 - M85 Gas-Fired Appliances For Outdoor Installation
Certification Mark:	


Listed Model/s:	Gas Logs Sets Kits for Isokern IBV Vented Gas Fireplaces as referenced in PFS Report #09-079
Mfg's Designation:	PERC24 (IBV36), PERC30 (IBV46)
Standard/s:	ANSI Z21.50.2a - 2009: Vented Gas Fireplaces
Certification Mark:	


Listed Model/s:	Gas Log Sets as referenced in PFS Report #09-191
Mfg's Designation:	PET24N, PET24P, PET30N, PET30P
Standard/s:	ANSI Z21.60b-2004 / CSA 2.26b-2004: Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas BBQ Grills as referenced in PFS File #F10-032
Mfg's Designation:	E660s-8,9(A,E,L)(1,A)(N,P)-(6,7)(1,2)(-W), E660s-0T4(N,P)-61, E790s-8(A,E,L)(1,A)(N,P)-(6,7)(1,2)(-W), E1060s-8(A,E,L)(1,A)(N,P)- (5,6)(1,2)(-W), E660i-8(A,E,L)(1,A)(N,P)(-W), E660i-0T4(N,P), E660i-1T4(N,P)(E,H)790i- 8(A,E,L)(1,A)(N,P)(-W), E1060i-8,9(A,E,L)(1,A)(N,P)(-W), A660i-0T4N(P) E540d,-6TA, -0TA (N,P)
Standards:	ANSI Z21.58-2022 / CSA 1.6-2022: Outdoor Cooking Gas Appliances
Certification Mark:	


Listed Model/s:	Gas Barbeque Grills (Accessories) as referenced in PFS Report #10-033
Mfg's Designation:	33830-SW, 43830-SW, 53830-SW, 42-VH-3, 42-VH-3-S, 60-VH-3, 60-VH-3-S
Standard/s:	ANSI Z21.58a-2008 / CSA 1.6a-2008: Outdoor Cooking Gas Appliances
Certification Mark:	


Listed Model/s:	Gas Log Sets as referenced in PFS Report #10-104
Mfg's Designation:	G21-GL-18-12, G21-GL-18-12P, G21-GL-24-12, G21-GL-24-12P, G21-GL- 30-12, G21-GL-30-12P, G21-GL-18C-12, G21-GL-18C-12P, G21-GL-24C- 12, G21-GL-24C-12P, G21-GL-30C-12, G21-GL-30C-12P
Standards:	ANSI Standard Z21.11.2b-2010: Gas-Fired Room Heaters, Volume II, Unvented Room Heaters; ANSI Z21.60b-2004 / CSA 2.26b-2004: Decorative Gas Appliances For Installation In Solid- Fuel Burning Fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas Log Sets as referenced in PFS Report #F11-020
Mfg's Designation:	G45-(2)-16/19(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-18/20(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-24(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-(30,36)(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-GL-16/19(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-GL-18(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-GL-24(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-GL-30(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), G45-(2)-GL-36(-)(01,02,11,15,17)(M)(N,P)(A)(-SS), GR47-18/20A ,GR47-18/20PA, GR47-18/20-17(M), GR47-18/20-17(M)P, GR47-18/20-02(M),GR47-18/20-02(M)P, GR47-24/30A, GR47-24/30PA, GR47-24/30-02(M),GR47-24/30-02(M)P, GR47-24/30-17(M), GR47-24/30-17(M)P, GR47-18/20, GR47-24/30
Standards:	ANSI Z21.60-2017 / CSA 2.26-2017: Decorative Gas Appliances For Installation In Solid- Fuel Burning Fireplaces; ANSI Z21.97-2017 / CSA 2.41-2017: Outdoor Decorative Gas Appliances; ANSI Z21.84-2017: Manually lighted, natural gas, decorative gas appliances for installation in solid- fuel burning fireplaces
Certification Mark:	


Listed Model/s:	Outdoor Gas Fireplaces as referenced in PFS Report #11-025
Mfg's Designation:	P64000089, P64000090, P64000091, P64000092, P64000077, P64000078
Standard/s:	ANSI Z21.97 - 2010: Decorative Outdoor Gas Appliances CAN1-2.21 - M85 Gas-Fired Appliances For Outdoor Installation
Certification Mark:	


Listed Model/s:	Outdoor Cooking Gas Appliances as referenced in PFS Report #11-038
Mfg's Designation:	3282, 3282P, AOG2SBL, AOG2SBT, AOG2SBLP, AOG2SBTP
Standards:	ANSI Z21.58-2022 / CSA 1.6 -2022: Outdoor Cooking Gas Appliances
Certification Mark:	


Listed Model/s:	RH Peterson Outdoor Gas Grills as referenced in PFS File #F11-093
Mfg's Designation:	A430s-(7,8)(A,L,E)A(N,P)-(6,G,P)(1,2,6), (C,CM,CMA)430s-RT1(N,P)-(G,P)6, A540s-(7,8)(A,L,E)A(N,P)-6(1,2), A660s-(7,8)(A,L,E)A(N,P)-6(1,2), A830s-(7,8)(A,L,E)A(N,P)-61-CB, A430i-(7,8)(A,L,E)A(N,P), (C,CM,CMA)430i-RT1(N,P), A540i-(7,8)(A,L,E)A(N,P), (C,CM,CMA)540i-RT1(N,P), (C,CM,CMA)650i-RT1(N,P), A660i-(7,8)(A,L,E)A(N,P), A790i-(7,8)(A,L,E)A(N,P), A830i-(7,8)(A,L,E)A(N,P)-CB, A430s-1E1(N,P)-23P6,A430i-1E1(N,P)-23M2424(P), M2424(P)-PST
Standards:	ANSI Z21.58b-2022 / CSA 1.6b-2022: Outdoor Cooking Gas Appliances
Certification Mark:	


Listed Model/s:	Gas Log Sets as referenced in PFS Report #11-121
Mfg's Designation:	G8E-16/20/24, G8E-16/20/24-12(M), G8E-16/20/24R, G8E-16/20/24R-12(M), G8E-16/20/24P, G8E-16/20/24-12(M)P, G8E-16/20/24RP, G8E-16/20/24R-12(M)P
Standards:	ANSI Standard Z21.11.2b-2010: Gas-Fired Room Heaters, Volume II, Unvented Room Heaters; ANSI Z21.60b-2004 / CSA 2.26b-2004: Decorative Gas Appliances For Installation In Solid- Fuel Burning Fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas Log Sets as referenced in PFS Report #F12-021
Mfg's Designation:	G22-GL-18(G)-02(M), G22-GL-24(G)-02(M), G22-GL-30(G)-02(M), G22-GL-2-18(G)-02(M), G22-GL-2-24(G)-02(M), G22-GL-2-30(G)-02(M), G22-GL-18(G)-02(M)P, G22-GL-24(G)-02(M)P, G22-GL-30(G)-02(M)P, G22-GL-2-18(G)-02(M)P, G22-GL-2-24(G)-02(M)P, G22-GL-2-30(G)-02(M)P
Standards:	ANSI Z21.60-2017 • CSA 2.26-2017: Decorative Gas Appliances For Installation In Solid- Fuel Burning Fireplaces; ANSI Z21.97-2017 • CSA 2.41-2017: Outdoor Decorative Gas Appliances; ANSI Z21.84-2017: Manually lighted, natural gas, decorative gas appliances for installation in solid- fuel burning fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Direct Vent Gas Inserts as referenced in PFS File #F12-051
Mfg's Designation:	D1-25-(0,1)(0,1)-31N, D1-30-(0,1)(0,1)-31N, D1-36-(0,1)(0,1)-31N, D2-25-(0,1)(0,1)-31N, D2-30-(0,1)(0,1)-31N, D1-25-(0,1)(0,1)-31P, D1-30-(0,1)(0,1)-31P, D1-36-(0,1)(0,1)-31P, D2-25-(0,1)(0,1)-31P, D2-30-(0,1)(0,1)-31P, DVI-25i-(0,1)(0,1)-(32,33)N, DVI-25m-(0,1)(0,1)-(32,33)N, DVI-30i-(0,1)(0,1)-(32,33)N, DVI-30m-(0,1)(0,1)-(32,33)N, DVI-36i-(0,1)(0,1)-(32,33)N, DVI-36m-(0,1)(0,1)-(32,33)N, DVI-25i-(0,1)(0,1)-(32,33)P, DVI-25m-(0,1)(0,1)-(32,33)P, DVI-30i-(0,1)(0,1)-(32,33)P, DVI-30m-(0,1)(0,1)-(32,33)P, DVI-36i-(0,1)(0,1)-(32,33)P, DVI-36m-(0,1)(0,1)-(32,33)P, DVIT, DVIC
Standards:	ANSI Z21.88 – 2017 / CSA 2.33 – 2017: Vented Gas Fireplace Heaters CSA Standard P.4.1 – 15 Testing method for measuring annual fireplace efficiency CAN/CGA – 2.17 – M91: Gas-Fired Appliances For Use At High Altitudes
Certification Mark:	


Listed Model/s:	RH Peterson Gas Log Sets as referenced in PFS File # F12-086
Mfg's Designation:	G31-18/20, G31-24/30, G31-33/39
Standards:	ANSI Z21.84 - 2017: Manually lighted, natural gas, decorative gas appliances for installation in solid-fuel burning fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas Log Sets as referenced in PFS File # F12-086
Mfg's Designation:	G31-18/20(A,-17,-2VA,-02,-2VT), G31-24/30(A,-17,-2VA,-02,-2VT), G31-33/39(A,-17,-2VA,-02,-2VT), G31-18/20(PA,-17P,-2VPA,-02,-2VPT), G31-24/30(PA,-17P,-2VPA,-02,-2VPT), G31-33/39(PA,-17P,-2VPA,-02,-2VPT), ISF-SBVT36/39VEN, ISF-SBVT24/30VEP, ISF-SBVT24/30VEP, ISF-SBVT24/30VEN,
Standards:	ANSI Z21.60 - 2017 • CSA 2.26 - 2017: Decorative gas appliances for installation in solid-fuel burning fireplaces
Certification Mark:	


Listed Model/s:	Outdoor Decorative Gas Appliances as referenced in PFS File F13-042
Mfg's Designation:	610, 629, 653, 725, 726, 770, 775, 785, 635, 640, 645, 782, 783, 784, 215, 216, 642, 520, 530, 580, 581, 680, 681, 685, 686, 688, 689, 715, 716, 731, 732, 733, 744, 751, 752, 435, 430, 431, 753, 755, 759, 082, 211, 586, 588, 589, 788, 736, 782, 688, 733, 450, 460, 585, 587, 735, 738
Standards:	ANSI Z21.97-2017 (R-2022) • CSA 2.41-2017 R-2022) Outdoor decorative gas appliances
Certification Mark:	


Listed Model/s:	RH Peterson Gas Log Sets as referenced in PFS File #F13-085
Mfg's Designation:	RT-18/20, G52-18/20, RT-24/30, G52-24/30, RT/G52-18/20(A,-17,-2VT), RT/G52-24/30(A,-17,-2VT), RT/G52-18/20(PA,-17P,-2VPT), RT/G52-24/30(PA,-17P,-2VPT)
Standards:	ANSI Z21.60-2017 • CSA 2.26-2017: Decorative Gas Appliances For Installation In Solid- Fuel Burning Fireplaces; ANSI Z21.84-2017: Manually lighted, natural gas, decorative gas appliances for installation in solid- fuel burning fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Outdoor Gas Fireplaces as referenced in PFS File #F14-023
Mfg's Designation:	Cordova, Grand Cordova 022, 023, 882, 122, 123, 182, Petite Cordova 025, 865, Grand Petite Cordova 125, 165, Phoenix, Mariposa 017, 015, 818, 073, 868, 117, 115, 173, 118, 168, Chica 010, Brooklyn 050, 060, 150, 160
Standards:	ANSI Z21.97-2017 • CSA 2.41-2017 Outdoor decorative gas appliances
Certification Mark:	


Listed Model/s:	RH Peterson Gas Logs Sets as referenced in PFS File #F14-085
Mfg's Designation:	G19A-18/20-(01V,12,15)(M)P, G19A-24/30-(01V,12,15)(M)P, G19A-18/20-(01V,12,15)(M), G19A-24/30-(01V,12,15)(M),
Standards:	ANSI Z21.11.2-2016 Gas-Fired Room Heaters, Volume II, Un-vented Room Heaters ANSI Z21.60-2017 • CSA 2.26-2017 Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	


Listed Model/s:	RH Peterson Gas Logs Sets as referenced in PFS File #F14-087
Mfg's Designation:	P45-18, P45-24, P45-30, P45-18(A,-17), P45-24(A,-17), P45-30(A,-17) P45-18(PA,-17P), P45-24(PA,-17P), P45-30(PA,-17P)
Standards:	ANSI Z21.84-2012 Manually lighted, natural gas, decorative gas appliances for installation in solid-fuel burning fireplaces ANSI Z21.60-2012 • CSA 2.26-2012 Standard For Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	

Listed Model/s:	RH Peterson Unvented Gas Logs Sets as referenced in PFS File #F16-180
Mfg's Designation:	G18-16/18[-01V,-12(M),-15(M)], G18-2-16/18[-12(M),-15(M)], G18-24/30[-01V,-12(M),-15(M)], G18-2-24[-12(M),-15(M)], G18-24/30[-01V,-12(M),-15(M)]P, G18-2-24[-12(M),-15(M)]P G18-16/18[-01V,-12(M),-15(M)]P, G18-2-16/18[-12(M),-15(M)]P,
Standards:	ANSI Z21.11.2-2013 Gas-Fired Room Heaters, Volume II, Un-vented Room Heaters ANSI Z21.60-2012 • CSA 2.26-2012 Standard For Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	

Listed Model/s:	RH Peterson Unvented Gas Logs Sets as referenced in PFS File #F16-209
Mfg's Designation:	G10-16/18(-01V,-12,-15)(M)P(-SS), G10-24/30(-01V,-12,-15)(M)P(-SS), G10-16/18(-01V,-12,-15)(M)(-SS), G10-24/30(-01V,-12,-15)(M)(-SS), ISF-SBVF2430SVEN, ISF-SBVF24/30VEN, ISF-SBVF24/30SVEP, ISF-SBVF24/30VEP, VF1-18-VRN, VF1-24/30-VRN, VF1-18-VRP, VF1-24/30-VRP
Standards:	ANSI Z21.11.2-2013 Gas-Fired Room Heaters, Volume II, Un-vented Room Heaters ANSI Z21.60-2012 • CSA 2.26-2012 Standard For Decorative Gas Appliances For Installation In Solid-Fuel Burning Fireplaces
Certification Mark:	

Listed Model/s:	RH Peterson Gas Logs Sets as referenced in PFS File #F16-212
Mfg's Designation:	PB-18(A,-02,-02M,-11,-11M,-15,-15M,-17,-17M), PB-24(A,-02,-02M,-11,-11M,-15,-15M,-17,-17M), PB-30(A,-02,-02M,-11,-11M,-15,-15M,-17,-17M), PB-18(PA,-02,-02M,-11P,-11MP,-15P,-15MP,-17P,-17MP), PB-24(PA,-02,-02M,-11P,-11MP,-15P,-15MP,-17P,-17MP), PB-30(PA,-02,-02M,-11P,-11MP,-15P,-15MP,-17P,-17MP)
Standards:	ANSI Z21.60-2017 • CSA 2.26-2017 Decorative gas appliances for installation in solid-fuel burning fireplaces
Certification Mark:	

Listed Model/s:	RH Peterson Gas BBQ Grills as referenced in PFS File #F21-712
Mfg's Designation:	5600 (P), 5660 (P) , 4600 (P)
Standards:	ANSI Z21.58-2022 / CSA 1.6-2022: Outdoor Cooking Gas Appliances
Certification Mark:	

Listed Model/s:	RH Peterson Unvented Gas Room Heaters as referenced in PFS File #F25-413
Mfg's Designation:	G23-18-12 (M)(P), G23-24-12(M)(P), G23-18-01V(P), G23-24-01(P)
Standards:	CSA/ANSI Z21.11.2:2019, Gas-fired room heaters, volume II unvented room heaters ANSI Z21.60-2017(R2021) – CSA 2.26-2017(R2021): Decorative gas appliances for installation in solid-fuel burning fireplaces
Certification Mark:	

Listed Model/s:	RH Peterson Outdoor Gas Appliance as referenced in PFS File #F25-414
Mfg's Designation:	ODG15-24/30-02, ODG15-24/30-02P, ODG15-24/30-2VT ODG15-24/30-2VPT
Standards:	ANSI Z21.97-2017(R2022) / CSA 2.41-2017(R2022): Outdoor Decorative Gas Appliances
Certification Mark:	