

Veryx ATTEST



June 2026





Introduction

With widespread adoption of IP and Ethernet based networking technologies, Network Equipment Manufacturers (NEMs) face the daunting task of continuing to enhance network device functionalities and support newer protocol standards across multiple product lines in shorter timeframes. Further, Network Service Providers (NSPs) have to ensure that these newer network devices can meet the current and future requirements of technologies and services, before deploying them.

Veryx ATTEST range of testing solutions enable NEMs, NSPs, test labs and R&D organizations to reduce the time taken to test with **automated test suites** in an **integrated testing framework**, providing many **tester-friendly** features such as flexible DUT control, GUI or CLI-based access, easy debugging and detailed reporting.

Veryx ATTEST-CATS (Comprehensive Automated Test Solution) consists of **ATTEST-XP** and **ATTEST-CTS** ready-to-run automated test suites for a wide range of Ethernet and IP applications:

- **Veryx ATTEST-XP** test suites provide tests covering functionality, deployment scenarios in multi-protocol topologies, scalability, performance measurement, Interoperability and so on.
- **Veryx ATTEST-CTS** test suites verify conformance to protocol standards.

Veryx ATTEST test suites are licensed as binary or source.

ATTEST test suites are based on the Veryx ATTEST Framework – a powerful environment that makes testing and debugging faster and easier. Test scripts are written in industry standard Python and Tcl/Tk.



ATTEST Test Suites

TEC IP

- ER v2.28 Annex P1-12**
- IP Router**
- IPv4
 - IPv6 Router & Host
 - Dual IP Stack (IPv6 Tunnel)
 - TCP
 - BGP & BGP4+
 - LDP
 - OSPFv2 & OSPFv3
 - PPPoE & RADIUS
- IP Security**
- IPSec
 - Policy
 - NAT
 - UTM & Antivirus
 - IDS, IPS
- Layer 2**
- STP
 - Bridging
- VoIP**
- SIP
 - RTP
 - RTCP
 - SCTP
 - DTMF
 - SIP-I
 - MGCP
 - M3UA
 - CCS#7

TEC SDWAN

- ER - TEC30072603**
- SDWAN Router
 - SDWAN Controller

IPv4

- Multicast**
- IGMPv1/v2
 - IGMPv3
 - PIM-SM
 - PIM-DM

- Unicast**
- BFD
 - BGP4
 - DHCP
 - IPv4
 - ISIS
 - OSPF
 - RIP

- Security**
- NAT
 - IPSEC / IKE-v1,v2

Fuzzing

- IPv4
- ICMP
- ARP
- DHCP
- NAT

IPv6

- Multicast**
- MLD Router
 - MLD Listener
 - PIM-SMv6
 - PIM-DMv6
- Unicast**
- BGP4+
 - IPv6ReadyLogo - Host
 - IPv6ReadyLogo - Router
 - IPv6 - Tunnels
 - ISISv6
 - OSPFv3
 - RIPng

Layer 2

- Bridging**
- IGMP-Snoop
 - LACP
 - LLDP
 - STP/MSTP/RSTP
 - VLAN
 - MMRP
 - MVRP
- Security**
- 802.1X

Time Sync

- PTPv2 (IEEE 1588)

Industrial

- MRP
- PRP

Carrier Ethernet

- OAM**
- Link OAM (802.3ah)
 - CFM (802.1ag)
 - SOAM (Y.1731)
- Backhaul**
- ERPS (G.8032)
- MEF**
- CE 2.0

MPLS

- LDP
- BFD MPLS)
- MPLS-TP Data Plane
- MPLS-TP Data Plane M2M
- MPLS-TP DCN
- MPLS-TP OAM (G.8113.1)
- MPLS-TP LPS (G.8131)
- MPLS-TP G.8032



Table 1. ATTEST TEC ER v2.28 Annex P1-12 Test Suites

Category	Test Suite	Standards / RFC reference	Test-case count	Interfaces	
				Min	Max
TEC – IP Router, IP Security, Layer-2, VoIP	IP Router				
	IPv4 Set-D	RFC 791. Annex-P11, P11.1, Appendix-II, Test-5	1	2	2
	IPv6 Router	RFC 8200 4861 4862 8201 4443 Annex-P11, P11.15 to P11.19 (Appendix-I, Table 3 to Table 7)	20	1	1
	IPv6 Host	RFC 8200 4861 4862 8201 4443 Annex-P11, P11.15 to P11.19 (Appendix-I, Table 3 to Table 7)	20	1	1
	Dual IP (IPv6 Tunnel)	RFC 8200 4861 4862 8201 4443 Annex-P11, P11.15 to P11.19 (Appendix-I, Table 3 to Table 7)	4	1	1
	TCP	RFC 793. Annex-P11, Appendix-II, Test-10	1	1	1
	BGP	RFC 4271 4760. Annex-P11,P11.21, P11.22, Appendix-I, Table-9, Appendix-I, Table-10	6	2	2
	BGP4+	RFC 2545. Annex-P11,P11.20, Appendix-I, Table-8	1	2	2
	LDP	RFC 5036 Annex-P11, P11.23 Appendix-I, Table-11	5	1	3
	OSPFv2	RFC 2328 Annex-P11, P11.13, Appendix-I, Table-1	4	2	2
	OSPFv3	RFC 2740 Annex-P11, P11.14, Appendix-I, Table-2	4	2	2
	PPoE	RFC 2516. Annex-P11, P11.34, Appendix-II, Test-14	1	1	1
	Static Routing	Appendix-II Test-9	1	2	2
	Dynamic Routing	Appendix-II Test-8	1	2	2
	RADIUS	RFC 2865. Annex-P11, P11.35, Appendix-II, Test-15	1	1	1
	IP Security				
	IPSEC	Annex-P11, P11.24, Appendix-II, Test-16	3	2	2
	Policy	Annex-P11,P11.26, Appendix-II, Test-19	1	2	2
	NAT	Annex-P11,P11.25, Appendix-II, Test-17, 18	2	2	2
	UTM	Annex-P11,P11.30,Appendix-II, Test-24, 25, 26	3	2	2
	IDS	Annex-P11,P11.27,Appendix-II, Test-20, 21	2	2	2
	IPS	Annex-P11,P11.29,Appendix-II, Test-22, 23	2	2	2
	Layer-2				
	STP	802.1D 1998	70	1	2
	Bridging	Annexure to ERs - 2.10/ August2021,S.No. P1 1.9 Clause/Section Appendix-II, Test11	1	2	2
	VoIP				
	SIP	RFC 3261. Annex-P1, P1.1 to P1.6	13	1	2
	RTP	RFC 3550. Annex-P2, P2.1 to P2.5	11	1	2
	RTCP	RFC 3551. Annex-P3, P3.1 to P3.5	7	1	2
	SCTP	RFC 4960. Annex-P9, P9.1 to P9.10	10	1	2
	DTMF	RFC 4733. Annex-P8, P8.1 to P8.14	14	1	2
	SIP-I	Q.1912.5. Annex-P1, P1.22 to P1.28	5	1	2
MGCP	H.248. Annex-P5, P5.3 to P3.5	1	2	2	
M3UA	RFC 3332. Annex-P10, P10.1 to P10.4	13	2	2	
CCS#7	ITU-T Q.784. Annex-D3, D3.6 to D3.22	17	1	2	



Table 2. ATTEST IPv4 Test Suites

Category	Test Suite	Standards / RFC reference	Test-case Count	Interfaces	
				Min	Max
IPv4 Unicast	IPv4 - CTS	Internet Protocol Version 4	120		
	IPv4 - CTS	IETF RFC 791, 792, 950, 1122, 1812	120	1	3
	OSPFv2 - CTS	Open Shortest Path First	384		
	OSPFv2 - CTS	IETF RFC 1850, 2328	384	1	3
	RIP - CTS	Routing Information Protocol	78		
	RIP - CTS	IETF RFC 1058, 1724, 1812, 2082, 2453	78	1	3
	DHCP - CATS	Dynamic Host Control Protocol	303		
	DRA - CTS	IETF RFC 3046, 1542, 2132, 2131	129	2	3
	DHCP Server - XP	IETF RFC 2131, 2132	174	1	2
	BFD - CTS	Bi-directional Forwarding Detection	148		
	BFD - CTS	IETF RFC 5880 (draft-ietf-bfd-base-11.txt), IETF RFC 5881 (draft-ietf-bfd-v4v6-1hop-11.txt), draft-ietf-bfd-mib-07.txt	148	1	2
	BGP4 - CTS	Border Gateway Protocol version 4	200		
	BGP4 - CTS	IETF RFC 4271	200	1	3
	ISIS - CTS	Intermediate System to Intermediate System	201		
ISIS - CTS	IETF RFC 1195, 3719, 3847, 3787, ISO-10589:2002(E)	201	1	3	
EIGRP - CTS	Enhanced Interior Gateway Protocol	81			
EIGRP - CTS	IETF RFC 7868	81	1	2	
IPv4 Multicast	IGMP - CTS	Internet Gateway Management Protocol	137		
	IGMPv1v2 - CTS	IETF RFC 2236, 1112	65	1	2
	IGMPv3 - CTS	IETF RFC 3376	72	1	2
	PIM - CTS	Protocol Independent Multicast	369		
	PIM-DM - CTS	IETF RFC 3973	89	1	3
	PIM-SM - CTS	IETF RFC 4601, 5059	280	1	3
IPv4 Security	NAT - XP	Network Address Translation	175		
	NAT - XP	IETF RFC 2663	175	2	2
	IPSec - CTS	Internet Protocol Security	124		
	IPSec - CTS	IETF RFC 4301, 4302, 4303, 4835, 2403, 2404, 2410, 2451, 3602, 4306, 4307, 2409, 4109	124	1	2
	IKE - CATS	Internet Key Exchange	272		
	IKEv1 - CTS	IETF RFC 2407, 2408, 2409, 4109	182	1	2
	IKEv2 - CTS	IETF RFC 4306, 4307	90	1	2



Table 3. ATTEST IPv6 Test Suites

Category	Test Suite	Standards / RFC reference	Test-case count	Interfaces	
				Min	Max
IPv6 Unicast	IPv6 - CTS	Internet Protocol version 6	846		
	IPv6ReadyLogo Host - CTS	IETF RFC 2460, 4861, 4862, 1981, 4443, 8200, 4191, 4862 - IPv6 Ready Logo Core Protocols test specification for Phase 2 Revision 5.0.1	429	1	3
	IPv6ReadyLogo Router - CTS	IETF 2474, 3168, 4443, 4291, 2460, 4861, 4862, 1981, 5095 - IPv6 Ready Logo Core Protocols test specification for Phase 2 Revision 4.0.6	329	1	3
	IPv6 Tunnel - CTS	IETF RFC 2529, 2893, 3056, 3068	88	1	3
	OSPFv3 - CTS	Open Shortest Path First for IPv6	375		
	OSPFv3 - CTS	IETF RFC 2328, 2740	375	1	3
	BGP4+ - CTS	Border Gateway Protocol for IPv6	210		
	BGP4+ - CTS	IETF RFC 4271, 2545, 4760	210	2	3
	ISISv6 - CTS	Intermediate System to Intermediate System for IPv6	201		
	ISISv6 - CTS	IETF 1195, 3719, 3847, 5308, ISO-10589:2002(E)	201	1	3
	RIPng - CTS	Routing Information Protocol next generation	65		
	RIPng - CTS	IETF RFC 2080	65	1	3
IPv6 Multicast	MLD - CTS	Multicast Listener Discovery Protocol	180		
	MLDL - CTS	IETF RFC 2710, 3810	77	1	1
	MLDR - CTS	IETF RFC 2710, 3810	103	2	2
	PIM-DMv6 - CTS	Protocol Independent Multicast for IPv6-Dense Mode	139		
	PIM-DMv6 - CTS	IETF RFC 3973	139	2	3
	PIM-SMv6 - CTS	Protocol Independent Multicast for IPv6-Sparse Mode	269		
	PIM-SMv6 - CTS	IETF RFC 4601, draft-ietf-pim-sm-bsr-09	269	2	3



Table 4. ATTEST Layer-2 Test Suites

Category	Test Suite	Standards / RFC reference	Test-case count	Interfaces	
				Min	Max
Layer 2	STP - CTS	Spanning Tree Protocol	70		
	STP - CTS	IEEE 802.1D-1998	70	1	3
	MSTP - CTS	Multiple Spanning Tree Protocol	249		
	MSTP - CTS	IEEE 802.1s-2002, 802.1Q-2003, 802.1Q-2005	249	1	3
	RSTP - CTS	Rapid Spanning Tree Protocol	144		
	RSTP - CTS	802.1w-2001,802.1d-2004	144	1	3
	VLAN - CTS	Virtual Local Area Network	115		
	VLAN - CTS	IEEE 802.1d-1998, 802.1d-2004, 802.1Q-2003 and 802.1Q-2005	115	1	3
	IGS - CTS	IGMP Snooping	90		
	IGS - CTS	draft-ietf-magma-snoop-12/RFC 4541, RFC 1112, RFC 2236 and RFC 3376	90	2	3
	LACP - CTS	Link Aggregation Control Protocol	87		
	LACP - CTS	IEEE 802.3-2002, 802.3 - 2005 Clause 43	87	2	4
	802.1X-CTS	Port-based Network Access Control Protocol	104		
	802.1X - CTS	IEEE 802.1x -2001, IEEE 802.1x -2004	104	2	2
	LLDP - CTS	Link Layer Discovery Protocol	196		
	LLDP - CTS	IEEE 802.1AB-2005, IEEE 802.1AB-2009, IEEE 802.1AB-2016	196	1	2
	MRP-MVRP - CTS	Multiple VLAN Registration Protocol	91		
	MRP-MVRP - CTS	IEEE 802.1ak - 2007	91	1	3
MRP-MMRP - CTS	Multiple MAC Registration Protocol	96			
MRP-MMRP - CTS	IEEE 802.1Q - 2011	96	1	3	



Table 5. ATTEST Time Synchronization Test Suites

Category	Test Suite	Standards / RFC reference	Test-case Count	Interfaces	
				Min	Max
PTP	PTP - CTS	Precision Time Protocol	205		
	Boundary clock - CTS	IEEE 1588™-2019	87	1	2
	Ordinary clock - CTS		89	1	2
	Transparent clock - CTS	ITU-T G.8275.1/Y.1369.1, ITU-T G.8275.2/Y.1369.2	29	1	2

Table 6. ATTEST Industrial Ethernet Test Suites

Category	Test Suite	Standards / RFC reference	Test-case Count	Interfaces	
				Min	Max
Industrial Ethernet	MRP - CTS	Media Redundancy Protocol	111		
	MRP - CTS	IEC 62439/Ed 1.0	111	2	4
	PRP - CATS	Parallel Redundancy Protocol	86		
	PRP - CTS	IEC 62439-3:2011/FDIS	32	2	4
	PRP - XP		54	3	3



Table 7. ATTEST Carrier Ethernet Test Suites

Category	Test Suite	Standards / RFC reference	Test-case count	Interfaces	
				Min	Max
Carrier Ethernet	EFMOAM - CTS	Ethernet in First Mile - Link OAM	111		
	EFMOAM - CTS	IEEE 802.3ah - 802.3 2005 Clause 57	111	1	4
	CFM - CTS	Connectivity Fault Management	198		
	CFM - CTS	IEEE 802.1ag 2007	198	1	4
	Y.1731 - CTS	Service OAM	197		
	Y.1731 - CTS	ITU-T Y.1731 2015	197	1	2
	ERPS - CATS	Ethernet Ring Protection Switching	124		
	ERPS - CTS	ITU-T G.8032/Y.1344 (2015)/Cor.1 (08/2017)	89	3	4
	ERPS - XP**	ITU-T G.8032/Y.1344	35	3	4

** Requires Xena Valkyrie test platform

Table 8. ATTEST MPLS Test Suites

Category	Test Suite	Standards / RFC reference	Test-case count	Interfaces	
				Min	Max
MPLS	BFD-MPLS - CTS	Bi-directional Forwarding Detection for MPLS	83		
	BFD-MPLS - CTS	IETF RFC 5884 (draft-ietf-bfd-mpls-07.txt), IETF RFC 5880 (draft-ietf-bfd-base-11.txt)	83	1	3
	MPLS-LDP - CTS	MPLS Label Distribution Protocol	468		
	LDP - CTS	IETF RFC 5036, RFC 3478, RFC 3815, RFC 5283	468	1	3
	MPLS-TP - CTS	MPLS Traffic Profile	432		
	MPLS-TP Data Plane	IETF RFC 5654, 5960	62	2	4
	MPLS-TP Data Plane	RFC 5654, 4665	44	3	4
	M2M				
	MPLS-TP OAM (G.8113.1)	RFC 5860, RFC 6371, ITU-T G.8113.1/Y.1372	229	2	2
	MPLS-TP G.8131 (LPS)	ITU-T G.8131/Y.1382	47	3	3
	MPLS-TP DCN	RFC 5718	7	2	2
MPLS-TP-G.8032	ITU-T G.8032/Y.1344 (2012)	63	3	4	



Veryx ATTEST Test Framework

Veryx ATTEST Test Framework supports a flexible and distributed environment catering to diverse and dynamic test lab requirements.

ATTEST significantly speeds up the testing cycles and accelerates product development. Its unique design results in minimal time for integration and enables efficient use of time and resources.

ATTEST provides centralized management of user access, test results and reports, while facilitating a flexible distributed test environment. Using browser-based access, testers can have anytime, anywhere access to the test environment.

ATTEST provides graphical reports to enable test teams track the progress of testing. The testing progress for different devices under test with corresponding software image versions can be tracked from the ATTEST client systems.

ATTEST 7.x System Requirements

- x86 COTS (Intel i5 or equivalent with 4 GB RAM and 40 GB HDD), OS Linux Fedora 38/40
- Virtual Machine (4vCPU, 4 GB RAM, 40 GB HDD)
- Required test interfaces: 1,2,4 port 1/10Gb NICs
- Management interface: 1/10Gb port

Supported Browsers:

- Google Chrome – version 90 and above
- Microsoft Edge – version 90 and above
- Mozilla Firefox – Version 90 and above
- Apple Safari – Version 14 and above




Figure 1. Test case overview




Figure 2. Test progress report

About Veryx Technologies

Veryx Technologies (www.veryxtech.com) is an innovative enterprise providing solutions that enhance product quality and testing efficiency. Leading equipment vendors, rely on the ATTEST range of products for testing applications in Access, Carrier Ethernet, Data Center, Edge, Enterprise, Industrial Networking and Security domains for over a decade. The unique offerings from Veryx enable customers to reduce the “time-required-to-test” and enhance their “time-to-market”

USA

Veryx Technologies Inc.
1 International Plaza, Suite 550
Philadelphia
PA 19113 USA

Phone: +1 267 440 0140
Intl.: +44 20 33 71 86 91
Email: info@veryxtech.com

India

Veryx Technologies Pvt. Ltd.
Bharati Vilas, II Floor, 26B
Jawaharlal Nehru Road
Ekkatuthangal,
Guindy Industrial Estate
Chennai 600032

Phone: +91 (44) 66772200
Email: info@veryxtech.com

UAE

Veryx Technologies
Suite 111, Red Avenue Building,
Al Gharhoud, Dubai,
United Arab Emirates

Phone: +1 267 440 0140
Email: info@veryxtech.com