

COMPATIBILITY GUIDE




-  **Fully assembled** Mass Spectrometer Bench.
-  **Fully movable** with lockable castor wheels.
-  Integrated vacuum pump(s) **noise enclosure**.
-  Fan **heat extraction** system.
-  Hoses & wires **grommets**.
-  Vacuum pump(s) **dampening vibration** system.
-  Overheating **temperature alarm**.




Delivered fully assembled




Fully movable



Integrated noise enclosure



Fan heat extraction system
Hoses & wires grommets



Dampening vibration system



Overheating temperature alarm

COMPATIBILITY GUIDE

TECHNOLOGY	BRUKER INSTRUMENTS	ionBench MODELS
MS only 	EVOQ LC-TQ Qube, amaZon series	BCH120NE58
	EVOQ DART-TQ+ - short version	BCH8097-DART-SET p/n 1907005
	EVOQ DART-TQ+ - large version	BCH16597-DART-SET p/n 1907004
	EVOQ LC-TQ Elite	BCH120NE78
	compact, impact II VIP	BCH120NECLH66_IM PACT-SET p/n 1907006
	timsTOF SCP, timsTOF Ultra	BCH140-BRUKER-SET p/n 1887558



timsTOF SCP
BCH140-BRUKER-SET



amaZon series
BCH120NE58



EVOQ DART-TQ+
BCH8097-DART-SET

COMPATIBILITY GUIDE

TECHNOLOGY	BRUKER INSTRUMENTS	ionBench MODELS
LC/MS 	EVOQ LC-TQ Qube, amaZon series & nanoElute & Elute LC series	BCH190NE58
	EVOQ LC-TQ Elite & nanoElute & Elute LC series	BCH190NE78
	compact, impact II VIP & nanoElute & Elute LC series	BCH120NECLH66_ IMPACT-SET p/n 1907006
	timsTOF HT, timsTOF Pro & nanoElute & Elute LC series	BCHLC6575-BRUSET p/n 1892593



**nanoElute LC series &
timsTOF Pro**
BCHLC6575-BRUSET



**Elute LC Series &
amaZon series**
BCH190NE58



**Elute LC series &
EVOQ LC-TQ Elite**
BCH190NE78

COMPATIBILITY GUIDE

TECHNOLOGY	BRUKER INSTRUMENTS	ionBench MODELS
GC/MS 	EVOQ GC-TQ Speed	BCH120NE58
	GC-APCI	BCHLC_GC-APCI-SET p/n 1906944



EVOQ GC-TQ Speed
BCH120NE58




GC-APCI
BCHLC_GC-APCI-SET

COMPATIBILITY GUIDE



-  **Fully assembled** Liquid Chromatography Bench.
-  **Fully movable** with lockable castor wheels.
-  Electrically **height adjustable**.
-  **Chemical resistant** worksurface.
-  **Tubing management**.
-  **Minimize dead volume** between LC and MS.
-  **Safe access** to mobile phase bottles.




Delivered fully assembled



Fully movable



Weight capacity up to 250 kg



Tubing path system
for waste management



Digital display for height
adjustment



Chemically resistant and easy to
clean.

COMPATIBILITY GUIDE

TECHNOLOGY	BRUKER INSTRUMENTS	ionBench MODELS
LC only	nanoElute & Elute LC series	BCHLC6575-BRASET p/n 1892593
	Elute LC series with Column oven	BCHLC6765
	Elute OLE	BCHLC9075



nanoElute LC series
BCHLC6575-BRASET



Elute OLE
BCHLC9075



Elute LC series with Column oven
BCHLC6765

CONTACT US



EUROPE

+33 (0) 9 70 44 65 57

contact@ionbench.com



US

+1 984-317-9236

contact_us@ionbench.com