



Delta Labs of South Florida Corp.
Your contract laboratory testing solution for cosmetics,
pharmaceutical, dietary supplements and many more
9401 NW 106th Street, Suite 101, Medley Florida 33178
Phone: 888-718-9906 Mobile: 786-407-7772
Email: info@deltalabscorp.com
www.deltalabscorp.com




CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24			
ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS			
AMAZON TESTING PROGRAM			
PRODUCT NAME	PREPARE Capsules		
PRODUCT LOT NUMBER	L18131		
CUSTOMER AND ADDRESS	DESIREWILL LLC (VIVAGUT) hello@vivagut.us Address redacted for privacy		
SAMPLE DESCRIPTION	Finished Product		
QUANTITY RECEIVED	50 Capsules	RUSH	No
RECEIVED DATE	06/10/26		
LAB ID	26253		
TEST	METHOD	RESULT	SPECIFICATION ⁽¹⁾
<i>Saccharomyces boulardii</i>	Probiotic Enumeration Modified USP 43	680 mg/2 capsules	100 % Label Claim of 500 mg/2 capsules
<i>Bacillus coagulans</i>		70 mg/2 capsules	100 % Label Claim of 40 mg/2 capsules
Heavy Metals	Heavy Metals via ICP/MS	< 10 ppm	NMT 10.0 ppm
Lead (Pb)		0.0006 ppm	NMT 0.5 ppm
Arsenic (As)		0.0004 ppm	NMT 1.5 ppm
Mercury (Hg)		0.0002 ppm	NMT 0.1 ppm
Cadmium (Cd)		0.0002 ppm	NMT 0.5 ppm
Total Plate Count	USP 43 <61>	1,730 CFU/g	NMT 10,000 CFU/g
Total Yeast and Mold Count	USP 43 <61>	<10 CFU/g	NMT 1,000 CFU/g
<i>Staphylococcus aureus</i>	USP 43 <62>	Negative	Negative
<i>Escherichia coli</i>	USP 43 <62>	Negative	Negative
<i>Salmonella spp.</i>	USP 43 <62>	Negative	Negative

Please note: The testing shown on this report is **FDA** and **DEA** regulated. Legal action will be taken against all companies that modify this report.



Delta Labs of South Florida Corp.
Your contract laboratory testing solution for cosmetics,
pharmaceutical, dietary supplements and many more
9401 NW 106th Street, Suite 101, Medley Florida 33178
Phone: 888-718-9906 Mobile: 786-407-7772
Email: info@deltalabscorp.com
www.deltalabscorp.com



PJLA
ISO/IEC 17025:2017
Accreditation # 114871



CR QA100.A, Certificate of Analysis Form, Revision 3, Effective Date 08/16/24			
ANALYTICAL/CHEMICAL CERTIFICATE OF ANALYSIS			
AMAZON TESTING PROGRAM			
PRODUCT NAME	PREPARE Capsules		
PRODUCT LOT NUMBER	L18131		
CUSTOMER AND ADDRESS	DESIREWILL LLC (VIVAGUT) hello@vivagut.us Address redacted for privacy		
SAMPLE DESCRIPTION	Finished Product		
QUANTITY RECEIVED	50 Capsules	RUSH	No
RECEIVED DATE	06/10/26		
LAB ID	26253		
TEST	METHOD	RESULT	SPECIFICATION ⁽¹⁾
Bile Tolerant Gram-Negative Bacteria	USP 43 <62>	< 10 CFU/g	NMT 10,000 CFU/g

Report Prepared By/Date:  / 06/29/26
(Quality Assurance Specialist)

Report Reviewed By/Date:  / 06/29/26
(Quality Assurance Manager)

The results displayed on this report are representative of the samples received for testing and may not indicate the entire manufacturing batch or lot. All testing is performed under strict GLP to ensure accuracy. This report is intended to be submitted to the client addressed above and may not be reproduced or used in any advertising or sale of any product or process without written authorization. Delta Labs of South Florida is a Perry Johnson ISO 17025:2017 accredited testing laboratory. All ISO 17025 requirements and practices were followed during the testing, reporting and processing of the aforementioned product. The scope of accreditation can be found in the PJLA websites.
(1) Provided by Customer

Please note: The testing shown on this report is FDA and DEA regulated. Legal action will be taken against all companies that modify this report.