




Datasheet

Specifications CoWin Horizon.

Ne verferrunt invel ipisqui atempor arum aut abo. Berioست que imus aut faccati storrov idictus atibus molor sanis volupti volorpo rporpor epudaep udiorehenit mincid que ma voluptatis di sed ernamus enisitia que exped eum sint, nes dolorem poreri comnit alitatio omnis venim derio.



Processing unit

Processor
Intel i3

Operating System
Windows 11 IoT Enterprise



Chassis

Dimensions (HxWxD)
825 × 620 × 120 mm

Material - Frame
2mm steel, powder coated K

Material - Touch
10 mm toughened glass

Weight
25 kg (approximately)

Strenght norm
IEC 62262 - IK10



Environmental

IP Rating
IPx5

Operating temperature
0 - 35 degrees Celsius



Display

Screensize
32 inch (81cm)

Resolution
1920 × 1080 (Full HD)

Orientation
Landscape



Touch

Technology
Projected Capacitive

Touch resolution
2 - 3 mm

Latency
< 10 ms



Audio

Speakers
Hidden

Range
60 - 20.000 Hz

Output power
2 × 13 Watt



Power

Rating
100 - 240 Volt (single phase, 50/60 Hz)

Nominal / Maximal
70 Watt / 90 Watt

Sleep mode
30 Watt



Curious how CoWin works in practice?
Schedule a personal demo.

Want more information?
Visit reconnect.com

Reconnect brings back
control, calm and clarity.
Because humanity
should never disappear.



RECONNECT

Human touch.
In every interaction.

Discover more at www.reconnect.nl