







## Aerial Unitube Fig.8

UNARM-UT-FIG.8

-  CATV
-  Aerial Short Span
-  Feeder and Distribution
-  Access Network
-  LAN & FTTX




### Unarmoured Unitube Fig 8




Customized Options
• Single mode and Multimode Fibres
• Outer Sheath in LDPE/MDPE/LSZH/HDPE/LLDPE
• Desired Sheath Colour
• Enhanced Tensile performance
• Messenger FRP or Bunch wire or Messenger steel wire


## Temperature Performance(°C)



Installation



Operation



Storage

## Unitube Figure 8 Aerial Cable

Type	Fiber Count	Fiber/Tube	Diameter (MM)	Weight (KG/KM)	Tensile Strength (N)		Crush	Bending Radius	
					I	O		I	O
1 T x 2F	2	2	(6.5 x 12.5) ± 0.5	60 + 10	1000	500	1000 N/10 CM	10 X D	20 X D
1 T X 4F	4	4	(6.5 x 12.5) ± 0.5	60 + 10					
1 T X 6F	6	6	(6.5 x 12.5) ± 0.5	60 + 10					
1 T X 8F	8	8	(6.5 x 12.5) ± 0.5	60 + 10					
1 T X 12F	12	12	(6.5 x 12.5) ± 0.5	60 + 10					
1 T X 16F	16	16	(6.5 x 13.0) ± 1	75 + 10					
1 T X 24F	24	24	(6.5 x 13.0) ± 1	75 + 10					
I - Installation		O - Operational		D - Cable Diameter					