




Two Striper®

PRODUCT REFERENCE GUIDE



THE P.B.S.® BRAZE DIFFERENCE

Two Striper®, from Abrasive Technology, is the original brazed diamond dental bur. Our proprietary P.B.S.® brazing process:

- Uses a nickel chrome alloy to chemically adhere each individual crystal to a stainless steel blank.
- Creates permanent bond between diamond layer and the substrate.
- Extends working life of the tool.
- Prevents stripping and peeling.

With the combination of our meticulous natural virgin diamond selection and superior engineering, Two Striper® burs:

- Provide uncommonly smooth surface finish.
- Eliminate the need for second pass over a crown with a finer grit diamond.
- Reduce both prep time and cost.




High magnification photo of diamond crystals on a Two Striper® instrument.

NEW DIAMOND BUR TIP


Two Striper. P.B.S.® BRAZE

Significant diamond coverage and exposure.




ELECTROPLATED

Minimal to no diamond coverage and exposure.




Two Striper. P.B.S.® BRAZE

Diamonds are still present. The diamonds wear smooth and do not pull out.



ELECTROPLATED

Diamonds have pulled out.




USED DIAMOND BUR TIP









We use natural, virgin diamond crystals — which have more corners and angles than synthetics — for superior abrasion.

Two Striper[®] DIAMOND BUR SPECIFICATIONS



Line drawing - actual size and shape of abrasive length and neck.



| Bur Specifications | | |
|--------------------|---|---------|
| Bur Type | Bur Length | ISO No. |
| FG |  19 mm | 314 |
| RA |  22 mm | 204 |
| HP |  44.5 mm | 104 |
| FG Shortcut |  16 mm | 313 |
| FG Long |  21 mm | 315 |

| Grit Selection | | | |
|----------------|-----------|-----------|-------------|
| Grit | Grit Code | Grit Size | Micron Size |
| Coarse | C | 120 - 140 | 105 - 120μ |
| Medium | M | 170 - 200 | 74 - 88 |
| Fine | F | 230 - 270 | 53 - 62 |
| Very Fine | VF | - | 45 |
| Micro Fine 1 | MF 1 | - | 45 |
| Micro Fine 2 | MF 2 | - | 20 |
| Micro Fine 3 | MF 3 | - | 10 |

■ Coarse
 ■ Medium
 ■ Fine
 ■ Very Fine
■ Micro Fine 1
 ■ Micro Fine 2
 ■ Micro Fine 3






FG DIAMOND BURS




(*) The designated shapes are available with an RA type shank.







(**) The designated shapes ONLY available in a RA type shank.








Two Striper

| Tool Number | |
|---------------|---|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |

| AMALGAM REMOVER | | | | |
|---|---|---|---|---|
|  |  |  |  |  |
| 1210 | 1220 | 1225 | 1240 | 1250 |
| 1.3 | 1.6 | 2.1 | 1.1 | 1.3 |
| 1.2 | 1.5 | 2.0 | 1.0 | 1.2 |
| 1.2 | 1.4 | 2.0 | 0.9 | 1.1 |
| | | | | |
| 032 | 032 | 032 | 032 | 032 |
| 813 | 813 | 813 | 813 | 813 |













| BARREL | | |
|---|---|---|
|  |  |  |
| 230 | 234 | 240 |
| 3.4 | 4.1 | 4.8 |
| 3.3 | 4.0 | 4.7 |
| 3.2 | 3.9 | 4.6 |
| 3.1 | 3.8 | 4.5 |
| 3.1 | 3.8 | 4.5 |
| 038 | 039 | 039 |
| 811 | 811 | 811 |







| COMPOSITE FINISHER | | | | | |
|--|---|---|---|---|---|
|  |  |  |  |  |  |
| T0 | F0 | T1 | F1 | T2 | F2 |
| | | | | | |
| 2.3 | | 3.0 | | 3.2 | |
| | | | | | |
| | 2.2 | | 2.9 | | 3.1 |
| | | | | | |
| 031 | 031 | 031 | 031 | 031 | 031 |
| 905 | 905 | 905 | 905 | 905 | 905 |


| CONE | | | | | | |
|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |
| 205.1.25 | 206.2 | 207.7 | 207.10 | 209.6 | 209.10 | 608.9 |
| | 1.6 | 1.5 | 1.9 | 1.6 | 2.3 | 1.4 |
| 1.2 | 1.5 | 1.4 | 1.8 | 1.5 | 2.3 | 1.3 |
| 1.1 | 1.4 | 1.3 | 1.7 | 1.5 | 2.2 | 1.3 |
| 1.0 | 1.3 | 1.2 | 1.6 | 1.4 | 2.1 | 1.2 |
| 1.0 | 1.3 | 1.2 | 1.6 | 1.4 | 2.1 | 1.2 |
| 161 | 161 | 165 | 166 | 164 | 166 | 166 |
| - | - | 858 | 859 | 852 | 852L | 859 |

Two Striper

| Tool Number | |
|---------------|---|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |














| CONE, INVERTED | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |
| 310.1 | 315.1.75 | 317.4 | 318.5 | 320.2 | 324.1 | 360.3 | 360.4 | 362.4 | 390.3 | 392.3 | 394.3 |
| 1.3 | 1.6 | 1.7 | 1.8 | 1.7 | 2.1 | 1.1 | 1.4 | 1.3 | 1.2 | 1.3 | 1.6 |
| 1.2 | 1.5 | 1.6 | 1.7 | 1.6 | 2.1 | 1.0 | 1.4 | 1.2 | 1.1 | 1.3 | 1.5 |
| 1.1 | 1.5 | 1.6 | 1.7 | 1.5 | 2.0 | 1.0 | 1.3 | 1.1 | 1.0 | 1.2 | 1.4 |
| 1.0 | 1.4 | 1.4 | 1.6 | 1.5 | 1.9 | 0.9 | 1.2 | 1.1 | 0.9 | 1.1 | 1.3 |
| 1.0 | 1.4 | 1.4 | 1.6 | 1.5 | 1.9 | 0.9 | 1.2 | 1.1 | 0.9 | 1.1 | 1.3 |
| 225 | 225 | 226 | 226 | 225 | 011 | 226 | 226 | 226 | 019 | 019 | 019 |
| 805 | 805 | 807 | 807 | 805 | 805 | 805 | 807 | 807 | 806 | 806 | 806 |









| CROWN CUT™ | | | | | |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| SC5 | SC8 | SC10 | ST6 | ST8 | ST11 |
| 1.7 | 1.7 | 1.9 | 1.8 | 1.8 | 1.8 |
| | | | | | |
| | | | | | |
| | | | | | |
| 511 | 513 | 515 | 517 | 519 | 521 |
| - | - | - | - | - | - |



Two Striper

| Tool Number | |
|---------------|---|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |

| CYLINDER, BEVELED | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |  |  |
| 244.10 | 247.9 | 248.8 | 250.8 | 250.9 | 250.11 | 251.8 | 255.8 | 259.8 | 510.6 | 510.8 | 511.8 | 511.10 |
| 1.3 | 1.8 | 1.1 | 1.2 | 1.2 | 1.2 | 1.2 | 1.8 | 2.6 | 1.0 | 1.0 | 1.2 | 1.2 |
| 1.2 | 1.7 | 1.0 | 1.2 | 1.2 | 1.2 | 1.2 | 1.7 | 2.5 | 1.0 | 1.0 | 1.2 | 1.2 |
| 1.2 | 1.7 | 1.0 | 1.1 | 1.1 | 1.1 | 1.1 | 1.6 | 2.4 | 0.9 | 0.9 | 1.1 | 1.1 |
| 1.1 | 1.6 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.5 | 2.3 | 0.9 | 0.9 | 1.1 | 1.1 |
| 1.1 | 1.6 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.5 | 2.3 | 0.9 | 0.9 | 1.1 | 1.1 |
| 131 | 130 | 130 | 130 | 130 | 131 | 130 | 130 | 130 | 129 | 130 | 131 | 131 |
| 879 | - | 885 | 885 | 886 | 886 | 885 | 862 | - | 877 | 878 | 878 | 879 |


| CYLINDER, FLAT END | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| 513.4 | 513.5 | 514.3 | 514.4 | 514.5 | 514.7 | 514.7 | 515.5 |
| 1.0 | 1.0 | 1.1 | 1.1 | 1.1 | 1.1 | 1.1 | 1.2 |
| 0.9 | 0.9 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.2 |
| 0.8 | 0.8 | 1.0 | 1.0 | 1.0 | 1.0 | 1.0 | 1.1 |
| 0.7 | 0.7 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.0 |
| 0.7 | 0.7 | 0.9 | 0.9 | 0.9 | 0.9 | 0.9 | 1.0 |
| 109 | 109 | 108 | 109 | 109 | 109 | 110 | 109 |
| 835 | 836 | 835 | 835 | 836 | 837 | 836 | 836 |

(*) The designated shapes are available with an RA type shank. | (***) The designated shapes ONLY available in a RA type shank.

Two Striper

CYLINDER, FLAT END

| Tool Number | 515.7 | 515.8 | 516.7 | 520.4 | 520.8 |
|---------------|-------|-------|-------|-------|-------|
| C | 1.2 | 1.3 | 1.6 | 1.5 | 1.5 |
| M | 1.2 | 1.2 | 1.5 | 1.4 | 1.4 |
| F | 1.1 | 1.1 | 1.5 | 1.3 | 1.3 |
| VF | 1.0 | 1.0 | 1.3 | 1.2 | 1.2 |
| MF1, 2, 3 | 1.0 | 1.0 | 1.3 | 1.2 | 1.2 |
| ISO Shape | 110 | 111 | 110 | 109 | 111 |
| Nominal Shape | 837 | 837 | 837 | 835 | 837 |



ROUND END CYLINDER

A round end cylinder can create a shoulder with a rounded internal angle. This finish line can then be beveled or chamfered.

CYLINDER, ROUND EDGE

| Tool Number | 512.1.8 | 551.8 | 574.7KS-0 | 575.7KS-1 | 585.5KS-4 | 585.8KS-2 | 586.8 | 587.4KS-5 | 587.8KS-3 |
|---------------|---------|-------|-----------|-----------|-----------|-----------|-------|-----------|-----------|
| C | 0.8 | 1.6 | 1.0 | 1.2 | 1.4 | 1.4 | 1.5 | 1.8 | 1.8 |
| M | 0.7 | 1.5 | 0.9 | 1.1 | 1.3 | 1.3 | 1.4 | 1.7 | 1.7 |
| F | 0.6 | 1.5 | 0.8 | 1.0 | 1.2 | 1.2 | 1.3 | 1.7 | 1.7 |
| VF | 0.6 | 1.3 | 0.8 | 1.0 | 1.2 | 1.2 | 1.3 | 1.6 | 1.6 |
| MF1, 2, 3 | 0.6 | 1.3 | 0.7 | 0.9 | 1.2 | 1.2 | 1.2 | 1.6 | 1.6 |
| ISO Shape | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 | 146 |
| Nominal Shape | 835M | - | 837KR | 837KR | 836KR | 837KR | 837KR | 835KR | 837KR |

CYLINDER, ROUND END

| Tool Number | 550.8 | 552.8 | 553.8 | 572.3 | 573.6 | 588.10 |
|---------------|-------|-------|-------|-------|-------|--------|
| C | 1.4 | 1.9 | 1.6 | 1.1 | 1.2 | 1.3 |
| M | 1.3 | 1.8 | 1.5 | 1.0 | 1.1 | 1.2 |
| F | 1.2 | 1.7 | 1.5 | 0.9 | 1.0 | 1.1 |
| VF | 1.1 | 1.6 | 1.3 | 0.8 | 0.9 | 1.0 |
| MF1, 2, 3 | 1.1 | 1.6 | 1.3 | 0.8 | 0.9 | 1.0 |
| ISO Shape | 141 | 141 | 141 | 138 | 140 | 142 |
| Nominal Shape | 881 | 881 | 881 | 838 | 880 | 882 |

Two Striper

DEPTH CUTTER

| Tool Number | DC.5 | DC.75 | DC1.0 | DC1.5 | DCB.5 |
|---------------|------|-------|-------|-------|-------|
| C | 1.2 | 1.2 | 1.2 | 1.2 | |
| M | 1.1 | 1.1 | 1.1 | 1.1 | |
| F | 1.0 | 1.0 | 1.0 | 1.0 | 0.4 |
| VF | 0.9 | 0.9 | 0.9 | 0.9 | |
| MF1, 2, 3 | | | | | |
| ISO Shape | 500 | 500 | 500 | 500 | 500 |
| Nominal Shape | - | - | - | - | - |



DEPTH CUTTER

Depth cutter burs precisely reduce the enamel labial surface of the tooth. Use multiple depth cuts for optimum reduction.

DEPTH MARKER


| Tool Number | DC0.3 | DC0.5 |
|---------------|-------|-------|
| C | | |
| M | 1.5 | 2.0 |
| F | | |
| VF | | |
| MF1, 2, 3 | | |
| ISO Shape | 552 | 552 |
| Nominal Shape | 834 | 834 |

EGG

| Tool Number | 207.3 | 287.4 | 295.6 |
|---------------|-------|-------|-------|
| C | 1.6 | 2.3 | 4.1 |
| M | 1.5 | 2.2 | 4.0 |
| F | 1.4 | 2.2 | 3.9 |
| VF | 1.3 | 2.1 | 3.8 |
| MF1, 2, 3 | 1.3 | 2.1 | 3.8 |
| ISO Shape | 274 | 277 | 277 |
| Nominal Shape | 379 | 379 | 379 |

END CUTTING TGE™

| Tool Number | TGE 1.0 | TGE 1.2 | TGE 1.4 | TGE 1.6 |
|---------------|---------|---------|---------|---------|
| C | | | | |
| M | 0.9 | 1.1 | 1.3 | 1.4 |
| F | 0.9 | 1.0 | 1.2 | 1.3 |
| VF | 0.8 | 0.9 | 1.1 | 1.3 |
| MF1, 2, 3 | | | | |
| ISO Shape | 150 | 150 | 150 | 150 |
| Nominal Shape | 10839 | 10839 | 10839 | 10839 |



END CUTTING TGE™ BURS

Excellent for refining a shoulder preparation without the danger of removing additional dentin.

Two Striper

FLAME

| Tool Number | 242.6 | 243.6 | 245.10 | 246.7 | 249.10 | 252.6 | 252.8 | 252.10 | 253.6 | 253.8 | 253.10 | 254.6 | 254.8 | 254.10 | 255.10 | 256.8 | 257.8* | 258.6 | 258.8 | 260.3 |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| C | 1.0/1.5 | 1.3/1.7 | 0.6/1.7 | 0.5/1.7 | 0.3/1.3 | 0.4/1.4 | 0.4/1.4 | 0.4/1.4 | 0.4/1.6 | 0.4/1.6 | 0.4/1.6 | 0.4/1.8 | 0.4/1.8 | 0.4/2.2 | 0.4/1.8 | 0.4/1.7 | 0.4/2.0 | 0.4/2.0 | 0.4/2.2 | 0.4/1.0 |
| M | 0.9/1.4 | 1.2/1.6 | 0.5/1.6 | 0.4/1.6 | 0.3/1.3 | 0.3/1.3 | 0.3/1.3 | 0.3/1.3 | 0.3/1.5 | 0.3/1.5 | 0.3/1.5 | 0.3/1.7 | 0.3/1.7 | 0.3/2.1 | 0.3/1.7 | 0.3/1.6 | 0.3/1.9 | 0.3/2.0 | 0.3/2.1 | 0.3/0.9 |
| F | 0.8/1.3 | 1.1/1.5 | 0.5/1.5 | 0.4/1.6 | 0.2/1.2 | 0.2/1.3 | 0.2/1.3 | 0.2/1.3 | 0.2/1.4 | 0.2/1.4 | 0.2/1.4 | 0.2/1.7 | 0.2/1.7 | 0.2/2.0 | 0.2/1.7 | 0.2/1.5 | 0.2/1.8 | 0.2/1.9 | 0.2/2.0 | 0.2/0.8 |
| VF | 0.8/1.2 | 1.0/1.4 | 0.4/1.4 | 0.3/1.4 | 0.1/1.1 | 0.2/1.2 | 0.2/1.2 | 0.2/1.2 | 0.2/1.3 | 0.2/1.3 | 0.2/1.3 | 0.2/1.6 | 0.2/1.6 | 0.2/1.9 | 0.2/1.6 | 0.2/1.5 | 0.2/1.8 | 0.2/1.8 | 0.2/1.9 | 0.2/0.7 |
| MF1, 2, 3 | 0.8/1.2 | 1.0/1.4 | 0.4/1.4 | 0.3/1.4 | 0.1/1.1 | 0.2/1.2 | 0.2/1.2 | 0.2/1.2 | 0.2/1.3 | 0.2/1.3 | 0.2/1.3 | 0.2/1.6 | 0.2/1.6 | 0.2/1.9 | 0.2/1.6 | 0.2/1.4 | 0.2/1.8 | 0.2/1.8 | 0.2/1.9 | 0.2/0.7 |
| ISO Shape | 297 | 297 | 299 | 297 | 299 | 297 | 298 | 299 | 297 | 298 | 299 | 297 | 298 | 299 | 299 | 298 | 298 | 297 | 298 | 246 |
| Nominal Shape | 860 | 860 | 863 | 862 | 879 | 877K | 878K | 879K | 877K | 878K | 879K | 877K | 878K | 879K | 863 | 856 | 856 | 855 | 856 | 860 |

Two Striper | FG BURS

(*) The designated shapes are available with an RA type shank. | (***) The designated shapes ONLY available in a RA type shank.

Two Striper

| FLAME | | | | | | | | | | | | | |
|---------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|---------|---------|---------|
| Tool Number | 260.6.5 | 260.8* | 260.10 | 261.4 | 261.8 | 262.6.5 | 262.8 | 262.10 | 263.8 | 265.6.5* | 265.8 | 266.7.5 | 267.8 |
| C | 0.4/1.3 | 0.4/1.4 | 0.5/1.4 | 0.4/1.4 | 0.4/1.1 | 0.4/1.3 | 0.6/1.7 | 0.6/1.7 | 0.4/1.6 | 0.5/1.4 | 0.4/1.4 | 0.5/1.4 | 0.4/1.4 |
| M | 0.3/1.2 | 0.3/1.3 | 0.4/1.3 | 0.4/1.3 | 0.3/1.0 | 0.4/1.2 | 0.5/1.6 | 0.5/1.6 | 0.3/1.5 | 0.5/1.3 | 0.3/1.4 | 0.4/1.3 | 0.3/1.3 |
| F | 0.2/1.2 | 0.3/1.3 | 0.4/1.2 | 0.3/1.2 | 0.3/1.0 | 0.3/1.2 | 0.4/1.5 | 0.4/1.5 | 0.3/1.4 | 0.4/1.2 | 0.3/1.3 | 0.4/1.2 | 0.3/1.2 |
| VF | 0.2/1.1 | 0.1/1.1 | 0.3/1.1 | 0.2/1.1 | 0.2/0.8 | 0.2/1.1 | 0.3/1.4 | 0.4/1.4 | 0.2/1.3 | 0.3/1.2 | 0.2/1.2 | 0.3/1.1 | 0.2/1.2 |
| MF1, 2, 3 | 0.2/1.1 | 0.1/1.1 | 0.3/1.1 | 0.2/1.1 | 0.2/0.8 | 0.2/1.1 | 0.3/1.4 | 0.4/1.4 | 0.2/1.3 | 0.3/1.2 | 0.2/1.2 | 0.3/1.1 | 0.2/1.2 |
| ISO Shape | 297 | 249 | 250 | 247 | 298 | 297 | 298 | 298 | 298 | 248 | 248 | 298 | 298 |
| Nominal Shape | - | 862 | 863 | 860 | 888 | 877K | 878K | 879K | - | 860 | 862 | - | - |



FLAME
A flame shaped diamond gives a perfect chamfer finish line to a crown preparation.

| FLAME | | | | |
|---------------|---------|---------|---------|---------|
| Tool Number | 270.5 | 270.6.5 | 270.9 | 275.9 |
| C | 0.5/1.6 | 0.4/1.9 | 0.5/1.9 | 0.4/2.2 |
| M | 0.5/1.5 | 0.3/1.8 | 0.4/1.8 | 0.4/2.2 |
| F | 0.4/1.4 | 0.2/1.7 | 0.4/1.7 | 0.3/2.1 |
| VF | 0.3/1.4 | 0.2/1.6 | 0.3/1.6 | 0.2/2.0 |
| MF1, 2, 3 | 0.3/1.4 | 0.2/1.6 | 0.3/1.6 | 0.2/2.0 |
| ISO Shape | 247 | 297 | 298 | 298 |
| Nominal Shape | 860 | 862 | 863 | - |

Two Striper

| FOOTBALL | | | | | | | | |
|---------------|-------|-------|-------|--------|-------|-------|---------|--------|
| Tool Number | 281.5 | 283.4 | 284.5 | 285.5* | 286.5 | 290.4 | 291.4** | 292.3* |
| C | 2.6 | 2.5 | 2.2 | 2.3 | 2.3 | 1.9 | 1.2 | 1.6 |
| M | 2.5 | 2.4 | 2.2 | 2.2 | 2.3 | 1.8 | 1.1 | 1.5 |
| F | 2.4 | 2.3 | 2.1 | 2.2 | 2.2 | 1.7 | 1.0 | 1.5 |
| VF | 2.3 | 2.2 | 2.0 | 2.1 | 2.1 | 1.6 | 0.9 | 1.4 |
| MF1, 2, 3 | 2.3 | 2.2 | 2.0 | 2.0 | 2.1 | 1.6 | 0.9 | 1.4 |
| ISO Shape | 243 | 243 | 243 | 243 | 243 | 243 | 243 | 243 |
| Nominal Shape | 368 | 368 | 368 | 368 | 368 | 368 | 889 | 368 |



FOOTBALL
A football shaped diamond is used to obtain a perfect shape when lingual reduction is necessary.

| GINGIVAL CURETTAGE GCP™ | | | | | | | |
|-------------------------|---------|---------|---------|---------|---------|---------|---------|
| Tool Number | 252.SA | 253.SA | 254.SA | 252.SB | 253.SB | 254.SB | 257.SB |
| C | 0.4/1.4 | 0.4/1.6 | 0.4/1.8 | 0.4/1.4 | 0.4/1.6 | 0.4/1.8 | 0.4/2.0 |
| M | 0.3/1.3 | 0.3/1.5 | 0.3/1.7 | 0.3/1.3 | 0.3/1.5 | 0.3/1.7 | 0.3/1.9 |
| F | 0.2/1.3 | 0.2/1.4 | 0.2/1.7 | 0.2/1.3 | 0.2/1.4 | 0.2/1.7 | 0.2/1.8 |
| VF | | | | | | | |
| MF1, 2, 3 | | | | | | | |
| ISO Shape | 297 | 297 | 297 | 298 | 298 | 298 | 298 |
| Nominal Shape | 877K | 877K | 877K | 878K | 878K | 878K | 878K |

Two Striper

| GINGIVAL CURETTAGE GCP™ | | | | |
|-------------------------|---------|---------|---------|---------|
| Tool Number | 258.SB | 252.SC | 253.SC | 254.SC |
| C | 0.4/2.2 | 0.4/1.4 | 0.4/1.8 | 0.4/2.2 |
| M | 0.3/2.1 | 0.3/1.3 | 0.3/1.7 | 0.3/2.1 |
| F | 0.2/2.0 | 0.2/1.3 | 0.2/1.7 | 0.2/2.0 |
| VF | | | | |
| MF1, 2, 3 | | | | |
| ISO Shape | 298 | 299 | 299 | 299 |
| Nominal Shape | 878K | 879K | 879K | 879K |

| INTERPROXIMAL TRIMMER | | | | |
|-----------------------|---------|---------|---------|----------|
| Tool Number | 200.3 | 201.3 | 203.5 | 204.3.5 |
| C | | | | |
| M | 0.3/0.8 | 0.3/0.8 | | |
| F | 0.2/0.7 | 0.3/0.8 | 0.3/1.5 | 0.5/ 3.4 |
| VF | 0.2/0.6 | 0.1/0.6 | 0.2/1.4 | 0.3/3.2 |
| MF1, 2, 3 | 0.2/0.6 | 0.1/0.6 | 0.2/1.4 | |
| ISO Shape | 160 | 160 | 296 | 296 |
| Nominal Shape | 955 | 956 | 392 | 833 |

| MICROPREP™ | | | | | | |
|---------------|-------|-------|------|-------|-------|------|
| Tool Number | MP30R | 830RM | MP38 | MP53A | 953AM | MP89 |
| C | | | | | | 0.8 |
| M | 1.2 | 0.9 | 0.7 | 1.3 | 1.4 | 0.7 |
| F | 1.1 | 0.8 | 0.6 | 1.3 | 1.3 | 0.7 |
| VF | | | | | | 0.6 |
| MF1, 2, 3 | | | | | | 0.6 |
| ISO Shape | 237 | 238 | 138 | 310 | 103 | 246 |
| Nominal Shape | 830RM | 830M | 838M | 953AM | 953M | 889M |

| OPERATIVE | | | | |
|---------------|----------|---------|---------|--------|
| Tool Number | SIZE 1/4 | SIZE 1* | SIZE 2* | SIZE 6 |
| C | 0.7 | 0.8 | 1.1 | 1.9 |
| M | 0.7 | 0.8 | 1.0 | 1.8 |
| F | 0.6 | 0.7 | 0.9 | 1.7 |
| VF | 0.5 | 0.6 | 0.8 | 1.6 |
| MF1, 2, 3 | 0.5 | 0.6 | 0.8 | 1.6 |
| ISO Shape | 001 | 001 | 001 | 001 |
| Nominal Shape | 801 | 801 | 801 | 801 |

(*) The designated shapes are available with an RA type shank. | (**) The designated shapes ONLY available in a RA type shank.

Two Striper.

| OPERATIVE | | | | | | | | |
|---------------|-----------|-----------|----------|----------|----------|----------|----------|----------|
| Tool Number | SIZE 169L | SIZE 170L | SIZE 245 | SIZE 330 | SIZE 556 | SIZE 557 | SIZE 558 | SIZE 701 |
| C | 1.1 | 1.2 | 1.1 | 1.0 | 1.0 | 1.1 | 1.3 | 1.4 |
| M | 1.0 | 1.1 | 1.0 | 0.9 | 0.9 | 1.0 | 1.2 | 1.3 |
| F | 0.9 | 1.0 | 0.9 | 0.8 | 0.9 | 1.0 | 1.2 | 1.2 |
| VF | 0.8 | 1.0 | 0.8 | 0.8 | 0.8 | 0.9 | 1.1 | 1.1 |
| MF1, 2, 3 | 0.8 | 1.0 | 0.8 | 0.8 | 0.8 | 0.9 | 1.1 | 1.1 |
| ISO Shape | 170 | 170 | 238 | 237 | 169 | 170 | 170 | 170 |
| Nominal Shape | - | - | 830 | 822 | 835 | 835 | 835 | - |




OPERATIVE
Operative diamonds have many advantages over carbide burs when performing restorative dentistry.

| PEAR | | | | | | |
|---------------|----------|----------|-------|---------|-------|---------|
| Tool Number | 350.2.75 | 351.3.75 | 352.4 | 353.4.5 | 360.2 | 361.2.5 |
| C | 1.1 | 1.1 | 1.3 | 1.5 | 1.0 | 1.2 |
| M | 1.0 | 1.0 | 1.2 | 1.4 | 0.9 | 1.1 |
| F | 0.9 | 0.9 | 1.1 | 1.3 | 0.8 | 1.0 |
| VF | 0.8 | 0.9 | 1.0 | 1.2 | 0.8 | 1.0 |
| MF1, 2, 3 | 0.8 | 0.9 | 1.0 | 1.2 | 0.8 | 1.0 |
| ISO Shape | 237 | 234 | 236 | 238 | 237 | 237 |
| Nominal Shape | 830 | 830L | 830L | 830L | 822 | 830 |

Two Striper.

| PEAR | | | | | |
|---------------|--------|-------|-------|-------|-------|
| Tool Number | 362.3* | 363.4 | 363.5 | 364.5 | 365.4 |
| C | 1.3 | 1.3 | 1.6 | 1.4 | 1.5 |
| M | 1.2 | 1.2 | 1.5 | 1.4 | 1.4 |
| F | 1.1 | 1.1 | 1.5 | 1.3 | 1.3 |
| VF | 1.1 | 1.1 | 1.4 | 1.2 | 1.3 |
| MF1, 2, 3 | 1.1 | 1.1 | 1.4 | 1.2 | 1.3 |
| ISO Shape | 238 | 238 | 238 | 238 | 237 |
| Nominal Shape | 830R | 830RL | 830RL | 830RL | 830RL |

| ROUND | | | | | | |
|---------------|-----|-----|-----|-----|------|-----|
| Tool Number | 115 | 120 | 125 | 130 | 135* | 138 |
| C | 1.2 | 1.6 | 1.8 | 2.3 | 2.6 | 3.0 |
| M | 1.1 | 1.5 | 1.7 | 2.2 | 2.5 | 2.9 |
| F | 1.1 | 1.4 | 1.7 | 2.1 | 2.4 | 2.8 |
| VF | 1.0 | 1.3 | 1.6 | 2.0 | 2.4 | 2.7 |
| MF1, 2, 3 | 1.0 | 1.3 | 1.6 | 2.0 | 2.4 | 2.7 |
| ISO Shape | 001 | 001 | 001 | 001 | 001 | 001 |
| Nominal Shape | 801 | 801 | 801 | 801 | 801 | 801 |



FLAT END TAPER
Ideal for inlay preparations. Undercuts are avoided and an ideal taper of less than 6° is easily established for maximum retention.

| TAPER, FLAT END | | | | | |
|-----------------|---------|---------|---------|---------|---------|
| Tool Number | 700.3 | 700.5 | 700.6 | 700.8 | 700.9* |
| C | 0.5/0.9 | 0.6/1.1 | 0.7/1.2 | 0.6/1.8 | 0.6/1.4 |
| M | 0.5/0.8 | 0.5/1.0 | 0.6/1.1 | 0.5/1.8 | 0.5/1.4 |
| F | 0.4/0.8 | 0.5/0.9 | 0.5/1.0 | 0.5/1.7 | 0.5/1.3 |
| VF | 0.3/0.7 | 0.4/0.8 | 0.5/1.0 | 0.4/1.6 | 0.4/1.2 |
| MF1, 2, 3 | 0.3/0.7 | 0.4/0.8 | 0.5/1.0 | 0.4/1.6 | 0.4/1.2 |
| ISO Shape | 169 | 170 | 171 | 172 | 172 |
| Nominal Shape | 845 | 846 | 846 | 847 | 848 |

Two Striper.


| TAPER, FLAT END | | | | | | | | | | | | | | | | | | | | | |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
| Tool Number | 700.11 | 701.5 | 701.7 | 701.9 | 702.8 | 703.8 | 703.9 | 703.10 | 704.9 | 707.4 | 708.3 | 708.4 | 710.3 | 721.6 | 721.8 | 721.10 | 722.6 | 722.8 | 722.10 | 723.4 | |
| C | 0.7/1.8 | 0.8/1.2 | 1.1/1.8 | 0.9/1.8 | 0.9/1.4 | 1.2/1.8 | 1.1/1.8 | 1.1/1.8 | 1.3/1.8 | 1.0/1.6 | 1.3/2.1 | 1.3/2.0 | 1.3/1.6 | 0.8/1.1 | 0.8/1.2 | 0.8/1.3 | 1.0/1.4 | 1.0/1.5 | 1.0/1.6 | 1.5/2.0 | |
| M | 0.6/1.8 | 0.7/1.2 | 1.0/1.8 | 0.8/1.8 | 0.9/1.4 | 1.1/1.8 | 1.0/1.8 | 1.0/1.8 | 1.2/1.7 | 0.9/1.5 | 1.3/2.0 | 1.3/2.0 | 1.3/1.5 | 0.7/1.0 | 0.7/1.1 | 0.7/1.2 | 1.0/1.3 | 1.0/1.4 | 1.0/1.5 | 1.4/2.0 | |
| F | 0.5/1.7 | 0.6/1.1 | 0.9/1.7 | 0.7/1.7 | 0.8/1.3 | 1.1/1.7 | 1.0/1.7 | 0.9/1.7 | 1.1/1.7 | 0.8/1.4 | 1.2/2.0 | 1.2/1.9 | 1.2/1.4 | 0.6/1.0 | 0.6/1.1 | 0.6/1.2 | 0.9/1.2 | 0.9/1.3 | 0.9/1.4 | 1.4/1.9 | |
| VF | 0.5/1.6 | 0.6/1.0 | 0.9/1.6 | 0.7/1.6 | 0.7/1.2 | 1.0/1.6 | 0.9/1.6 | 0.8/1.6 | 1.1/1.6 | 0.8/1.4 | 1.1/1.9 | 1.1/1.8 | 1.1/1.3 | 0.6/0.9 | 0.6/1.0 | 0.6/1.1 | 0.8/1.1 | 0.8/1.2 | 0.8/1.3 | 1.3/1.8 | |
| MF1, 2, 3 | 0.5/1.6 | 0.6/1.0 | 0.9/1.6 | 0.7/1.6 | 0.7/1.2 | 1.0/1.6 | 0.9/1.6 | 0.8/1.6 | 1.1/1.5 | 0.8/1.4 | 1.1/1.9 | 1.1/1.8 | 1.1/1.3 | 0.6/0.9 | 0.6/1.0 | 0.6/1.1 | 0.8/1.1 | 0.8/1.2 | 0.8/1.3 | 1.3/1.8 | |
| ISO Shape | 173 | 170 | 171 | 172 | 172 | 172 | 172 | 173 | 172 | 170 | 169 | 170 | 169 | 171 | 172 | 173 | 171 | 172 | 173 | 170 | |
| Nominal Shape | 848 | 845 | 846 | 848 | 847 | 847 | 848 | 848 | - | 845 | - | 845 | - | 846 | 847 | 848 | 846 | 847 | 848 | 845 | |

(*) The designated shapes are available with an RA type shank. | (***) The designated shapes ONLY available in a RA type shank.

Two Striper

| TAPER, FLAT END | | | | | | | | | | TAPER, FLAT END MODIFIED | | | | | | TAPER, ROUND EDGE | | | | | | |
|----------------------|--------------|--------------|---------------|--------------|--------------|---------------|---------------|---------------|---------------|--------------------------|----------------|----------------|----------------|----------------|----------------|-------------------|--------------|--------------|---------------|--------------|---------------|--------------|
| Tool Number | 723.6 | 723.8 | 723.10 | 724.6 | 724.8 | 724.10 | 725.10 | 726.10 | 727.10 | 798.10 | 702.8KR | 703.8KR | 708.4KR | 712.3KR | 722.8KR | 723.6KR | 747.6 | 760.8 | 760.10 | 763.8 | 763.10 | 764.8 |
| C | 1.3/1.6 | 1.3/1.7 | 1.3/1.8 | 1.5/1.9 | 1.5/2.0 | 1.5/2.1 | 0.9/1.8 | 1.1/2.0 | 1.4/2.3 | 0.5/1.5 | 0.9/1.4 | 1.2/1.8 | 1.3/2.0 | 1.9/2.3 | 1.0/1.5 | 1.3/1.6 | 0.8/1.2 | 1.0/1.6 | 0.9/1.8 | 0.7/1.2 | 0.6/1.2 | 0.8/1.4 |
| M | 1.2/1.5 | 1.2/1.7 | 1.2/1.8 | 1.5/1.8 | 1.5/1.9 | 1.5/2.0 | 0.9/1.7 | 1.1/1.9 | 1.4/2.2 | 0.5/1.5 | 0.9/1.4 | 1.1/1.7 | 1.3/2.0 | 1.8/2.2 | 1.0/1.4 | 1.2/1.5 | 0.7/1.1 | 1.0/1.5 | 0.8/1.8 | 0.6/1.2 | 0.5/1.2 | 0.8/1.4 |
| F | 1.1/1.5 | 1.1/1.6 | 1.1/1.7 | 1.4/1.7 | 1.4/1.8 | 1.4/1.9 | 0.8/1.6 | 1.0/1.8 | 1.3/2.1 | 0.4/1.4 | 0.8/1.3 | 1.1/1.7 | 1.2/1.9 | 1.8/2.2 | 0.9/1.3 | 1.2/1.5 | 0.6/1.0 | 0.9/1.4 | 0.7/1.7 | 0.5/1.1 | 0.4/1.1 | 0.7/1.3 |
| VF | 1.1/1.4 | 1.1/1.5 | 1.1/1.6 | 1.3/1.7 | 1.3/1.8 | 1.3/1.9 | 0.7/1.5 | 0.9/1.7 | 1.2/2.0 | 0.3/1.3 | 0.7/1.2 | 1.0/1.6 | 1.1/1.8 | 1.6/2.0 | 0.8/1.2 | 1.0/1.3 | 0.5/1.0 | 0.8/1.3 | 0.6/1.6 | 0.5/1.0 | 0.3/1.0 | 0.6/1.2 |
| MF1, 2, 3 | 1.1/1.4 | 1.1/1.5 | 1.1/1.6 | 1.3/1.7 | 1.3/1.8 | 1.3/1.9 | 0.7/1.5 | 0.9/1.7 | 1.2/2.0 | 0.3/1.3 | 0.7/1.2 | 1.0/1.6 | 1.1/1.8 | 1.6/2.0 | 0.8/1.2 | 1.0/1.3 | 0.5/1.0 | 0.8/1.3 | 0.6/1.6 | 0.5/1.0 | 0.3/1.0 | 0.6/1.2 |
| ISO Shape | 171 | 172 | 173 | 171 | 172 | 173 | 173 | 173 | 173 | 173 | 172 | 172 | 170 | 169 | 172 | 171 | 197 | 198 | 199 | 198 | 199 | 198 |
| Nominal Shape | 846 | 847 | 848 | 845 | 846 | 848 | - | - | - | 859 | 847KR | 847KR | 845KR | 845KR | 847KR | 846KR | 855 | 856 | 856L | 878K | 879K | 878K |

Two Striper

| TAPER, ROUND END | | | | | | | | | | | | | | | | | | |
|----------------------|---------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--|--|
| Tool Number | 764.10 | 767.5 | 767.7 | 767.8 | 767.9* | 769.8 | 770.5 | 770.7 | 770.8 | 770.9 | 770.10 | 772.10 | 773.8 | 776.4 | 777.8 | 778.8 |  | |
| C | 0.7/1.4 | 1.1/1.6 | 1.1/1.8 | 1.0/1.8 | 0.9/1.8 | 1.0/1.6 | 1.3/1.8 | 1.2/1.8 | 1.3/1.8 | 1.1/1.8 | 1.1/1.8 | 1.4/2.1 | 0.6/1.2 | 2.1/2.6 | 0.6/1.1 | 0.8/1.3 | ROUND END TAPER | |
| M | 0.6/1.3 | 1.0/1.5 | 1.0/1.8 | 0.9/1.8 | 0.8/1.8 | 0.9/1.5 | 1.3/1.7 | 1.1/1.8 | 1.2/1.7 | 1.0/1.8 | 1.0/1.8 | 1.3/2.0 | 0.5/1.1 | 2.0/2.5 | 0.6/1.1 | 0.8/1.3 | Used to create a shoulder with a rounded internal line angle. This is the most popular finish line that can be beveled or chamfered. | |
| F | 0.6/1.2 | 1.0/1.5 | 1.0/1.8 | 0.9/1.8 | 0.7/1.8 | 0.8/1.5 | 1.2/1.7 | 1.1/1.7 | 1.2/1.7 | 1.0/1.7 | 0.9/1.7 | 1.2/2.0 | 0.5/1.0 | 1.9/2.4 | 0.5/1.0 | 0.8/1.3 | | |
| VF | 0.5/1.2 | 0.9/1.4 | 0.9/1.7 | 0.8/1.7 | 0.7/1.7 | 0.7/1.4 | 1.1/1.6 | 1.0/1.6 | 1.1/1.6 | 0.9/1.6 | 0.9/1.6 | 1.1/1.9 | 0.4/0.9 | 1.8/2.3 | 0.4/0.9 | 0.7/1.2 | | |
| MF1, 2, 3 | 0.5/1.2 | 0.9/1.4 | 0.9/1.6 | 0.8/1.6 | 0.7/1.6 | 0.7/1.4 | 1.1/1.6 | 1.0/1.6 | 1.1/1.6 | 0.9/1.6 | 0.9/1.6 | 1.1/1.9 | 0.4/0.9 | 1.8/2.3 | 0.4/0.9 | 0.6/1.1 | | |
| ISO Shape | 199 | 196 | 197 | 198 | 198 | 198 | 196 | 197 | 198 | 198 | 199 | 199 | 198 | 196 | 198 | 198 | | |
| Nominal Shape | 879K | 849 | 855 | 856 | 856L | 856 | 849 | 855 | 856 | 856L | 856XL | 856XL | - | 849 | 856 | 856 | | |

Two Striper

| TAPER, ROUND END | | | | | | | | | | | | | | | | | | | | |
|----------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|--------------|---------------|--------------|--------------|
| Tool Number | 779.8 | 780.4 | 780.7 | 780.8 | 780.9 | 781.6 | 781.7 | 781.8 | 781.10 | 782.6 | 782.8 | 782.10 | 783.6 | 783.8 | 783.10 | 784.6 | 784.8 | 784.10 | 785.4 | 785.7 |
| C | 1.2/1.8 | 1.7/2.1 | 1.4/2.1 | 1.4/2.1 | 1.4/2.1 | 0.8/1.1 | 0.9/1.2 | 0.8/1.2 | 0.8/1.3 | 1.1/1.4 | 1.1/1.5 | 1.1/1.6 | 1.3/1.6 | 1.3/1.7 | 1.3/1.8 | 1.6/1.9 | 1.6/2.0 | 1.6/2.1 | 2.2/2.6 | 1.5/2.4 |
| M | 1.2/1.7 | 1.6/2.0 | 1.3/2.0 | 1.3/2.0 | 1.3/2.0 | 0.8/1.0 | 0.8/1.1 | 0.7/1.1 | 0.7/1.2 | 1.0/1.3 | 1.0/1.4 | 1.0/1.5 | 1.2/1.5 | 1.2/1.7 | 1.2/1.8 | 1.5/1.8 | 1.5/1.9 | 1.5/2.0 | 2.1/2.5 | 1.4/2.3 |
| F | 1.1/1.7 | 1.6/1.9 | 1.3/1.9 | 1.3/1.9 | 1.3/1.9 | 0.7/1.0 | 0.7/1.1 | 0.7/1.1 | 0.7/1.2 | 0.9/1.2 | 1.0/1.4 | 0.9/1.4 | 1.2/1.5 | 1.2/1.6 | 1.2/1.7 | 1.4/1.7 | 1.4/1.8 | 1.4/1.9 | 2.1/2.4 | 1.4/2.2 |
| VF | 1.0/1.6 | 1.5/1.9 | 1.2/1.9 | 1.2/1.9 | 1.2/1.9 | 0.7/0.9 | 0.6/1.0 | 0.6/1.0 | 0.6/1.1 | 0.8/1.1 | 0.8/1.2 | 0.8/1.3 | 1.1/1.4 | 1.1/1.5 | 1.1/1.6 | 1.4/1.7 | 1.4/1.8 | 1.4/1.9 | 2.0/2.3 | 1.3/2.1 |
| MF1, 2, 3 | 1.0/1.5 | 1.5/1.8 | 1.2/1.8 | 1.2/1.9 | 1.2/1.8 | 0.6/0.9 | 0.6/1.0 | 0.6/1.0 | 0.6/1.1 | 0.8/1.1 | 0.8/1.2 | 0.8/1.3 | 1.1/1.4 | 1.1/1.5 | 1.1/1.6 | 1.4/1.7 | 1.4/1.8 | 1.4/1.9 | 2.0/2.3 | 1.3/2.1 |
| ISO Shape | 198 | 196 | 197 | 198 | 198 | 198 | 197 | 198 | 199 | 197 | 198 | 199 | 197 | 198 | 199 | 197 | 198 | 199 | 196 | 197 |
| Nominal Shape | 856 | 849 | 855 | 856 | 856L | - | 855 | 856 | 856L | 855 | 856 | 856L | 855 | 856 | 856L | 855 | 856 | 856L | 849 | 855 |

(*) The designated shapes are available with an RA type shank. | (**) The designated shapes ONLY available in a RA type shank.


Two Striper.

| Tool Number | Max. diameter (mm) of abrasive section |
|-------------|--|
| C | |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |

Nominal Shape

| TAPER, ROUND END | | | | |
|------------------|---------------|---------------|----------------|--|
| | | | | |
| 790.8 | 797.11 | 799.65 | 799.11* | |
| 2.0/2.6 | | 0.8/1.5 | 0.8/1.8 | |
| 2.0/2.5 | 0.5/1.1 | 0.8/1.4 | 0.7/1.8 | |
| 1.9/2.4 | 0.5/1.1 | 0.7/1.3 | 0.6/1.7 | |
| 1.8/2.4 | 0.3/0.9 | 0.6/1.3 | 0.5/1.6 | |
| 1.8/2.4 | 0.3/0.9 | 0.6/1.3 | 0.5/1.6 | |
| 198 | 167 | 197 | 199 | |
| 856 | 850 | - | - | |

| TAPER, SAFE END | | | | | |
|-----------------|----------------|----------------|------------------|-----------------|--|
| | | | | | |
| S79 | SE738.8 | SE271.5 | SE271.7** | SE271.10 | |
| 0.9/1.8 | 1.0/1.3 | | 0.8/1.2 | | |
| 0.8/1.8 | 0.9/1.2 | 0.6/1.2 | | 0.6/1.2 | |
| 0.7/1.7 | 0.8/1.1 | 0.6/1.1 | 0.7/1.0 | 0.6/1.1 | |
| 0.7/1.6 | 0.7/1.1 | 0.5/1.0 | | 0.5/1.0 | |
| | | | | | |
| 219 | 190 | 217 | 220 | 218 | |
| - | - | - | - | - | |



SAFE END TAPER
A Safe End diamond can be used to protect the tissue if the box preparation goes subgingivally.

| ENDO | TRUNCATED BUD |
|----------------|---------------|
| | |
| 1C RA** | 290.2 |
| 0.8 | 1.6 |
| | 1.5 |
| | 1.5 |
| | 1.3 |
| | 1.3 |
| 001 | 254 |
| 801 | 390 |

Two Striper.

| Tool Number | Max. diameter (mm) of abrasive section |
|-------------|--|
| C | |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |

Nominal Shape

| TAPER, SAFE STOP | | | |
|------------------|----------------|----------------|--|
| | | | |
| SE259.2 | SE259.8 | SE740.8 | |
| 1.0/1.2 | | | |
| 0.9/1.1 | 1.6/2.1 | 1.5/2.1 | |
| 0.9/1.1 | 1.6/2.1 | 1.5/2.1 | |
| 0.7/0.9 | | | |
| 0.7/0.9 | | | |
| 218 | 289 | 219 | |
| - | - | - | |

| TORPEDO | | | | |
|--------------|--------------|--------------|---------------|--|
| | | | | |
| 256.9 | 264.7 | 268.8 | 268.10 | |
| 1.8 | 1.3 | 1.6 | 1.6 | |
| 1.8 | 1.3 | 1.5 | 1.5 | |
| 1.7 | 1.2 | 1.5 | 1.5 | |
| 1.6 | 1.1 | 1.3 | 1.3 | |
| 1.8 | 1.1 | 1.3 | 1.3 | |
| 210 | 288 | 289 | 289 | |
| 856 | - | - | - | |

| WHEEL | | | | | |
|------------|------------|------------|------------|------------|--|
| | | | | | |
| 860 | 862 | 863 | 866 | 899 | |
| 3.5 | 4.1 | 4.7 | 5.7 | 7.3 | |
| 3.4 | 4.0 | 4.6 | 5.6 | 7.2 | |
| 3.3 | 4.0 | 4.5 | 5.6 | 7.1 | |
| 3.3 | 3.9 | 4.4 | 5.5 | 7.1 | |
| | | | | | |
| 068 | 068 | 068 | 068 | 051 | |
| 909 | 909 | 909 | 909 | - | |

SPECIALTY DIAMOND BURS

Two Striper. TSZtech™

- Cutting edge technology for removal of Zirconium-based restorations.
- Unique diamond characteristics to allow for maximum strength and durability.
- Diamond clearance specifically designed to minimize clogging and provide cooler Zirconia material removal.
- The superior P.B.S.® technology enables Two Striper® TSZTech™ diamond burs to last longer and operate more efficiently.

Two Striper.

| Tool Number | TAPER, ROUND END | TAPER, FE MODIFIED | FOOTBALL | FLAME | ROUND | | | CYLINDER, ROUND END | TAPER, ROUND END |
|---------------|------------------|--------------------|---------------|---------------|-------------|-------------|-------------|---------------------|------------------|
| | VF | | | | | | | | |
| | 770.8Z | 703.8KRZ | 285.5Z | 260.8Z | 115Z | 120Z | 125Z | X590.12Z | X769.10Z |
| | 1.1/1.6 | 1.0/1.6 | 2.1 | 0.3/1.2 | 1.0 | 1.3 | 1.6 | 1.7 | 0.5/1.7 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ISO Shape | 198 | 172 | 243 | 249 | 001 | 001 | 001 | 014 | 199 |
| Nominal Shape | 856 | 847KR | 368 | 862 | 801 | 801 | 801 | 842R | 850 |

Two Striper. | FG BURS - TSZ TECH™

TwoStriper TS2000™

RAPID BULK REDUCTION - SMOOTH FINISH MARGIN


The spiral pattern stops short of the tip on TS2000™ burs to ensure a smooth margin.

50% FASTER THAN OTHER SPIRAL DESIGNS

Permanently bonded diamond along the spiral design significantly increases performance. On average, TS2000™ burs are 50% faster.

INCREASED EFFICIENCY - MORE COOLANT

Clearance angles in the spiral design provide efficient removal of tooth debris and access for water coolant. This design restricts the amount of diamond in contact with the tooth at any given time, thus reducing frictional drag to increase cutting efficiency.



TwoStriper.

| Tool Number | |
|---------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |

| TAPER, FLAT END | | | | | | | | | | | |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | | | | | | | |
| 2000.7 | 2000.8 | 2000.9 | 2000.10 | 2001.7 | 2001.8 | 2001.9 | 2001.10 | 2002.7 | 2002.8 | 2002.9 | 2002.10 |
| 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 |
| 171 | 172 | 172 | 173 | 171 | 172 | 172 | 173 | 171 | 172 | 172 | 173 |
| 846T | 847T | 848T | 848T | 847T | 847T | 848T | 848T | 847T | 847T | 848T | 848T |

TwoStriper.

| Tool Number | |
|---------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |

| TAPER, ROUND END | | | | | | | | | | | |
|------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | | | | | | | |
| 2003.7 | 2003.8 | 2003.9 | 2003.10 | 2004.7 | 2004.8 | 2004.9 | 2004.10 | 2005.7 | 2005.8 | 2005.9 | 2005.10 |
| 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 |
| 197 | 198 | 198 | 199 | 197 | 198 | 198 | 199 | 197 | 197 | 198 | 199 |
| 855T | 856T | 856T | 856LT | 855T | 856T | 856T | 856LT | 855T | 856T | 856T | 856LT |

TwoStriper.

| Tool Number | |
|---------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |
| Nominal Shape | |

| GINGIVAL CURETTAGE | | | | | | | | | | | |
|--------------------|----------|----------|-----------|----------|----------|----------|-----------|----------|----------|----------|-----------|
| | | | | | | | | | | | |
| 2006.7GC | 2006.8GC | 2006.9GC | 2006.10GC | 2007.7GC | 2007.8GC | 2007.9GC | 2007.10GC | 2008.7GC | 2008.8GC | 2008.9GC | 2008.10GC |
| 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 0.9/1.4 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.1/1.6 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 | 1.3/1.8 |
| 297 | 298 | 298 | 299 | 297 | 298 | 298 | 299 | 297 | 298 | 298 | 299 |
| 877KT | 878KT | - | 879KT | 877KT | 878KT | - | 879KT | 877KT | 878KT | - | 879KT |

(*) The designated shapes are available with an RA type shank. | (**) The designated shapes ONLY available in a RA type shank.

Two Striper.


| FLAME | | | | | | | | | | | | CYLINDER, FLAT END | | | SPECIAL | | | | TAPER, KR | | | |
|----------------------|--------|--------|--------|---------|--------|--------|--------|---------|--------|--------|--------|--------------------|--------|--------|---------|--------|--------|--------|-----------|----------|----------|----------|
| Tool Number | 2009.7 | 2009.8 | 2009.9 | 2009.10 | 2010.7 | 2010.8 | 2010.9 | 2010.10 | 2011.7 | 2011.8 | 2011.9 | 2011.10 | 2013.7 | 2013.8 | 2013.10 | 2014.5 | 2015.4 | 2016.8 | 2016.10 | 2001.8KR | 2002.8KR | 2013.8KR |
| C | 1.4 | 1.4 | 1.4 | 1.4 | 1.6 | 1.6 | 1.6 | 1.6 | 1.8 | 1.8 | 1.8 | 1.8 | 1.5 | 1.5 | 1.5 | 2.3 | 3.4 | 1.4 | 1.8 | 1.0/1.6 | 1.8 | 1.0/1.5 |
| M | | | | | | | | | | | | | | | | | | | | | | |
| F | | | | | | | | | | | | | | | | | | | | | | |
| VF | | | | | | | | | | | | | | | | | | | | | | |
| MF1, 2, 3 | | | | | | | | | | | | | | | | | | | | | | |
| ISO Shape | 197 | 198 | 198 | 199 | 197 | 198 | 198 | 199 | 197 | 198 | 198 | 199 | 110 | 111 | 112 | 243 | 38 | 13 | 131 | 172 | 172 | 110 |
| Nominal Shape | 862T | 862T | 863T | 863T | 862T | 862T | 863T | 863T | 862T | 862T | 863T | 863T | 836T | 837T | 837LT | 379T | 811T | 885T | 886T | 847KRT | 847KRT | 847KRT |

Two Striper.
ShortCut™

Two Striper.

| Tool Number | | AMALGAM REMOVER | | COMPOSITE FINISHER | | CYLINDER | | | FOOTBALL | MICRO-PREP™ | TAPER, FLAT END | | TAPER, RND END | | | FLAME | | INTER-PROX |
|----------------------|--|-----------------|--|--------------------|-----|----------|--------|--------|----------|-------------|-----------------|----------|----------------|---------|---------|---------|---------|------------|
| C | | S1250 | | ST1 | SF1 | S250.8 | S515.7 | S575.7 | S285.5 | SMP89 | S2001.8 | S703.8KR | S782.8 | S2004.9 | S2005.8 | S260.8 | S261.8 | S201.3 |
| M | | 1.2 | | 3.0 | | 1.2 | 1.2 | 1.2 | 2.3 | 0.7 | 1.1/1.6 | 1.2/1.8 | 1.1/1.5 | 1.1/1.6 | 1.3/1.8 | 0.4/1.4 | 0.4/1.1 | |
| F | | | | | | | | | | | | | | | | 0.3/1.2 | | 0.2/0.7 |
| VF | | | | | 2.9 | | | | | | | | | | | | | |
| MF1, 2, 3 | | | | | | | | | | | | | | | | | | |
| ISO Shape | | 032 | | 031 | 031 | 130 | 110 | 146 | 243 | 246 | 172 | 197 | 198 | 198 | 197 | 249 | 298 | 160 |
| Nominal Shape | | 813 | | 905 | 905 | 885 | 837 | 837KR | 368 | 889M | 847T | 847KR | 856 | 856T | 856T | 862 | 888 | 956 |

- The short shank provides easier access in the posterior regions of the mouth.
- Available in over twenty popular shapes, including operative and crown and bridge.
- ShortCut™ diamond burs meet the challenges of pediatric and geriatric dentistry.



Two Striper.

| Tool Number | | OPERATIVE | | | | | | | TAPER, FLAT END | | TAPER, ROUND END | | | GINGIVAL CURETTAGE | | | |
|----------------------|--|-----------|--------|----------|----------|----------|----------|----------|-----------------|---------|------------------|---------|---------|--------------------|---------|---------|---------|
| C | | SSIZE2 | SSIZE6 | SSIZE169 | SSIZE245 | SSIZE330 | SSIZE556 | SSIZE557 | SSIZE701 | S702.8 | S703.8 | S767.8 | S770.8 | S780.9 | S252SB | S253SB | S254SB |
| M | | 1.0 | 1.8 | 1.0 | 1.0 | 0.9 | 0.9 | 1.0 | 1.3 | 0.9/1.4 | 1.2/1.8 | 1.0/1.8 | 1.3/1.8 | 1.4/2.1 | 0.3/1.3 | 0.3/1.5 | 0.3/1.7 |
| F | | | | | | | | | | | | | | | | | |
| VF | | | | | | | | | | | | | | | | | |
| MF1, 2, 3 | | | | | | | | | | | | | | | | | |
| ISO Shape | | 001 | 001 | 170 | 238 | 237 | 169 | 170 | 170 | 172 | 172 | 198 | 198 | 198 | 298 | 298 | 298 |
| Nominal Shape | | 801 | 801 | - | 830 | 822 | 835 | 835 | - | 847 | 847 | 856 | 856 | 856L | 878K | 878K | 878K |

Two Striper. | TS2000™ - SHORTCUT™

DENTAL LABORATORY DIAMOND BURS

Two Striper

| Tool Number | |
|-------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |

Nominal Shape

| CONE, INVERTED | | | | | | | |
|----------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | | | | | | | |
| X318.2 | X321.1 | X324.1 | X328.1 | X336.2 | X338.2 | X340.2 | X350.4 |
| 1.7 | 2.0 | 2.2 | 2.5 | 1.3 | 1.5 | 1.7 | 3.1 |
| 1.6 | 1.9 | 2.1 | 2.4 | 1.2 | 1.4 | 1.6 | 3.0 |
| 1.6 | 1.9 | 2.1 | 2.4 | 1.2 | 1.4 | 1.6 | 3.0 |
| | | | | | | | |
| | | | | | | | |
| 011 | 014 | 013 | 014 | 011 | 011 | 012 | 225 |
| - | 805A | 805A | 805A | 805 | - | 805 | - |

| CYLINDER, FLAT END | | |
|--------------------|---------------|---------------|
| | | |
| X520.4 | X535.7 | X580.6 |
| 1.5 | 2.7 | 5.2 |
| 1.4 | 2.6 | 5.2 |
| 1.3 | 2.6 | 5.2 |
| | | |
| | | |
| 109 | 110 | 110 |
| 835 | 836 | 836 |

| CYLINDER, ROUND END | | | |
|---------------------|---------------|---------------|----------------|
| | | | |
| X555.7.5 | X575.7 | X589.7 | X590.12 |
| 2.4 | 2.5 | 1.8 | 1.9 |
| 2.3 | 2.5 | 1.7 | 1.9 |
| 2.2 | 2.4 | 1.6 | 1.8 |
| | | | |
| | | | |
| 011 | 014 | 013 | 014 |
| 880 | 880 | 880 | 842R |

| FLAME | | | |
|---------------|---------------|----------------|----------------|
| | | | |
| X260.4 | X261.5 | X265.10 | X267.10 |
| 1.1 | 1.3 | 1.4 | 1.7 |
| 1.0 | 1.3 | 1.3 | 1.7 |
| 1.0 | 1.2 | 1.3 | 1.6 |
| | | | |
| | | | |
| 247 | 247 | 250 | 250 |
| 860 | 860 | 863 | 863 |

Two Striper

| Tool Number | |
|-------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |

Nominal Shape

| FLAME | |
|-----------------|-----------------|
| | |
| X285.8.5 | X285.8.5 |
| 1.7 | 2.7 |
| 1.6 | 2.6 |
| 1.6 | 2.6 |
| | |
| | |
| 249 | 249 |
| 862 | - |

| ROUND | | | | |
|-------------|-------------|-------------|-------------|-------------|
| | | | | |
| X115 | X118 | X120 | X135 | X150 |
| 1.0 | 1.7 | 1.6 | 2.6 | 3.7 |
| 1.0 | 1.6 | 1.5 | 2.5 | 3.6 |
| .09 | 1.6 | 1.4 | 2.4 | 3.6 |
| | | | | |
| | | | | |
| 001 | 001 | 001 | 001 | 001 |
| 801 | 801 | 801 | 801 | 801 |

| TAPER, FLAT END | | | | |
|-----------------|---------------|----------------|----------------|---------------|
| | | | | |
| X701.7 | X701.9 | X702.10 | X703.12 | X709.9 |
| 1.0 | 1.7 | 1.6 | 2.6 | 3.7 |
| 1.0 | 1.6 | 1.5 | 2.5 | 3.6 |
| .09 | 1.6 | 1.4 | 2.4 | 3.6 |
| | | | | |
| | | | | |
| 171 | 172 | 173 | 174 | 172 |
| 847 | - | 848 | - | 847 |

| TAPER, ROUND END | | | | | | | |
|------------------|---------------|----------------|---------------|----------------|----------------|----------------|---------------|
| | | | | | | | |
| X767.7 | X768.4 | X769.10 | X770.7 | X771.10 | X772.10 | X775.10 | X776.9 |
| 1.9 | 1.2 | 1.9 | 1.8 | 1.6 | 2.5 | 1.7 | 4.0 |
| 1.8 | 1.1 | 1.8 | 1.7 | 1.5 | 2.4 | 1.6 | 3.9 |
| 1.8 | 1.1 | 1.8 | 1.7 | 1.5 | 2.4 | 1.6 | 3.9 |
| | | | | | | | |
| | | | | | | | |
| 197 | 196 | 199 | 197 | 199 | 199 | 199 | 198 |
| - | 849 | 850 | 855 | 850 | 850 | 850 | 856 |


Two Striper

| Tool Number | |
|-------------|--|
| C | Max. diameter (mm) of abrasive section |
| M | |
| F | |
| VF | |
| MF1, 2, 3 | |
| ISO Shape | |

Nominal Shape

| WHEEL | | | | | |
|-------------|-------------|-------------|-------------|-------------|-------------|
| | | | | | |
| X862 | X868 | X881 | X882 | X884 | X889 |
| 4.0 | 6.5 | 1.9 | 2.6 | 4.6 | 6.7 |
| | | | | | |
| 3.9 | 6.4 | 1.8 | 2.5 | 4.5 | 6.6 |
| 3.9 | 6.3 | 1.8 | 2.5 | 4.5 | 6.6 |
| | | | | | |
| | | | | | |
| 067 | 068 | 303 | 303 | 304 | 303 |
| 909 | 909 | - | - | - | - |


ACCESSORIES



Two Striper. Stainbuster®

The innovative composite bur made of zircon-rich glass fiber features permanent abrasive power for minimal invasive dentistry, removing cement and stains from tooth surface with no damage to enamel, ceramics or soft tissues.

AVAILABLE SHAPES



- DAILY PRACTICE** Stain removal, cement or composite surplus grinding, temporary cement removal, light maintenance scaling
- ORTHODONTICS** Elimination of adhesive cement remnants after bracket removal
- PERIODONTICS** Scaling, root surfacing, easy access to furcation
- IMPLANTOLOGY** Sealing cement surplus removal even in narrow and difficult-to-reach places

| Two Striper® Stainbuster® Assorted Pack (6 Burs) | | | |
|---|---|------|------|
| 2540 | ONE OF EACH: 2501, 2502, 2504, 2505, 2506, 4002 | | |
| Two Striper® Stainbuster® Individual Packs (6 Burs) | | | |
| 2501 | 2503 | 4001 | 2505 |
| 2502 | 2504 | 4002 | 2506 |



Effective root planing and surfacing



Easy calculus removal



Gentle and efficient implant cleaning

ACCESSORIES



Two Striper. Carbopost®

Two Striper® Carbopost® is a fiber reinforced composite post that's as strong as metal, which reduces shear stress.

Made of 60% T700 carbon fibers and 40% epoxy resin.

- Autoclavable up to 132°C / 269.6°F
- Bio-compatible and corrosion free
- Anatomical shape and 5 different diameters (0.8mm – 1.6mm)



| Mechanical Properties | |
|-----------------------|-------------------------|
| | Two Striper® Carbopost® |
| Elastic Modulus | 141GPa |
| Shear Strength | 23.9 MPa |

| Two Striper® Carbopost® Kits | | | |
|---------------------------------|--|---|-------|
| C801001 | Basic Kit : 50 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills | | |
| C801002 | Intro Kit: 20 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills | | |
| Two Striper® Carbopost® Refills | | | |
| 10 Posts/Pack | | 10 posts/pack with matching finishing drill | |
| C802013 | Ø 0.8 | | |
| C802001 | Ø 1.0 | C802006 | Ø 1.0 |
| C802002 | Ø 1.2 | C802007 | Ø 1.2 |
| C802003 | Ø 1.4 | C802008 | Ø 1.4 |
| C802004 | Ø 1.6 | C802009 | Ø 1.6 |

ACCESSORIES




Two Striper

Snowpost® & Snowlight®

Two Striper® *Snowpost*® & *Snowlight*® posts are elastic modulus with flexural strength close to dentin.

Made of zircon-rich glass fiber embedded in a resin matrix.

- Superior fatigue resistance
- Radiopaque and light transmitting
- Autoclavable up to 132°C / 269.6°F
- Bio-compatible and corrosion free
- Anatomical shape and 5* different diameters (0.8mm* - 1.6mm) *Two Striper® *Snowlight*® posts only



| Mechanical Properties | | |
|-----------------------|------------------------|-------------------------|
| | Two Striper® Snowpost® | Two Striper® Snowlight® |
| Elastic Modulus | 45 GPa | 52 GPa |
| Shear Strength | 38 MPa | 64 MPa |

| Two Striper® Snowpost® Kits | |
|-----------------------------|--|
| C810001 | Basic Kit : 50 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills |
| C810002 | Intro Kit: 20 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills |

| Two Striper® Snowpost® Refills | | | |
|--------------------------------|---------------|---|-------|
| | 10 Posts/Pack | 10 posts/pack with matching finishing drill | |
| C811001 | Ø 1.0 | C811005 | Ø 1.0 |
| C811002 | Ø 1.2 | C811006 | Ø 1.2 |
| C811003 | Ø 1.4 | C811007 | Ø 1.4 |
| C811004 | Ø 1.6 | C811008 | Ø 1.6 |

| Two Striper® Snowlight® Kits | |
|------------------------------|--|
| C830001 | Basic Kit : 50 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills |
| C830002 | Intro Kit: 20 assorted posts (1.0, 1.2, 1.4, 1.6) and 4 matching finishing drills |

| Two Striper® Snowlight® Refills | | | |
|---------------------------------|---------------|---|-------|
| | 10 Posts/Pack | 10 posts/pack with matching finishing drill | |
| C831019 | Ø 0.8 | | |
| C831001 | Ø 1.0 | C831006 | Ø 1.0 |
| C831002 | Ø 1.2 | C831007 | Ø 1.2 |
| C831003 | Ø 1.4 | C831008 | Ø 1.4 |
| C831004 | Ø 1.6 | C831009 | Ø 1.6 |

ACCESSORIES



Two Striper.

Compo-Disc®

HAND-HELD DIAMOND FINISHING INSTRUMENT

Use Two Striper® Compo-Disc® diamond discs to open proximal contacts and for contouring. Diamond Finishing Strips are ideal for smoothing and finishing all proximal restorations and veneer margins.

Two Striper.

Compo-Disc®

ORDER NUMBER: CECSTFTP106

- Thin
- Edge and face-cutting
- Single-sided
- Patented holder design

Two Striper.

Diamond Finishing Strips

HAND-HELD DIAMOND FINISHING INSTRUMENT

Two Striper.

Diamond Finishing Strips

ASSORTED PACK

ORDER NUMBER: CEC50087

- No diamond stripping or peeling
- Color Coded
- Flexible
- Safe-sided
- Sterilizable



Two Striper.

Diamond Finishing Strips 200T2

ASSORTED PACK

ORDER NUMBER: CERPOT3P200

For Orthodontic Reproximation

Use the Diamond Finishing Strips 200T2 for interproximal enamel reduction.

- Flexible, double sided
- 60 micron diamond
- Safe center
- Fast and smooth cutting
- Sterilizable
- Ultrasonic compatible

| ORDER NUMBER | WIDTHS | THINNESS | COLOR | GRIT |
|--------------|-------------------|---------------------|--------|------|
| 100T | 2.5 MM (0.10 IN) | 0.15 MM (0.006 IN) | BLUE | 60µ |
| 150T | 3.75 MM (0.15 IN) | 0.15 MM (0.006 IN) | BLUE | 60µ |
| 100F | 2.5 MM (0.10 IN) | 0.127 MM (0.005 IN) | RED | 45µ |
| 150F | 3.75 MM (0.15 IN) | 0.127 MM (0.005 IN) | RED | 45µ |
| 100UF | 2.5 MM (0.10 IN) | 0.1 MM (0.004 IN) | YELLOW | 20µ |
| 150UF | 3.75 MM (0.15 IN) | 0.1 MM (0.004 IN) | YELLOW | 20µ |

Two Striper® Compo-Disc® - Package of 2 discs

Two Striper® Diamond Finishing Strips - Package of 6 or 12 Assorted Strips

(Also available in individual packages of 6 or 12 for each strip)

Two Striper® Diamond Finishing Strips 200T2 - Package of 3

ACCESSORIES



Two Striper Luminescence®

EASY TO USE - FOR ALL RESTORATIVE MATERIALS

Two Striper® Luminescence® is easy to use. Unique felt tip applicators will not damage soft gingival tissue. You have complete access to multiple surfaces without generating heat.



Two Striper Luminescence® Plus

SUPERIOR POLISH, ALL SURFACES, IN HALF THE TIME

Two Striper® Luminescence® Plus diamond polishing gel has a one step action and contains a topical desensitizer. For composites, porcelains, glass ionomers, amalgam, precious metals and tooth enamel.



| Product | ORDER NUMBER |
|---|--------------|
| Two Striper® Luminescence® Intro Kit (3g syringe of Luminescence® gel, 2 RA Mandrels, 50 applicators) | CFMPSKT0002 |
| Two Striper® Luminescence® Gel 3G | CFMPSSG3005 |
| RA Mandrels (2 pcs) | CFMPSSG1008 |
| Two Striper® Luminescence® Applicators (50) | CFMPSSG1009 |
| Two Striper® Luminescence® Plus Gel 3G | CFMPSSG5005 |

ACCESSORIES



Single Sided

X926-7 (.10mm)
(45 micron)

X928-7 (.24mm)
(60 micron)

Double Sided

X927-7 (.15mm)
(45 micron)

X929-7 (.28mm)
(50 micron)

Outside Diameter = 22.2mm (7/8 in.)
Center Hole Diameter = 1.6mm (1/16 in.)

Two Striper

Thin-Flex®

FLEXIBLE DIAMOND DISCS
WITH TRUE EDGE CUTTING

Designed for carving ceramic and composite materials. Two Striper® Thin-Flex® discs are excellent for contouring and shaping all surfaces including embrasures. These discs have diamond crystals wrapped around the edge of the disc to avoid “black marks” during carving procedures.

Discs may be ordered individually or in twin-packs. Twin-packs include two discs and a mandrel. The heavy duty stainless steel HP lab mandrels feature an enlarged neck area for safer operation. The screw head and washer system guarantees true running and reduces metal fatigue.

| Single-Sided 1/PKG | ORDER NUMBER |
|---------------------|--------------|
| 926-7 (0.10mm, 45µ) | CELBTFSG633 |
| 928-7 (0.24mm, 60µ) | CELBTFSG637 |

| Single-Sided 2/PKG (includes mandrel) | ORDER NUMBER |
|---------------------------------------|--------------|
| 926-7 (0.10mm, 45µ) | CELBTFTP634 |
| 928-7 (0.24mm, 60µ) | CELBTFTP638 |

| Double-Sided 1/PKG | ORDER NUMBER |
|---------------------|--------------|
| 927-7 (0.15mm, 45µ) | CELBTFSG653 |
| 929-7 (0.28mm, 60µ) | CELBTFSG657 |

| Double-Sided 2/PKG (includes mandrel) | ORDER NUMBER |
|---------------------------------------|--------------|
| 927-7 (0.15mm, 45µ) | CELBTFTP654 |
| 929-7 (0.28mm, 60µ) | CELBTFTP658 |



Two Striper

Silverstreak™

DIAMOND MODEL TRIMMING WHEEL

Two Striper® Silverstreak™ model trimming wheel trims models faster, runs quieter and is substantially longer lasting than traditional wheels. It has an extra coarse diamond cutting surface which is patterned for aggressive, yet cool cutting. It is lightweight, durable and perfectly balanced for concentric operation.


The model trimming wheel has a 25.4mm (1 in.) mounting hole and 6.4mm (1/4 in.) thickness to fit most trimmers. Available in 12” Extra Coarse (12XC) and 10” Extra Coarse (10XC).

Ask your dealer about the availability of Two Striper® Silverstreak™ model trimming wheels designed to fit other popular model trimming machines.

| Product | ORDER NUMBER |
|------------------|--------------|
| 12” Extra Coarse | CFWHLOC3002 |
| 10” Extra Coarse | CFWHLOC2001 |

ACCESSORIES

DRESSING STONES FOR P.B.S.® DIAMOND BURS



Two Striper. Mini-Square™

Use chairside. 12 squares per pack.

ORDER NUMBER: CFMSDSD4002



Two Striper. Clean--Diamond®

One large stone per pack.

ORDER NUMBER: CFMSDSD1001

These dressing stones are ideal for use with Two Striper® diamond burs and other quality diamond burs. The stones help keep Two Striper® burs at peak operating efficiency and extend their useful working life.

These dressing stones are autoclavable.

Two Striper®

FOR EXPERT ASSISTANCE TO BECOME A DISTRIBUTOR OR OTHER QUESTIONS, CONTACT US.

WWW.TWOSTRIPER.COM

Two Striper®

www.twostriper.com



© Abrasive Technology 2021 REV 1.2021