


Natural Stone Fireplace Surrounds

Maintenance & Cleaning Guide



Natural Stone Fireplace Surrounds Maintenance & Cleaning Guide

1.0	General Cleaning	03
2.0	Soot & Smoke Residue	03
3.0	Sealing & Surface Protection	03
4.0	Heat & Fire Considerations	03
5.0	Preventative Maintenance	04
6.0	Professional Maintenance & Restoration	04
7.0	Maintenance Schedule Overview	04

Natural Stone Fireplace Surrounds

This document provides technical guidance for the care, cleaning, and maintenance of natural stone fireplace surrounds. Proper maintenance ensures longevity, preserves aesthetic integrity, and reduces the risk of damage from heat, soot, and general use.

1.0 General Cleaning

- | | |
|------------------------|---|
| Step-By-Step Procedure | <ol style="list-style-type: none">1. Dust the stone regularly using a soft, dry microfiber cloth to remove loose soot or ash.2. For routine cleaning, use a pH-neutral stone cleaner or mild detergent diluted with warm water.3. Avoid acidic or abrasive cleaners such as vinegar, citrus-based products, or scouring pads.4. Wipe with a soft damp cloth, then dry immediately with a clean towel to prevent water marks. |
|------------------------|---|

2.0 Soot & Smoke Residue

- | | |
|------------------------|---|
| Step-By-Step Procedure | <ol style="list-style-type: none">1. Gently vacuum the area using a soft brush attachment prior to cleaning.2. Use a stone-safe soot remover or mild non-acidic degreaser as required, following manufacturer dilution ratios.3. Test all cleaning products in an inconspicuous area prior to full application.4. For stubborn or embedded stains, engage a professional stone restoration specialist to apply a stone poultice. |
|------------------------|---|

3.0 Sealing & Surface Protection

- | | |
|------------------------|--|
| Step-By-Step Procedure | <ol style="list-style-type: none">1. All natural stone surfaces should be sealed with a high-quality penetrating sealer suitable for fireplaces.2. Seal prior to or immediately after installation, and re-seal every 6–12 months depending on exposure and usage.3. Conduct a water drop test to determine sealing requirements – darkening of the stone indicates resealing is needed.4. Only use heat-resistant, breathable sealers. Avoid surface coatings or wax finishes. |
|------------------------|--|

4.0 Heat & Fire Considerations

- | | |
|------------------------|---|
| Step-By-Step Procedure | <ol style="list-style-type: none">1. Natural stone is heat-resistant but may crack under extreme or uneven heat exposure.2. Maintain required clearances between stone surfaces and open flames or high-heat sources.3. Do not place candles, heaters, or appliances directly on stone surfaces without protective pads or bases. |
|------------------------|---|

Natural Stone Fireplace Surrounds

5.0 Preventative Maintenance

Step-By-Step Procedure	1. 2. 3. 4. Use protective mats or felt pads beneath decorative items to prevent scratching. Promptly clean any liquid spills, particularly acidic substances such as wine, coffee, or juice. Inspect joints, grouting, and sealant lines periodically; repair or regrout if deterioration is observed. Avoid impact or pressure on corners and edges to prevent chipping.
------------------------	---

6.0 Professional Maintenance & Restoration

Step-By-Step Procedure	1. 2. 3. Periodic professional inspection and cleaning are recommended to maintain finish quality. Engage a qualified stone technician for polishing, poultice application, or surface restoration as required. Do not use generic stone polishes, waxes, or sealers unless confirmed suitable for the specific stone type installed.
------------------------	--

7.0 Maintenance Schedule Overview

The table below outlines key maintenance tasks, frequency, and recommended actions for natural stone fireplace surrounds:

Maintenance Task	Frequency	Recommended Action
Surface Dusting & Wipedown	Weekly / As required	Use a soft microfiber cloth. Avoid abrasive materials or acidic cleaners.
General Cleaning	Monthly	Ensure that only pH-neutral, non-acidic stone safe cleaners are used. Rinse thoroughly and dry immediately after cleaning.
Inspection of Joints & Grout	Quarterly	Check for cracks, loose grout, or soot build-up. Repair as required.
Soot or Smoke Residue Removal	As required	Vacuum first, then use a stone-safe degreaser or poultice for deep stains.
Sealing (Penetrating Sealer)	Every 6-12 Months	Apply breathable, heat-resistant sealer. Test absorption before application.
Professional Inspection / Restoration	Every 2-3 Years	Engage a qualified stone technician for polishing or restoration.
Structural / Installation Inspection	Annually	Ensure fireplace structure and clearances comply with AS/NZS fire safety standards.

For comprehensive guidance on the care of natural stone materials, please also refer to the BetterTiles **Natural Stone & Terrazzo Maintenance & Cleaning Guide**.

This guide provides detailed instructions on product-specific cleaning methods, recommended sealers, stain removal techniques, and long-term maintenance procedures to ensure durability and appearance retention across all natural stone surfaces.

Disclaimer

This 'Natural Stone Fireplace Surround Maintenance and Cleaning Guide' is based on various sources and was believed to be accurate at the time of publication. The information provided is advisory, offered in good faith and without prejudice, but does not claim to be an exhaustive treatment of the subject. Professional advice should be sought before taking any action based on the information provided. Bettertiles accepts no responsibility for the performance of cleaning products or for any consequential damages resulting from their use, as the quality control and application are outside of Bettertiles' control.



