

American Museum of Natural History (2014): Distinctive flashing patterns might facilitate fish mating. Phys Org. Letzter Abruf 31.05.2026.
<https://phys.org/news/2014-03-distinctive-patterns-fish.html>

Anderson, T., Martin, A., Lampitt, R., Trueman, C., Henson, S. & Mayor, D. (2019): Quantifying carbon fluxes from primary production to mesopelagic fish using a simple food web model. In: ICES Journal of Marine Science, Nr. 76(3) von Mai-Juni 2019, S. 690–701.
<https://doi.org/10.1093/icesjms/fsx234>

Andresen, H., Eduardo, L., Olivar, M., Denderen, P. van, Langbehn, T. & Sutton, T., Fock, H., Salvanes, A. & Lindegren, M. (2024): Mesopelagic Fish Traits: Functions and Trade-Offs. In: Fish and Fisheries, Nr. 26 vom 11.10.2024, S. 83-103.
<https://doi.org/10.1111/faf.12867>

Argarwal, Neal (o.J.): The Deep Sea. Letzter Abruf 05.06.2016
<https://neal.fun/deep-sea/>

Baker, K., Halfter, S., Scoulding, B. et al. (2025): Carbon injection potential of the mesopelagic-migrant pump in the Southern Ocean during summer. In: Frontiers in Marine Science, Nr. 12 vom 28.01.2025.
<https://doi.org/10.3389/fmars.2025.1461723>

Bandara, K., Varpe, Ø., Wijewardene, L., Tverberg, V. & Eiane, Ketil (2021): Two hundred years of zooplankton vertical migration research In: iological Reviews, Nr. 12715 vom 01.01.2021, S. 1-42.
<https://doi.org/10.1111/brv.12715>

Belcher, A., Saunders, R. & Tarling, G. (2019): Respiration rates and active carbon flux of mesopelagic fishes (family Myctophidae) in the Scotia Sea, Southern Ocean. In: Marine Ecology Progress Series, Nr. 610 vom 24.01.2019, S. 149-162.
<https://doi.org/10.3354/meps12861>

Berge, J., Geoffroy, M., Daase, M., Cottier, F., Priou, P., Cohen, J., Johnsen, G., McKee, D., Kostakis, I., Renaud, P., Vogedes, D., Anderson, P., Last, K. & Gauthier, S. (2020): Artificial light during the polar night disrupts Arctic fish and zooplankton behaviour down to 200 m depth. In: Communications Biology, Nr. 3(102) vom 05.03.2020.
<https://doi.org/10.1038/s42003-020-0807-6>

BluePlanetArchive & Wrobel, D. (2023): Lanternfish. Smithsonian, National Museum of Natural History & Ocean find your blue. Letzter Abruf 31.05.2026
<https://ocean.si.edu/ocean-life/fish/lanternfish-0>

Busserolles de, F. & Marshall, N. (2017): Seeing in the deep-sea: visual adaptations in lanternfishes. In: Philos Trans R Soc Lond B Biol Sci 372(1717):20160070 vom 05.04.2017.
<http://dx.doi.org/10.1098/rstb.2016.0070>

Caccavo, J., Christiansen, H., Constable, A., Ghigliotti, L., Trebilco et al. (2021): Productivity and Change in Fish and Squid in the Southern Ocean. In: Frontiers in Ecology and Evolution, Nr. 9 vom 24.06.2021.
<https://doi.org/10.3389/fevo.2021.624918>

Catul, V., Gauns, M. & Karuppasamy, P. (2011): A Review on mesopelagic fishes belongig to family Myctophidae. In: Reviews in Fish Biology and Fisheries, Nr. 21(3). S. 339-354.
<https://doi.org/10.1007/s11160-010-9176-4>

CDRmare (2023): Infografiken zur CO2-Entnahme aus der Atmosphäre: Der Kohlenstoffkreislauf & Organisch-biologische Kohlenstoffpumpe des Ozeans. Geomar Helmholtz-Zentrum für Ozeanforschung, Kiel.
<https://cdrmare.de/infographics/>

Claustre, H., Legendre, L., Boyd, P. & Levy, M. (2021): The Oceans' Biological Carbon Pumps: Framework for a Research Observational Community Approach. In: Frontiers in Marine Science, Nr. 8 vom 29.11.2021.
<https://doi.org/10.3389/fmars.2021.780052>

- Davies, T., Bennie, J., Inger, R., Hempel Ibarra, N. & Gaston, K. (2013):** Artificial light pollution: are shifting spectral signatures changing the balance of species interactions? In: *Glob Chang Biol*, Nr. 19(5) vom 12.03.2013, S. 1417-1423.
<https://doi.org/10.1111/gcb.12166>
- Dewar, W., Bingham, R., Iversen, R., Nowacek, D., St. Laurent, L. & Wiebe, P. (2006):** Does the marine biosphere mix the ocean? In: *Journal of Marine Research*, Nr. 64. S- 541-561.
<https://www.whoi.edu/science/PO/turbulence/download/papers/dewaretal.2006.pdf>
- Diş, D., Akoglu, E. & Salihoglu, B. (2024):** Exploitation of mesopelagic fish stocks can impair the biological pump and food web dynamics in the ocean. In: *Frontiers in Marine Science*, Nr. 11 vom 11.06.2024.
<https://doi.org/10.3389/fmars.2024.1389941>
- European Commission (o.J.):** Sustainable blue economy. European Commission.
https://oceans-and-fisheries.ec.europa.eu/ocean/blue-economy/sustainable-blue-economy_en
- Fabry, V., Seibel, B., Feely, R. & Orr, J. (2008):** Impacts of ocean acidification on marine fauna and ecosystem processes. In: *ICES Journal of Marine Science*, Nr. 65(3) vom 01.04.2008, S. 414-432.
<https://doi.org/10.1093/icesjms/fsn048>
- Flynn, A. & Williams, A. (2012):** Lanternfish (Pisces: Myctophidae) biomass distribution and oceanographic-topographic associations at Macquarie Island, Southern Ocean. In: *Marine and Freshwater Research*, Nr. 63(2) vom 01.01.2012, S. 251-263.
<https://doi.org/10.1071/MF11163>
- Ganguly, A. & Candolin, U. (2023):** Impact of light pollution on aquatic invertebrates: Behavioral responses and ecological consequences. In: *Behavioral Ecology and Sociobiology*, Nr. 77(104) vom 06.09.2023.
<https://doi.org/10.1007/s00265-023-03381-z>
- Geoffroy, M., Langbehn, T., Priou, P., Varpe, Ø., Johnsen, G., Le Bris, A., Fisher, J., Daase, M., McKee, D., Cohen, J. & Berge, J. (2021):** Pelagic organisms avoid white, blue, and red artificial light from scientific instruments. In: *Scientific Reports*, Nr. 11(14941) vom 22.07.2021.
<https://doi.org/10.1038/s41598-021-94355-6>
- Greenwood, T. (2021):** Sustainable Web Design. A Book Apart: New York.
- Grimaldo, E., Grimsø, L., Alvarez, P., Herrmann, Bent et al. (2020):** Investigating the potential for a commercial fishery in the Northeast Atlantic utilizing mesopelagic species In: *ICES Journal of Marine Science*, Nr. 77(7-8), Dezember 2020, S. 2541-2556.
<https://doi.org/10.1093/icesjms/fsaa114>
- Hernández-León, S. (2023):** The biological carbon pump, diel vertical migration, and carbon dioxide removal. In: *iScience*, Nr. 11 vom 20.09.2023.
<https://doi.org/10.1016/j.isci.2023.107835>
- Hidalgo, M. & Browman, H. (2019):** Developing the knowledge base needed to sustainably manage mesopelagic resources. In: *ICES Journal of Marine Science*, Nr. 76(3) vom 24.05.2019, S. 609-615.
<https://doi.org/10.1093/icesjms/fsz067>
- Hoppe, I. & Wolling, J. (2017):** Nachhaltigkeitskommunikation. In: Bonfadelli, H. et. al: *Forschungsfeld Wissenschaftskommunikation*. Springer VS, Wiesbaden. S. 339-353.
- Hudson, J., Steinberg, D., Sutton, T., Graves, J. & Latour, R. (2014):** Myctophid feeding ecology and carbon transport along the northern Mid-Atlantic Ridge. In: *Deep Sea Research Part I: Oceanographic Research*, Nr. 93, S. 104-116.
<https://doi.org/10.1016/j.dsr.2014.07.002>
- Hvnter (o.J.):** Botch Typeface. Hvnter.
<https://hvnter.net/products/p/botch-typeface>

IPCC (2000): Land Use, Land-Use Change and Forestry. Special Report of the Intergovernmental Panel on Climate Change.

https://archive.ipcc.ch/ipccreports/sres/land_use/index.php?idp=162&

Irigoiien, X., Klevjer, T., Røstad, A., Martinez, U., Boyra, G., Acuña, J., Bode, A., Echevarria, F., Gonzalez-Gordillo, J., Hernandez-Leon, S., Agusti, S., Aksnes, D., Duarte, C. & Kaartvedt, S. (2014): Large mesopelagic fishes biomass and trophic efficiency in the open ocean. In: Nature Communications, Nr. 5(3271), vom 07.02.2014. <https://doi.org/10.1038/ncomms4271>

Kishimoto, H., Suzuki, N. & Akagawa, I. (2017): Laboratory Manual on Fundamental Ichthyology. Tokai University Press, Tokyo. S. 2-23.

Koschorreck, J. & Rüdél, H. (2016): Brassen – die Trendmacher. Schadstoffmonitoring mit Fischen in der Umweltprobenbank. Umweltbundesamt: Dessau-Roßlau. <https://www.umweltbundesamt.de/publikationen/brassen-die-trendmacher>

Liu, S., Liu, Y., Teschke, K. et al. (2024): Incorporating Mesopelagic Fish Into the Evaluation of Conservation Areas for Marine Living Resources Under Climate Change Scenarios. In: Marine Life Science & Technology, Nr. 6(1), vom 11.06.2024, S. 68-83. <https://doi.org/10.1007/s42995-023-00188-9>

Lexend (o.J.): Lexend. Stand: 2024. <https://www.lexend.com>

Maenell, A. & Heinrich Böll Stiftung (Hrsg.) (2023): Mooratlas. 8. Auflage. https://www.boell.de/sites/default/files/2025-12/mooratlas2023_viii_web_20251203.pdf

Martin, R., Carr, E. & Sparks, J. (2024): Variation in lanternfish (Myctophidae) photophore structure: A comprehensive comparative analysis. In: PLoS ONE, Nr. 19(11) vom 13.11.2024. <https://doi.org/10.1371/journal.pone.0310976>

Matthews, C., Kennedy, J., Ólafsdóttir, A. & Pampouile, C. (2024): Biological Characteristic of the Glacier Lantern Fish *Benthosema glaciale* (Myctophidae) in Icelandic Waters and the Irminger Sea During Summer. In: Ecol Evol., Nr. 14(10). <https://doi.org/10.1002/ece3.70386>

McMonagle, H., Llopiz, J., Maas, A., Steinberg, D., Govindarajan, A. & Essington, T. (2024): Quantifying uncertainty in the contribution of mesopelagic fishes to the biological carbon pump in the Northeast Atlantic Ocean. In: ICES Journal of Marine Science, Nr. 81(10) vom 01.12.2024, S. 2037-2051. <https://doi.org/10.1093/icesjms/fsae149>

Mörth, E., Bruckner, S. & Smit, N. (2022): ScrollyVis: Interactive Visual Authoring of Guided Dynamic Narratives for Scientific Scrollytelling. In: IEEE Transactions on Visualization and Computer Graphics, Nr. 29(12) vom 12.12.2023, S. 5165-7177. <https://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=9887905>

Naik, A., Whitaker, R., Albrektsen, S., Solstad, R., Zhoresen, L. & Hayes, M. (2021): Mesopelagic Fish Protein Hydrolysates and Extras: A Source of Novel Anti-Hypertensive and Anti-Diabetic Peptides. In: Frontiers in Marine Science, Nr. 8 vom 03.09.2021. <https://doi.org/10.3389/fmars.2021.719608>

Nelson, J., Grande, T. & Wilson, M. (2016): Fishes of the world. Fifth edition. John Wiley & Sons, Inc., Hoboken, New Jersey. S. 277f. <http://dx.doi.org/10.1002/9781119174844>

Nice and serious & waterwise (o.J.): Every Last drop. Letzter Abruf: 05.06.2026. <http://everylastdrop.co.uk/>

Osborn, K. & Smithsonian (o.J.): Laternenfisch (Myctophida), ein kleiner Tiefseefisch mit Leuchtorganen. geomar. Letzter Abruf 31.05.2026.
<https://www.geomar.de/entdecken/biodiversitaet-der-tiefsee>

Page, S., Banks, C., Rieley, J. & Wüst, R. (2008): Extent, significance and vulnerability of the tropical peatland carbon pool: past, present and future prospects. In: Proceedings of the 13th International Peat Congress, S. 233-236.
<https://peatlands.org/assets/uploads/2019/06/ipc2008p233-236-page-extent-significance-and-vulnerability-of-the-tropical-peatland-carbon-pool.pdf>

Pallacks, S., Newton, R., Ziveri, P., Jannke, H., Lin, C.-H., Subhas, A., Galbraith, E., Kaboth-Bahr, S., Friedrich, O., Bahr, A., Kooutsodendris, A., Pross, J. & Norris, R. (2025): Ocean deoxygenation linked to ancient mesopelagic fish decline. In: Communications Earth & Environment, Nr. 6(596) vom 09.07.2025.
<https://doi.org/10.1038/s43247-025-02568-8>

Pan, Y., Birdsey, R., Phillips, O. et al. (2024): The enduring world forest carbon sink. In: Nature, Nr. 631 vom 17.07.2024.
<https://doi.org/10.1038/s41586-024-07602-x>

Paoletti, S., Nielsen, J., Sparrevohn, C., Basterdie, F. & Vastenhou, B. (2021): Potential for Mesopelagic Fishery Compared to Economy and Fisheries Dynamics in Current Large Scale Danish Pelagic Fishery. In: Frontiers in Marine Science, Nr. 8 vom 24.08.2021.
<https://doi.org/10.3389/fmars.2021.720897>

Pinti, J., Devries, T., Norin, T., Serra-Pompei, C., Proud, R., Siegel, D., Kiørboe, T., Petrik, C., Andersen, K., Brierley, A. & Visser, A. (2023): Model estimates of metazoans' contributions to the biological carbon pump. Biogeosciences, Nr. 20(5) vom 10.03.2023, S. 997-1009.
<https://doi.org/10.5194/bg-20-997-2023>

Saba, G., Burd, A., Dunne, J., Hernández-León, S., Martin, A., Rose, K., Salisbury, J., Steinberg, D., Trueman, C., Wilson, R. & Wilson, S. (2021): Toward a better understanding of fish-based contribution to ocean carbon flux. In: Limnology and Oceanography, Nr. 66(5) vom 10.01.2021, S. 1639-1664.
<https://doi.org/10.1002/lno.11709>

Saunders, R., Hill, S., Tarling, G. & Murphy, E. (2019): Southern Ocean mesopelagic fish communities in the Scotia Sea are sustained by mass immigration. In: Frontiers in Marine Science, Nr. 6 vom 04.09.2019.
<https://doi.org/10.3389/fmars.2019.00530>

Milligan, R. & Sutton, T. (2020): Dispersion Overrides Environmental Variability as a Primary Driver of the Horizontal Assemblage Structure of the Mesopelagic Fish Family Myctophidae in the Northern Gulf of Mexico. In: Frontiers in Marine Science, Nr. 7(15) vom 12.02.2020.
<https://doi.org/10.3389/fmars.2020.00015>

Sardet, N. (2019): Kein Titel. Letzter Abruf 31.05.2026.
<https://unsplash.com/de/fotos/nahaufnahme-von-fischen-hp4SVuJM2-g>

Science Source (o.J.): Lanternfish, Myctophum affine. Asset. Letzter Abruf 31.05.2026.
<https://sciencesource.com/2461817-lanternfish-myctophum-affinae-stock-image-rights-managed.html>

Shaviklo, A. (2020): A Comprehensive Review on Animal Feed, Human Food and Industrial Application of Lanternfishes; from Prototypes to Products. In: Turkish Journal of Fisheries and Aquatic Sciences, Nr. 20(11) vom 17.09.2020, S. 827-843.
http://doi.org/10.4194/1303-2712-v20_11_06

Smyth, T., Wright, A., McKee, D., Tidau, S., Tamir, R., Dubinsky, Z., Illuz, D. & Davies, T. (2021): A global atlas of artificial light at night under the sea. In: *Elementa: Science of the Anthropocene*, Nr. 9(1) vom 13.12.2021.
<https://doi.org/10.1525/elementa.2021.00049>

Sommer, U. (2024): Süßwasser- und Meeresökologie. Springer Nature Switzerland AG.
<https://doi.org/10.1007/978-3-031-64723-9>

Spektrum der Wissenschaft (o.J.): Luciferin-Luciferase-System. In *Kompaktlexikon der Biologie*.
<https://www.spektrum.de/lexikon/biologie-kompakt/luciferin-luciferase-system/7130>

Stevens, D., Braid, H., Meynier, L., Escobar-Flores, P., Pinkerton, M., Hopcroft, D., He, Y. & Cherel, Y. (2024): A guide to the otoliths of Southern Ocean lanternfishes (Myctophidae). In: *Polar Biology*, Nr. 47 vom 20.09.2024, S. 1543-1558.
<https://doi.org/10.1007/s00300-024-03312-2>

St. John, M., Borja, A., Chust, G., Heath, M., Grigorov, I., Mariani, P., Martin, A. & Santos, R. (2016): A Dark Hole in Our Understanding of Marine Ecosystems and Their Services: Perspectives from the Mesopelagic Community. In: *Frontiers in Marine Science*, Nr. 3(31) vom 17.03.2016.
<https://doi.org/10.3389/fmars.2016.00031>

The Histroy Collection (2010): *Myctophum nitidulum* is a species of lanternfish, known for its bioluminescent properties, found in deep ocean waters. This fish is part of the Myctophidae family and plays a role in marine ecosystems. Alamy. Letzter Abruf 31.05.2026.
<https://www.alamy.com/stock-photo-myctophum-nitidulum-is-a-species-of-lantern-fish-known-for-its-bioluminescent-140313691.html?imageid=B4CA2D05-8315-4A46-BF12-1879115F3F4D&pn=1&searchId=e5432d6839e7ce642edd91a7b4abf512&searchtype=0>

Thibault, H., Ménard, F., Abitbol-Spangaro, J., Poggiale, J.-C. & Martini, S. (2025): Modeling the contribution of micronekton diel vertical migrations to carbon export in the mesopelagic zone. In: *Biogeosciences*, Nr. 22(9) vom 21.05.2025, S. 2181-2200.
<https://doi.org/10.5194/bg-22-2181-2025>

Trimble, Morgan (2018): A lanternfish, myctophid family, caught in night trawl in the Indian Ocean off South Africa displays bioluminescent photophores, used for communication. Almay. Letzter Abruf 31.05.2026.
<https://www.alamy.com/a-lanternfish-myctophid-family-caught-in-night-trawl-in-the-indian-ocean-off-south-africa-displays-bioluminescent-photophores-used-for-communication-image353437689.html?imageid=78428A61-7068-4798-95D6-0B26D65C31A2&pn=1&searchId=b312bad71dff0e7c6c934e1d6e713d93&searchtype=0>

Umweltbundesamt (UBA) (2016): Brassen – die Trendmacher. Schadstoffmonitoring mit Fischen in der Umweltprobenbank. Stand: 15.01.2025.
<https://www.umweltbundesamt.de/themen/neues-scrollytelling-brassen-die-trendmacher>

Umweltbundesamt (UBA) (2024): Stories. Stand: 08.04.2024.
Umweltbundesamt:<https://www.umweltbundesamt.de/stories>

Umweltbundesamt (UBA) (2026): Brassen – die Trendmacher | Umweltbundesamt. Stand: 29.05.2026.
<https://www.umweltbundesamt.de/publikationen/brassen-die-trendmacher>

Vaih-Baur, C. (2017): Scrollytelling – „Eine Spielart oder Weiterentwicklung traditioneller Storytellingformate“. In: Femers-Koch, S. / Molthagen-Schnöring, S. (Hrsg.): *Textspiele in der Wirtschaftskommunikation*. Springer: Berlin, S. 343-346.
https://doi.org/10.1007/978-3-658-18899-3_14

Westheide, W. & Rieger, G. (Hrsg.) (2015): *Spezielle Zoologie. Teil 2: Wirbel- oder Schädeltiere*. 3. Aufl., Springer Spektrum, Berlin/Heidelberg. S. 271f.
<https://doi.org/10.1007/978-3-642-55436-0>

Wilson, R., Millero, F., Taylor, J., Wlash, P., Christensen, V., Jennings, S. & Grosell, M. (2009): Contribution of Fish to the Marine Inorganic Carbon Cycle. In: Science, Nr. 323(5912).
<https://doi.org/10.1126/science.1157972>

Woods, B., Trebilco, R., Walters, A., Hindell, M., Duhamel, G., Flores, H., Moteki, M., Pruvost, P., Reiss, C., Saunders, R., Sutton, C., Gan, Y. & Van de Putte, A. (2022): Myctobase, a circumpolar database of mesopelagic fishes for new insights into deep pelagic prey fields. In: Scientific Data, Nr. 9(404) vom 13.07.2022.
<https://doi.org/10.1038/s41597-022-01496-y>

Woods, B., Van de Putte, A., Hindell, M., Raymond, B., Saunders, R., Walters, A. & Trebilco, Rowan (2023): Species distribution models describe spatial variability in mesopelagic fish abundance in the Southern Ocean. In: Frontiers in Marine Science, Nr. 9 vom 07.02.2023.
<https://doi.org/10.3389/fmars.2022.981434>

Woods Hole Oceanographic Institution (who) (2024): Hadal Zone. WHOI Ocean Topics.
<https://www.who.edu/ocean-learning-hub/ocean-topics/how-the-ocean-works/ocean-zones/hadal-zone/>

Woodstock, M., Sutton, T. & Zhang, Y. (2022): A trait-based carbon export model for mesopelagic fishes in the Gulf of Mexico with consideration of asynchronous vertical migration, flux boundaries, and feeding guilds.
https://repository.library.noaa.gov/view/noaa/49114/noaa_49114_DS1.pdf

World Nuclear Industry Status Report (WNISR) (2026): Kernenergie weltweit 2026. World Nuclear Industry Status Report.
<https://www.worldnuclearreport.org/Kernenergie-weltweit-2026>

WWF (Hrsg.) (o.J.): Wer leuchtet da?. Letzter Abruf 31.05.2026.
<https://www.pandaclub.ch/de/wer-leuchtet-da/>

W3C (2026): Web Sustainability Guidelines (WSG) 1.0. Stand: 01.06.2026.
<https://w3c.github.io/sustainableweb-wsg/>

Yang, Z., Fielding, S., Freer, J., Tarling, G., Saunders, R. & Genner, M. (2026): Dynamics of daily vertical migration in mesopelagic fish communities across the Southern Ocean. In: Proceedings of the Royal Society B, Nr. 293(2066):20252264 vom 04.03.2026.
<https://doi.org/10.1098/rspb.2025.2264>

Zankl, S.(o.J.): Fotografie: Diese Tiefseebewohner scheinen nicht von dieser Welt. Stern. Letzter Abruf 31.05.2026.
https://www.stern.de/panorama/wissen/fotografie--diese-tiefsee-bewohner-scheinen-nicht-von-dieser-welt_32963622-32963570.html

Zankl, S. (2007): *Lepidophanes guentheri*, a species of the large group of lantern-fish (or myctophid, family Myctophidae, 246 species, mykter = Greek for 'nose'. Almay. Letzter Abruf 31.05.2026.
<https://www.alamy.com/captive-lepidophanes-guentheri-a-species-of-the-large-group-of-lanternfish-or-myctophid-family-myctophidae-246-species-mykter--greek-for-nose-image659469679.html>

Zhao, B., Zhuang, Q. & Frolking, S. (2022): Modeling carbon accumulation and greenhouse gas emission of northern peatlands since the Holocene. Purdue University & University of New Hampshire.
<https://essopenarchive.org/doi/pdf/10.1002/essoar.10511444.1?download=true&>