

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Customer: San Domenico srl
Via Rutigliano 12
70010 Turi BA

Sample N°: 3897/25

Starting test date: 17/11/2025

Product Category: Vegetable Oil

Product: Extra Virgin Olive Oil

Sample Label: Organic Extra Virgin Olive Oil

Sample Description: Sample received by the customer

Sampling by: Customer

Packaging: plastic bottle

Sample Quantity: ml 250

Receipt date: 17/11/2025

Closing test date: 04/06/2026

*The result of the analysis refers to the sample analyzed, as received, except for samples for which the laboratory is responsible for sampling.
The information on the sample label and/or any further relative references are provided by the customer.
The laboratory declines all responsibility for the information and data provided by the customer that may influence the test results. It is forbidden the partial reproduction of this test report without the written permission of the laboratory.*

The uncertainty indicated for testing chemical, is expressed as expanded uncertainty, calculated with coverage factor K = 2, which corresponds to a confidence interval of 95%.

% oleic ac.: % oleic ac.

mg/kg caffeic ac.: mg/kg caffeic ac.

The tests and sampling procedures marked with * are not subject to accreditation ACCREDIA. Opinions and interpretations are not subject to accreditation ACCREDIA.

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Determination of free fatty acids COI/T.20/Doc. No 34/rev1 2017	0,26	% oleic ac.	0,05	0,8 (RD-UE2022)
Total Polyphenols MP04 rev.7 01/10/2019	669	mg/kg caffeic ac.	±80	
STEROLS				
Cholesterol COI/T.20/Doc. n. 26 rev.5 2020	0,21	%	0,06	0,5 (RD-UE2022)
Brassicasterol COI/T.20/Doc. n. 26 rev.5 2020	<0,01	%		0,1 (RD-UE2022)
24-Methylencholesterol COI/T.20/Doc. n. 26 rev.5 2020	0,28	%	0,05	
Campesterol COI/T.20/Doc. n. 26 rev.5 2020	2,88	%	0,25	4,0 (RD-UE2022)
Campestanol COI/T.20/Doc. n. 26 rev.5 2020	0,22	%	0,05	
Stigmasterol COI/T.20/Doc. n. 26 rev.5 2020	1,18	%	0,25	
Delta- 7 Campesterol COI/T.20/Doc. n. 26 rev.5 2020	<0,01	%		
Delta-5,23 Stigmastadienol COI/T.20/Doc. n. 26 rev.5 2020	<0,01	%		
Clerosterol COI/T.20/Doc. n. 26 rev.5 2020	0,86	%	0,15	
Betasitosterol COI/T.20/Doc. n. 26 rev.5 2020	85,03	%	0,76	
Sitosterol COI/T.20/Doc. n. 26 rev.5 2020	0,64	%	0,15	
Delta- 5 Avenasterol COI/T.20/Doc. n. 26 rev.5 2020	4,60	%	0,50	

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Delta-5,24 Stigmastadienolo COI/T.20/Doc. n. 26 rev.5 2020	2,97	%	0,20	
Delta- 7 Stigmastenol COI/T.20/Doc. n. 26 rev.5 2020	0,37	%	0,15	0,5 (RD-UE2022)
Delta- 7 Avenasterol COI/T.20/Doc. n. 26 rev.5 2020	0,67	%	0,10	
TOTAL BETASITOSTEROL COI/T.20/Doc. n. 26 rev.5 2020	94,1	%		>93,0 (RD-UE2022)
TOTAL STEROLS COI/T.20/Doc. n. 26 rev.5 2020	1047	mg/kg		>1000 (RD-UE2022)
Determination of Pensticides by GC				
1,4-Dimethylnaphthalene (*) UNI EN 15662:2018	<0,01	mg/kg		
2,4-DDE (*) UNI EN 15662:2018	<0,01	mg/kg		
2-phenylphenol (*) UNI EN 15662:2018	<0,01	mg/kg		
4,4-DDD (*) UNI EN 15662:2018	<0,01	mg/kg		
4,4-DDE (*) UNI EN 15662:2018	<0,01	mg/kg		
4,4-DDT (*) UNI EN 15662:2018	<0,01	mg/kg		
Aclonifen (*) UNI EN 15662:2018	<0,01	mg/kg		
Acrinathrin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Azinphos-ethyl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Benfluralin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Benfuresate (*) UNI EN 15662:2018	<0,01	mg/kg		
Benzoylprop-ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Bifenthrin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Biphenyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromfenivphos ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromocyclen (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromophos-ethyl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromophos methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromopropylate (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Butafenacil (*) UNI EN 15662:2018	<0,01	mg/kg		
Butamifos (*) UNI EN 15662:2018	<0,01	mg/kg		
Captan (Sum of captan and THPI, expressed as captan) (R) (A) (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Carbophenothion (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorfenapyr (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorfenson (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorfenvinphos (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorobenzilate (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorothalonil (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorpropham (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorpyrifos (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorpyrifos-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorthal-dimethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorthalate (*) UNI EN 15662:2018	<0,01	mg/kg		
Climbazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Clomazone (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyanofenphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyfluthrin (cyfluthrin including other mixtures of constituent isomers (sum of isomers)) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Cypermethrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyprodinil (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyproflumuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Deltamethrin (cis-deltamethrin) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Desmethrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlobenil (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlorvos (*) UNI EN 15662:2018	<0,01	mg/kg		
Diclobutrazol (*) UNI EN 15662:2018	<0,01	mg/kg		
Diclofenthion (*) UNI EN 15662:2018	<0,01	mg/kg		
Diclofluanide (*) UNI EN 15662:2018	<0,01	mg/kg		
Dicloran (*) UNI EN 15662:2018	<0,01	mg/kg		
Dicofol (*) UNI EN 15662:2018	<0,01	mg/kg		
Aldrin and Dieldrin (Aldrin and dieldrin combined expressed as dieldrin) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		



TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Diffufenican (*) UNI EN 15662:2018	<0,01	mg/kg		
Diofenolan (*) UNI EN 15662:2018	<0,01	mg/kg		
Diphenamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Diphenylamine (*) UNI EN 15662:2018	<0,01	mg/kg		
Disulfoton (sum of disulfoton, disulfoton sulfoxide and disulfoton sulfone expressed as disulfoton) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Endosulfan (sum of alpha- and beta-isomers and endosulfan-sulphate expresses as endosulfan) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Endosulfan alpha (*) UNI EN 15662:2018	<0,01	mg/kg		
Endosulfan beta (*) UNI EN 15662:2018	<0,01	mg/kg		
Endosulfan sulfate (*) UNI EN 15662:2018	<0,01	mg/kg		
Endrin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
EPN (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Etaconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Etofenprox (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Etridiazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Etrimfos (*) UNI EN 15662:2018	<0,01	mg/kg		
Famoxadone (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenamidone (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenamiphos (sum of fenamiphos and its sulphoxide and sulphone expressed as fenamiphos) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenarimol (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenazaquin (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenbuconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenchlorphos (sum of fenchlorphos and fenchlorphos oxon expressed as fenchlorphos) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenhexamid (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenitrothion (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenpiclonil (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Fenprothrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenpropidin (sum of fenpropidin and its salts, expressed as fenpropidin) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenson (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenthion (fenthion and its oxygen analogue, their sulfoxides and sulfone expressed as parent) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenvalerate (any ratio of constituent isomers (RR, SS, RS & SR) including esfenvalerate) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fipronil (sum fipronil + sulfone metabolite (MB46136) expressed as fipronil) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluchloralin (*) UNI EN 15662:2018	<0,01	mg/kg		
Flucythrinate (flucythrinate including other mixtures of constituent isomers (sum of isomers)) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fludioxonil (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flumioxazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluquinconazole (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Folpet (sum of folpet and phtalimide, expressed as folpet) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fonofos (*) UNI EN 15662:2018	<0,01	mg/kg		
Furalaxyl (*) UNI EN 15662:2018	<0,01	mg/kg		
HCH-alpha (*) UNI EN 15662:2018	<0,01	mg/kg		
HCH-beta (*) UNI EN 15662:2018	<0,01	mg/kg		
HCH-gamma (Lindane) (*) UNI EN 15662:2018	<0,01	mg/kg		
Heptachlor (sum of heptachlor and heptachlor epoxide expressed as heptachlor) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Heptachlor epoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Hexachlorobenzene (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Hexazinone (*) UNI EN 15662:2018	<0,01	mg/kg		
Iprobenfos (*) UNI EN 15662:2018	<0,01	mg/kg		
Iprodione (*) UNI EN 15662:2018	<0,01	mg/kg		
Isofenphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Lactofen (*) UNI EN 15662:2018	<0,01	mg/kg		
Lambda-Cyhalothrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Mefenpyr-diethyl (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Metazachlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Methamidophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Methidathion (*) UNI EN 15662:2018	<0,01	mg/kg		
Methoxychlor (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metolcarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Mirex (*) UNI EN 15662:2018	<0,01	mg/kg		
Monocrotophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Nitrapyrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Nitrothal-isopropyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Nuarimol (*) UNI EN 15662:2018	<0,01	mg/kg		
Ofurace (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxadiazon (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxyfluorfen (*) UNI EN 15662:2018	<0,01	mg/kg		
Paclobutrazol (*) UNI EN 15662:2018	<0,01	mg/kg		
Paraoxon Ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Paraoxon methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Parathion (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Parathion-methyl (sum of Parathion-methyl and paraoxon-methyl expressed as Parathion-methyl) (*) UNI EN 15662:2018	<0,01	mg/kg		
Penconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Pendimethalin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Permethrin (sum of isomers) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Phenthoate (*) UNI EN 15662:2018	<0,01	mg/kg		
Phorate (sum of phorate, its oxygen analogue and their sulfones expressed as phorate) (*) UNI EN 15662:2018	<0,01	mg/kg		
Phosphamidon (*) UNI EN 15662:2018	<0,01	mg/kg		
Picoxystrobin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pirimicarb (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pirimiphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Pirimiphos-methyl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Pretilachlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Prochloraz (*) UNI EN 15662:2018	<0,01	mg/kg		
Procymidone (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Profenofos (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Propanil (*) UNI EN 15662:2018	<0,01	mg/kg		
Propetamphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Propham (*) UNI EN 15662:2018	<0,01	mg/kg		
Prothiofos (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyraflufen ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrazophos (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyridaben (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyridalyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrimethanil (*) UNI EN 15662:2018	<0,01	mg/kg		
Quinoxifen (*) UNI EN 15662:2018	<0,01	mg/kg		
Quintozene (sum of quintozene and pentachloro-aniline expressed as quintozene) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Spiroamine (sum of isomers) (A) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tau-Fluvalinate (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebufenpyrad (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tefluthrin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbufos (*) UNI EN 15662:2018	<0,01	mg/kg		
Tetrachlorvinphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Tetradifon (*) UNI EN 15662:2018	<0,01	mg/kg		
Tolclofos-methyl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tolyfluanid (Sum of tolyfluanid and dimethylaminosulfotoluidide expressed as tolylfluanid) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tralomethrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Triadimefon (*) UNI EN 15662:2018	<0,01	mg/kg		
Tribuphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Trifluralin (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Vinclozolin (*) UNI EN 15662:2018	<0,01	mg/kg		
Determination of Pesticides by LC				
(Z)-Metominostrubin (*) UNI EN 15662:2018	<0,01	mg/kg		
1-Naphthylacetamide and 1-Naphthylacetic acid (sum, expressed as 1-Naphthylacetic acid) (*) UNI EN 15662:2018	<0,01	mg/kg		
2,4,5-T (sum of 2,4,5-T, its salts and esters, expressed as 2,4,5-T) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
2,4,5-TP (Fenoprop) (*) UNI EN 15662:2018	<0,01	mg/kg		
2,4-D (*) UNI EN 15662:2018	<0,01	mg/kg		
2,4-DB (sum of 2,4-DB, its salts, its esters and its conjugates, expressed as 2,4-DB) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
3-Hydroxycarbofuran (*) UNI EN 15662:2018	<0,01	mg/kg		
3-Phenoxybenzoic Acid (*) UNI EN 15662:2018	<0,01	mg/kg		
4,4'-Dichlorobenzophenone (*) UNI EN 15662:2018	<0,01	mg/kg		
6-Chloronicotinic acid (*) UNI EN 15662:2018	<0,01	mg/kg		
Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a, expressed as avermectin B1a) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Acephate (*) UNI EN 15662:2018	<0,01	mg/kg		
Acequinocyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Acetamiprid (*) UNI EN 15662:2018	<0,01	mg/kg		
Acibenzolar- S- methyl (sum of acibenzolar- S- methyl and acibenzolar acid (free and conjugated), expressed as acibenzolar- S- methyl) (*) UNI EN 15662:2018	<0,01	mg/kg		
Acifluorfen (*) UNI EN 15662:2018	<0,01	mg/kg		
Alachlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Alanycarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Aldicarb (sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb) (*) UNI EN 15662:2018	<0,01	mg/kg		
Aldicarb sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Aldicarb sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Allethrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Allidochlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Ametoctradin (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Ametryn (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Aminocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Aminopyralid (*) UNI EN 15662:2018	<0,01	mg/kg		
Amisulbrom (*) UNI EN 15662:2018	<0,01	mg/kg		
Amitraz (amitraz including the metabolites containing the 2,4 -dimethylaniline moiety expressed as amitraz) (*) UNI EN 15662:2018	<0,01	mg/kg		
Amitrole (*) UNI EN 15662:2018	<0,01	mg/kg		
Ancymidol (*) UNI EN 15662:2018	<0,01	mg/kg		
Anilazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Anthraquinone (*) UNI EN 15662:2018	<0,01	mg/kg		
Atraton (*) UNI EN 15662:2018	<0,01	mg/kg		
Atrazine (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Azadirachtin (*) UNI EN 15662:2018	<0,01	mg/kg		
Azamethiphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Azinphos-methyl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Azoxystrobin (*) UNI EN 15662:2018	<0,01	mg/kg		
Barban (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Bendiocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Benfuracarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Benodanil (*) UNI EN 15662:2018	<0,01	mg/kg		
Benoxacor (*) UNI EN 15662:2018	<0,01	mg/kg		
Bensulfuron-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Bensulide (*) UNI EN 15662:2018	<0,01	mg/kg		
Bentazone (Sum of bentazone, its salts and 6-hydroxy (free and conjugated) and 8-hydroxy bentazone (free and conjugated), expressed as bentazone) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Benthiavalcicarb isopropyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Benzoximate (*) UNI EN 15662:2018	<0,01	mg/kg		
Bifenate (*) UNI EN 15662:2018	<0,01	mg/kg		
Bifenazate (sum of bifenazate plus bifenazate-diazene expressed as bifenazate) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Bispyribac sodium (*) UNI EN 15662:2018	<0,01	mg/kg		
Bitertanol (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Bixafen (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Boscalid (F) (R) (A) (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromacil (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromadiolone (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromoxynil and its salts, expressed as bromoxynil (*) UNI EN 15662:2018	<0,01	mg/kg		
Bromuconazole (sum of diastereoisomers) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Bupirimate (*) UNI EN 15662:2018	<0,01	mg/kg		
Buprofezin (*) UNI EN 15662:2018	<0,01	mg/kg		
Butocarboxim (*) UNI EN 15662:2018	<0,01	mg/kg		
Butoxycarboxim (*) UNI EN 15662:2018	<0,01	mg/kg		
Butralin (*) UNI EN 15662:2018	<0,01	mg/kg		
Butylate (*) UNI EN 15662:2018	<0,01	mg/kg		
Cadusafos (*) UNI EN 15662:2018	<0,01	mg/kg		
Cafenstrole (*) UNI EN 15662:2018	<0,01	mg/kg		
Carbaryl (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Carbendazim and benomyl (sum of benomyl and carbendazim expressed as carbendazim) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Carbetamide (*) UNI EN 15662:2018	<0,01	mg/kg		
Carbofuran (sum of carbofuran (including any carbofuran generated from carbosulfan, benfuracarb or furathiocarb) and 3-OH carbofuran expressed as carbofuran) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Carbosulfan (*) UNI EN 15662:2018	<0,01	mg/kg		
Carboxin (*) UNI EN 15662:2018	<0,01	mg/kg		
Carfentrazone-ethyl (determined as carfentrazone and expressed as carfentrazone-ethyl) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorantraniliprole (DPX E-2Y45) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorbromuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlordecone (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorfluazuron (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Chloridazon (R) (sum of chloridazon and chloridazon-desphenyl, expressed as chloridazon) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorotoluron (*) UNI EN 15662:2018	<0,01	mg/kg		
Chloroxuron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorsulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorthiamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Chlorthiophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Cinidon-ethyl (sum of cinidon ethyl and its E-isomer) (*) UNI EN 15662:2018	<0,01	mg/kg		
Cinosulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim) (*) UNI EN 15662:2018	<0,01	mg/kg		
Clodinafop and its S-isomers and their salts, expressed as clodinafop (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Clofentezine (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Clopyralid (*) UNI EN 15662:2018	<0,01	mg/kg		
Cloquintocet mexyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Clothianidin (*) UNI EN 15662:2018	<0,01	mg/kg		
Coumaphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Crimidine (*) UNI EN 15662:2018	<0,01	mg/kg		
Crotoxyphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Crufomate (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyanazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyanophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyantraniliprole (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyazofamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Cycloate (*) UNI EN 15662:2018	<0,01	mg/kg		
Cycloheximide (*) UNI EN 15662:2018	<0,01	mg/kg		
Cycloxydim (*) UNI EN 15662:2018	<0,01	mg/kg		
Cycluron (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyflufenamid: sum of cyflufenamid (Z-isomer) and its E-isomer (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyhalofop-butyl (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin) (*) UNI EN 15662:2018	<0,01	mg/kg		
Cymiazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Cymoxanil (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyproconazole (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyprosulfamide (*) UNI EN 15662:2018	<0,01	mg/kg		
Cyromazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Daimuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Daminozide (sum of daminozide and 1,1-dimethyl-hydrazine (UDHM), expressed as daminozide) (*) UNI EN 15662:2018	<0,01	mg/kg		
Dazomet (Methylisothiocyanate resulting from the use of dazomet and metam) (*) UNI EN 15662:2018	<0,01	mg/kg		
DEET (*) UNI EN 15662:2018	<0,01	mg/kg		
Demeton S-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Demeton S-methyl sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Demeton-S-methyl sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Desmedipham (*) UNI EN 15662:2018	<0,01	mg/kg		
Di-allate (*) UNI EN 15662:2018	<0,01	mg/kg		
Diafenthiuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Diazinon (*) UNI EN 15662:2018	<0,01	mg/kg		
Dicamba (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlormid (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlorophenylmethylurea (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlorophenylurea (*) UNI EN 15662:2018	<0,01	mg/kg		
Dichlorprop (Sum of dichlorprop (including dichlorprop-P), its salts, esters and conjugates, expressed as dichlorprop (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Dicrothophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Diethofencarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Difenoconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Difenoxuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Diflubenzuron (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Dimefuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimepiperate (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimethachlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimethenamid-p (dimethenamid-p including other mixtures of constituent isomers (sum of isomers)) (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimethoate (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimethomorph (sum of isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimetilan (*) UNI EN 15662:2018	<0,01	mg/kg		
Dimoxystrobin (*) UNI EN 15662:2018	<0,01	mg/kg		
Diniconazole (sum of isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Dinitramine (*) UNI EN 15662:2018	<0,01	mg/kg		
Dinobuton (*) UNI EN 15662:2018	<0,01	mg/kg		
Dinoseb (*) UNI EN 15662:2018	<0,01	mg/kg		
Dinotefuran (*) UNI EN 15662:2018	<0,01	mg/kg		
Dinoterb (*) UNI EN 15662:2018	<0,01	mg/kg		
Dioxacarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Disulfoton sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Disulfoton sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Ditalimfos (*) UNI EN 15662:2018	<0,01	mg/kg		
Dithianon (*) UNI EN 15662:2018	<0,01	mg/kg		
Dithiopyr (*) UNI EN 15662:2018	<0,01	mg/kg		
Diuron (*) UNI EN 15662:2018	<0,01	mg/kg		
DMST (*) UNI EN 15662:2018	<0,01	mg/kg		
DNOC (*) UNI EN 15662:2018	<0,01	mg/kg		
Dodemorph (*) UNI EN 15662:2018	<0,01	mg/kg		
Dodine (*) UNI EN 15662:2018	<0,01	mg/kg		
Doramectin (*) UNI EN 15662:2018	<0,01	mg/kg		
Edifenphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Eamectin (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Epoxiconazole (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Eprinomectin (*) UNI EN 15662:2018	<0,01	mg/kg		
EPTC (ethyl dipropylthiocarbamate) (*) UNI EN 15662:2018	<0,01	mg/kg		
Esprocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethalfuralin (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethidimuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethiofencarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethiolate (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethion (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethiprole (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethirimol (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate) (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethoprophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Ethoxiquin (*) UNI EN 15662:2018	<0,01	mg/kg		
Etiozazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Famphur (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenamiphos sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenamiphos sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenbutatin oxide (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenfuram (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenobucarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenothiocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenoxanil (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenoxaprop (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenoxycarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenpropimorph (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenpyrazamine (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenpyroximate (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Fensulfothion (*) UNI EN 15662:2018	<0,01	mg/kg		
Fensulfothion oxon (*) UNI EN 15662:2018	<0,01	mg/kg		
Fensulfothion sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenthion sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenthion sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Fenuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Fipronil sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Flamprop (*) UNI EN 15662:2018	<0,01	mg/kg		
Flamprop isopropyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Flamprop methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Fonicamid (sum of fonicamid, TFNA and TFNG expressed as fonicamid) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Florasulam (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluazifop (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluazifop butyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluazinam (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flubendiamide (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flubenzimine (*) UNI EN 15662:2018	<0,01	mg/kg		
Flufenacet (sum of all compounds containing the N fluorophenyl-N-isopropyl moiety expressed as flufenacet equivalent) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flufenoxuron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluirdione (*) UNI EN 15662:2018	<0,01	mg/kg		
Flumetralin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flumetsulam (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluometuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluopicolide (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluopyram (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluoxastrobin (sum of fluoxastrobin and its Z-isomer) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flupyradifurone (*) UNI EN 15662:2018	<0,01	mg/kg		
Flurochloridone (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Fluroxipir (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluroxypyr-1-methylheptylester (*) UNI EN 15662:2018	<0,01	mg/kg		
Flusilazole (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flutolanil (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Flutriafol (*) UNI EN 15662:2018	<0,01	mg/kg		
Fluxapyroxad (*) UNI EN 15662:2018	<0,01	mg/kg		
Fomesafen (*) UNI EN 15662:2018	<0,01	mg/kg		
Forchlorfenuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Formetanate (*) UNI EN 15662:2018	<0,01	mg/kg		
Fosthiazate (*) UNI EN 15662:2018	<0,01	mg/kg		
Fuberidazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Furathiocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Griseofulvin (*) UNI EN 15662:2018	<0,01	mg/kg		
Halofenozide (*) UNI EN 15662:2018	<0,01	mg/kg		
Halosulfuron methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Haloxypop (Sum of haloxypop, its esters, salts and conjugates expressed as haloxypop (sum of the R- and S- isomers at any ratio)) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Haloxypop methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Haloxypop (Sum of haloxypop, its esters, salts and conjugates expressed as haloxypop (sum of the R- and S- isomers at any ratio)) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Heptenophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Hexaconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Hexaflumuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Hexythiazox (*) UNI EN 15662:2018	<0,01	mg/kg		
Hymexazol (*) UNI EN 15662:2018	<0,01	mg/kg		
Icaridine (Picaridin) (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazalil (aka enilconazole) (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazametabenz (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazamox (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazapyr (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Imazaquin (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazethapyr (*) UNI EN 15662:2018	<0,01	mg/kg		
Imazosulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Imibenconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Imidacloprid (*) UNI EN 15662:2018	<0,01	mg/kg		
Indanofan (*) UNI EN 15662:2018	<0,01	mg/kg		
Indoxacarb (sum of indoxacarb and its R enantiomer) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Iodosulfuron methyl sodium (*) UNI EN 15662:2018	<0,01	mg/kg		
Ioxynil (sum of ioxynil, its salts and its esters, expressed as ioxynil (F)) (*) UNI EN 15662:2018	<0,01	mg/kg		
Ioxynil methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Ioxynil octanoate (*) UNI EN 15662:2018	<0,01	mg/kg		
Ipconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Iprovalicarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Isazofos (*) UNI EN 15662:2018	<0,01	mg/kg		
Isocarbamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Isocarbophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Isofetamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoprocab (*) UNI EN 15662:2018	<0,01	mg/kg		
Isopropalin (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoprothiolane (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoproturon (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoprazam (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoxaben (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoxaflutole (sum of isoxaflutole and its diketonitrile-metabolite, expressed as isoxaflutole) (*) UNI EN 15662:2018	<0,01	mg/kg		
Isoxathion (*) UNI EN 15662:2018	<0,01	mg/kg		
Karanjin (*) UNI EN 15662:2018	<0,01	mg/kg		
Kresoxim-methyl (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Lenacil (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Leptophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Linuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Lufenuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Malaoxon (*) UNI EN 15662:2018	<0,01	mg/kg		
Malathion (sum of malathion and malaoxon expressed as malathion) (*) UNI EN 15662:2018	<0,01	mg/kg		
Mandipropamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Matrine (*) UNI EN 15662:2018	<0,01	mg/kg		
MCPA and MCPB (MCPA, MCPB including their salts, esters and conjugates expressed as MCPA) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
MCPP (*) UNI EN 15662:2018	<0,01	mg/kg		
Mecarbam (*) UNI EN 15662:2018	<0,01	mg/kg		
Mefenacet (*) UNI EN 15662:2018	<0,01	mg/kg		
Mefluidide (*) UNI EN 15662:2018	<0,01	mg/kg		
Mepanipyrim (*) UNI EN 15662:2018	<0,01	mg/kg		
Mepronil (*) UNI EN 15662:2018	<0,01	mg/kg		
Meptyldinocap (sum of 2,4 DNOPC and 2,4 DNOP expressed as meptyldinocap) (*) UNI EN 15662:2018	<0,01	mg/kg		
Merphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Mesosulfuron-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Mesotrione (*) UNI EN 15662:2018	<0,01	mg/kg		
Metaflumizone (sum of E- and Z- isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metalaxyl and metalaxyl-M (metalaxyl including other mixtures of constituent isomers including metalaxyl-M (sum of isomers)) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metamitron (*) UNI EN 15662:2018	<0,01	mg/kg		
Metconazole (sum of isomers) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Methabenzthiazuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Methacrifos (*) UNI EN 15662:2018	<0,01	mg/kg		
Methiocarb (sum of methiocarb and methiocarb sulfoxide and sulfone, expressed as methiocarb) (*) UNI EN 15662:2018	<0,01	mg/kg		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl) (*) UNI EN 15662:2018	<0,01	mg/kg		
Methoprene (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Methoprottryne (*) UNI EN 15662:2018	<0,01	mg/kg		
Methoxyfenozide (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metobromuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Metolachlor and S-metolachlor (metolachlor including other mixtures of constituent isomers including S-metolachlor (sum of isomers)) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metosulam (*) UNI EN 15662:2018	<0,01	mg/kg		
Metoxuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Metrafenone (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Metribuzin (*) UNI EN 15662:2018	<0,01	mg/kg		
Metsulfuron-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Mevinphos (sum of E- and Z-isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Mexacarbate (*) UNI EN 15662:2018	<0,01	mg/kg		
MGK-264 (*) UNI EN 15662:2018	<0,01	mg/kg		
Molinate (*) UNI EN 15662:2018	<0,01	mg/kg		
Monolinuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Monuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Moxidectin (*) UNI EN 15662:2018	<0,01	mg/kg		
Myclobutanil (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Mylbemectin (sum of Milbemycin A4 and Milbemycin A3) (*) UNI EN 15662:2018	<0,01	mg/kg		
Naptalam (*) UNI EN 15662:2018	<0,01	mg/kg		
Neburon (*) UNI EN 15662:2018	<0,01	mg/kg		
Nereistoxin (*) UNI EN 15662:2018	<0,01	mg/kg		
Nicosulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Nicotine (*) UNI EN 15662:2018	<0,01	mg/kg		
Nitenpyram (*) UNI EN 15662:2018	<0,01	mg/kg		
Nitralin (*) UNI EN 15662:2018	<0,01	mg/kg		
Norflurazon (*) UNI EN 15662:2018	<0,01	mg/kg		
Novaluron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Ochtilinone (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Omethoate (*) UNI EN 15662:2018	<0,01	mg/kg		
Orbencarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Oryzalin (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxadiargyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxadixyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxamyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxathiapiprolin (*) UNI EN 15662:2018	<0,01	mg/kg		
Oxycarboxin (*) UNI EN 15662:2018	<0,01	mg/kg		
Pebulate (*) UNI EN 15662:2018	<0,01	mg/kg		
Pencycuron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Penoxsulam (*) UNI EN 15662:2018	<0,01	mg/kg		
Penthiopyrad (*) UNI EN 15662:2018	<0,01	mg/kg		
Pethoxamid (*) UNI EN 15662:2018	<0,01	mg/kg		
Phenmedipham (*) UNI EN 15662:2018	<0,01	mg/kg		
Phosalone (*) UNI EN 15662:2018	<0,01	mg/kg		
Phosmet (phosmet and phosmet oxon expressed as phosmet) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Phoxim (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Picloram (*) UNI EN 15662:2018	<0,01	mg/kg		
Picolinafen (*) UNI EN 15662:2018	<0,01	mg/kg		
Piperonyl butoxid (*) UNI EN 15662:2018	<0,01	mg/kg		
Piperophos (*) UNI EN 15662:2018	<0,01	mg/kg		
Pirimicarb desmethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Pirimisulfuron methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Probenazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Prodiamine (*) UNI EN 15662:2018	<0,01	mg/kg		
Promecarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Prometon (*) UNI EN 15662:2018	<0,01	mg/kg		
Prometryn (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N° 3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Propachlor: oxalinic derivate of propachlor, expressed as propachlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Propaphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Propaquizafop (*) UNI EN 15662:2018	<0,01	mg/kg		
Propargite (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Propazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Propiconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Propisochlor (*) UNI EN 15662:2018	<0,01	mg/kg		
Propoxur (*) UNI EN 15662:2018	<0,01	mg/kg		
Propyzamide (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Proquinazid (*) UNI EN 15662:2018	<0,01	mg/kg		
Prosulfocarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Prothioconazole: prothioconazole-desthio (sum of isomers) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Prothoate (*) UNI EN 15662:2018	<0,01	mg/kg		
Pymetrozine (A) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyracarbolid (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyraclofos (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyraclostrobin (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrasulfotole (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrethrins (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyributicarb (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyridaphenthion (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrifenoxy (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyrifthalid (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyriproxyfen (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyroquilon (*) UNI EN 15662:2018	<0,01	mg/kg		
Pyroxsulam (*) UNI EN 15662:2018	<0,01	mg/kg		

**TEST REPORT N°
3897/25/E1 - Emendamento**

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Quinalphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Quinclorac (*) UNI EN 15662:2018	<0,01	mg/kg		
Quinmerac (*) UNI EN 15662:2018	<0,01	mg/kg		
Quizalofop (sum of quizalofop, its salts, its esters (including propaquizalofop) and its conjugates, expressed as quizalofop (any ratio of constituent isomers)) (*) UNI EN 15662:2018	<0,01	mg/kg		
Quizalofop P Ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Resmethrin (resmethrin including other mixtures of constituent isomers (sum of isomers)) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Rimsulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Rotenone (*) UNI EN 15662:2018	<0,01	mg/kg		
Saflufenacil (sum of saflufenacil, M800H11 and M800H35, expressed as saflufenacil) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Secbumeton (*) UNI EN 15662:2018	<0,01	mg/kg		
Clethodim (sum of Sethoxydim and Clethodim including degradation products calculated as Sethoxydim) (*) UNI EN 15662:2018	<0,01	mg/kg		
Siduron (*) UNI EN 15662:2018	<0,01	mg/kg		
Simazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Simeconazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Simetryn (*) UNI EN 15662:2018	<0,01	mg/kg		
Spinetoram (XDE-175) (*) UNI EN 15662:2018	<0,01	mg/kg		
Spinosad (spinosad, sum of spinosyn A and spinosyn D) (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Spirodiclofen (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Spiromesifen (*) UNI EN 15662:2018	<0,01	mg/kg		
Spirotetramat and its 4 metabolites BYI08330-enol, BYI08330-ketohydroxy, BYI08330-monohydroxy, and BYI08330 enol-glucoside, expressed as spirotetramat (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulcotrione (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulfallate (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulfentrazone (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulfluramid (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulfosulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulfotep (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Sulfoxaflor (sum of isomers) (*) UNI EN 15662:2018	<0,01	mg/kg		
Sulprofos (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebuconazole (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebufenozide (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebupirimphos (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebutam (*) UNI EN 15662:2018	<0,01	mg/kg		
Tebuthiuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Teflubenzuron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tembotrione (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Temephos (*) UNI EN 15662:2018	<0,01	mg/kg		
Tepraloxymid (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbufos sulfone (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbufos sulfoxide (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbumeton (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbuthylazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbuthylazine desethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbutryn (*) UNI EN 15662:2018	<0,01	mg/kg		
Terbuthylazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Tetramethrin (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiabendazole (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiacloprid (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiamethoxam (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiazopyr (*) UNI EN 15662:2018	<0,01	mg/kg		
Thidiazuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Thifensulfuron-methyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiobencarb (4-chlorobenzyl methyl sulfone) (A) (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiocarbamil (*) UNI EN 15662:2018	<0,01	mg/kg		
Methomyl and Thiodicarb (sum of methomyl and thiodicarb expressed as methomyl) (*) UNI EN 15662:2018	<0,01	mg/kg		

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

Test - Method	RESULT	M.U.	Meas. Uncertainty	Limits
Thiofanox (*) UNI EN 15662:2018	<0,01	mg/kg		
Thionazin (*) UNI EN 15662:2018	<0,01	mg/kg		
Thiophanate-methyl (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tralkoxydim (sum of the constituent isomers of tralkoxydim) (*) UNI EN 15662:2018	<0,01	mg/kg		
Tri-allate (*) UNI EN 15662:2018	<0,01	mg/kg		
Triadimenol (*) UNI EN 15662:2018	<0,01	mg/kg		
Triazamate (*) UNI EN 15662:2018	<0,01	mg/kg		
Triazophos (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Trichlorfon (*) UNI EN 15662:2018	<0,01	mg/kg		
Triclopyr (*) UNI EN 15662:2018	<0,01	mg/kg		
Tricyclazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Trietazine (*) UNI EN 15662:2018	<0,01	mg/kg		
Trifloxystrobin (A) (F) (R) (*) UNI EN 15662:2018	<0,01	mg/kg		
Triflumizole: Triflumizole and metabolite FM-6-1(N-(4-chloro-2-trifluoromethylphenyl)-n-propoxyacetamidine), expressed as Triflumizole (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Triflumuron (F) (*) UNI EN 15662:2018	<0,01	mg/kg		
Triforine (*) UNI EN 15662:2018	<0,01	mg/kg		
Trinexapac ethyl (*) UNI EN 15662:2018	<0,01	mg/kg		
Triticonazole (*) UNI EN 15662:2018	<0,01	mg/kg		
Tritosulfuron (*) UNI EN 15662:2018	<0,01	mg/kg		
Valifenalate (*) UNI EN 15662:2018	<0,01	mg/kg		
Vamidothion (*) UNI EN 15662:2018	<0,01	mg/kg		
Vernolate (*) UNI EN 15662:2018	<0,01	mg/kg		
Warfarin (*) UNI EN 15662:2018	<0,01	mg/kg		
Zoxamide (*) UNI EN 15662:2018	<0,01	mg/kg		

RIFERIMENTI LIMITI:

RD- Regolamento Delegato UE 2022/2104 della Commissione del 29 luglio 2022
UE2022

Reason for the Amendment: English translation of the footnotes.
Cancels and replaces the 3897/25 relationship of 21/11/2025

Based on the analytical results reported in this Test Report, the sample analyzed, for the indicated determinations, complies with Commission Delegated Regulation (EU) 2022/2104 of

TEST REPORT N°
3897/25/E1 - Emendamento

Bari 04/06/2026

29 July 2022 for the extra virgin olive oil category.

Regarding the assessment of a product's compliance with current legislation/production specifications/technical specifications, if the analytical data provide values ??within the relevant limits, the following rules apply:

1. Test result exceeding a maximum acceptability limit:

- a) If, taking into account measurement uncertainty, the minimum value of the result range is lower than the limit, the result is considered compliant with the limit;
- b) If, taking into account measurement uncertainty, the minimum value of the result range is higher than the limit, the result is considered non-compliant with the limit.

2. Test result not exceeding a maximum acceptability limit, but close to it:

- a) Even if, considering the contribution of measurement uncertainty, the maximum value of the result range is above the limit, the result itself is considered compliant with the limit.

3. Test result below a minimum acceptability limit:

- a) If, considering the contribution of measurement uncertainty, the maximum value of the result range is above the minimum limit, the result itself is considered compliant with the limit;
- b) If, considering the contribution of measurement uncertainty, the maximum value of the result range is below the limit, the result itself is considered non-compliant with the limit.

4. Test result not below a minimum acceptability limit, but close to it:

- a) Even if, considering the contribution of measurement uncertainty, the minimum value of the result range is below the minimum limit, the result itself is considered compliant with the limit.

Invia commenti

Signed
Chimico Lab. Manager
Dott.ssa Chim. Paolillo Paola

Signed
Lab. Manager
Dott.ssa Chim. Paolillo Paola

Digitally signed document pursuant to article 24 of Legislative Decree 82/2005 and subsequent amendments and additions.

END OF TEST REPORT

Pagina 25 di 25