


		TYPE #	GRAPHIC REPRESENTATION	COMMENTS
<u>WALL</u>		W1		2x4 OR 2x6 WOOD STUDS @ 16" O.C. W/ NEW FULL DEPTH MINERAL WOOL BATT INSULATION FOIL VAPOR BARRIER, TAPE ALL EDGES AND SEAMS WITH FOIL TAPE, RATED FOR HIGH TEMP 1X2 VERTICAL FURRING T&G FINISH
<u>CEILING</u>		C1		2x6 WOOD STUD DROP CEILING @ 16" O.C. W/ MINERAL WOOL BATT INSULATION FOIL VAPOR BARRIER, TAPE ALL EDGES AND SEAMS WITH FOIL TAPE, RATED FOR HIGH TEMP 1X2 FURRING T&G FINISH
<u>FLOOR</u>		F1		TILE FINISH ON THINSET, SLOPE TO DRAIN WATERPROOF MEMBRANE, SCHLUTER-KERDI OR SIMILAR SUB-FLOOR, CONCRETE OR INSULATED WOOD FRAMING

WE SHARE THIS FREELY BECAUSE GOOD INFORMATION MAKES BETTER SAUNAS.

QUESTIONS ABOUT THIS DETAIL OR YOUR PROJECT? GET IN TOUCH.

READY TO SOURCE MATERIALS AND EQUIPMENT? DOVETAIL SAUNA WELCOMES THE OPPORTUNITY TO WORK WITH YOU.



1 TYPICAL WALL DETAIL SKETCH
1 1/2" = 1'-0"

FOR DESIGN INTENT ONLY
NOT FOR PERMIT
NOT FOR CONSTRUCTION

****DISCLAIMER:**** These complimentary, generic details illustrate design intent only. They are not project-specific construction documents, specifications, engineering, code analysis, or architectural services, and their use creates no architect-client or other professional relationship with DOVETAIL SAUNA. Conditions, codes, products, and requirements vary by project and jurisdiction. The user is solely responsible for retaining appropriately licensed local design professionals, verifying all dimensions, conditions, structural and building-system requirements, manufacturer instructions, permits, and code compliance, and adapting the details before use. The details are provided "AS IS," without representation or warranty. To the fullest extent permitted by law, DOVETAIL SAUNA disclaims liability for any loss, damage, injury, cost, or claim arising from their use or reliance.

DOVETAIL

Dovetail Sauna
dovetailsauna.com
taylor@dovetailsauna.com
303-900-3250

TYPICAL WALL AND CEILING DETAILS

STANDARD DETAILS	SK-03
NOT SITE SPECIFIC	
Date 6/12/2026	
Project number 000000	Scale As indicated