



Gorilla Contact Adhesive Web Spray

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name	Gorilla Contact Adhesive Web Spray
CAS No.	Not applicable.
EC No.	Not applicable.
REACH Registration No.	Not applicable.
Unique Formula Identifier (UFI)	5110-U0XG-A00Q-M1GX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s)	Adhesives
Uses Advised Against	Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer	
Company Identification	Gorilla Glue Europe Ltd
Address of Manufacturer	26 Eaton Avenue Matrix Park, Buckshaw Village Chorley, Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30 - 17:00
Supplier	
Company Identification	Gorilla Glue Europe Ltd
Address of Supplier	26 Eaton Avenue Matrix Park, Buckshaw Village Chorley, Lancashire
Postal code	PR7 7NA
Telephone:	01257 241 319
E-mail	Eucustomercare@gorillaglu.com
Office hours	08:30 - 17:00

1.4 Emergency telephone number

Emergency Phone No.	+44 (0)843 507 1200
Contact	Stuart Shotton
National response centre	
Address	NHS Direct
Emergency Phone No.	+44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567	Aerosol 1 :Extremely flammable aerosol. Pressurised container: May burst if heated. Skin Irrit. 2 :Causes skin irritation. STOT SE 3 :May cause drowsiness or dizziness.
---	--



Gorilla Contact Adhesive Web Spray

Aquatic Acute 1 :Very toxic to aquatic life.

Aquatic Chronic 1 :Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Product Name

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567
Gorilla Contact Adhesive Web Spray

Hazard Pictogram(s)



GHS02



GHS07



GHS09

Signal Word(s)

Danger

Hazard Statement(s)

H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.
H315: Causes skin irritation.
H336: May cause drowsiness or dizziness.
H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211: Do not spray on an open flame or other ignition source.
P251: Do not pierce or burn, even after use.
P261: Avoid breathing spray.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50° C/ 122° F.
P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

5110-U0XG-A00Q-M1GX

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

**Gorilla Contact Adhesive Web Spray****SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Product as supplied: Aerosol

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
dimethyl ether	115-10-6	204-065-8	25-50	Flam. Gas 1A H220 Press. Gas (Liq.) H280	GHS02 GHS04
cyclohexane	110-82-7	203-806-2	25-<50	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Skin Irrit. 2 H315 STOT SE 3 H336 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS02 GHS08 GHS07 GHS09

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell.
Skin Contact	Wash with plenty of water. If skin irritation occurs: Get medical advice/attention.
Eye Contact	Flush eyes with water for at least 15 minutes while holding eyelids open. If symptoms persist, obtain medical attention.
Ingestion	Unlikely route of exposure. Wash out mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation. May cause drowsiness and dizziness. High concentrations (Inhalation) : Central nervous depression.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

5.1 Extinguishing media

Suitable Extinguishing media	Use dry powder to extinguish.
Unsuitable extinguishing media	Carbon dioxide, Water, Foam.

5.2 Special hazards arising from the substance or mixture

Heating may cause pressure rise with risk of bursting. Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide



Gorilla Contact Adhesive Web Spray

5.3 Advice for firefighters

Evacuate the area and keep personnel upwind. Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions. Water spray should be used to cool containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

Eliminate sources of ignition. Provide adequate ventilation. Avoid breathing spray. Wear appropriate personal protective equipment, avoid direct contact. Take off contaminated clothing and wash it before reuse. Wash hands and exposed skin thoroughly after handling.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Collect mechanically and dispose of according to Section 13. Absorb remaining liquid in sand or inert absorbent and remove to safe place. Collect spillage. Transfer to a container for disposal.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing spray. Avoid contact with skin and eyes. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling. Do not eat, drink or smoke at the work place. If medical advice is needed, have product container or label at hand. Keep out of reach of children.

7.2 Conditions for safe storage, including any incompatibilities

Protect from sunlight. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Keep out of reach of children.

Storage temperature

Do not expose to temperatures exceeding 50° C/ 122° F.

Storage life

1 Year(s).

Incompatible materials

None known.

7.3 Specific end use(s)

Adhesives, Sealants

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



Gorilla Contact Adhesive Web Spray

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Dimethyl ether	115-10-6	400	766	500	958	
Cyclohexane	110-82-7	100	350	300	1050	

Region
United Kingdom

Source
UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection

Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).
Breakthrough time of the glove material: refer to the information provided by the gloves' producer.



Respiratory protection

A suitable mask with filter type A may be appropriate.



Thermal hazards

Not applicable.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Aerosol
	Colour : Transparent.
Odour	Not known.
Odour threshold	Not known.
pH	dimethyl ether, cyclohexane : 7 (0.005% @ 24° C)
Melting point/freezing point	Not known.
Initial boiling point and boiling range	Not known.
Flash Point	>100° C
Evaporation rate	Not known.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not known.

**Gorilla Contact Adhesive Web Spray**

Vapour pressure	Not known.
Vapour density	Not applicable.
Density (g/ml)	Not known.
Relative density	0.83-0.84
Solubility(ies)	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient: n-octanol/water	dimethyl ether : Log Pow 0.1 cyclohexane : Log Pow 3.44
Auto-ignition temperature	Not applicable.
Decomposition Temperature (° C)	Not known.
Viscosity	Kinematic Viscosity : cyclohexane : 1.16 mm ² /s @ 26° C (calculated)
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	
Volatile Organic Compound Content (%)	82.5-87.5 (681.45 – 737.63 g/l)

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute toxicity - Ingestion	Calculation method : Not classified.
	Low oral toxicity.
	cyclohexane : LD50 (oral, rat) mg/kg: >5000
Acute toxicity - Skin Contact	Calculation method : Not classified.
	Low acute toxicity.
	cyclohexane : LD50 (skin, rabbit) mg/kg: >2000
Acute toxicity - Inhalation	Calculation method : Not classified.
	Low acute toxicity.
	dimethyl ether : LC50 (rat) (4 hour(s)) : 164000 ppm (Gas)
	cyclohexane : LC50 (inhalation, rat) mg/l/4h: >32, 88 (Vapour)

**Gorilla Contact Adhesive Web Spray**

Skin corrosion/irritation	Calculation method : Causes skin irritation. No data.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified. It is not a skin sensitizer.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified. There is no evidence of mutagenic potential.
Carcinogenicity	Calculation method : Not classified. No evidence of carcinogenicity.
Reproductive toxicity	Calculation method : Not classified. No evidence of reproductive effects.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause drowsiness or dizziness. No data.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.
11.2 Other information	Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Toxicity - Aquatic invertebrates	Very toxic to aquatic life with long lasting effects. cyclohexane : EC50 (48 hour) (Daphnia magna) : 0.9 mg/l
Toxicity - Fish	No data.
Toxicity - Algae	No data.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

dimethyl ether : Not readily biodegradable.
cyclohexane : Readily biodegradable. Biological oxygen demand (BOD) g/g: 0.22,
Theoretical Oxygen Demand (ThOD): 3.425g/g

12.3 Bioaccumulative potential

The product has low potential for bioaccumulation.
dimethyl ether : Log Pow : 0.1
cyclohexane : Log Pow : 3.44

12.4 Mobility in soil

cyclohexane : The substance is predicted to have low mobility in soil.
log Koc : 2.89 (calculated)

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**



Gorilla Contact Adhesive Web Spray

Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Non-emptied aerosol : Dispose of wastes in an approved waste disposal facility.

13.2 Additional Information

Waste code

Disposal should be in accordance with local, state or national legislation.

08 04 09 waste adhesives and sealants containing organic solvents or other dangerous substances

16 05 04 gases in pressure containers (including halons) containing dangerous substances

15 01 10 packaging containing residues of or contaminated by dangerous substances

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1950

14.2 UN proper shipping name

UN proper shipping name AEROSOLS

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 2

ADR Classification Code 5F

Special Provisions 190 327 344 625

Limited Quantities 1 L

Excepted Quantities E0

Mixed Packing Instructions for Packages P207 LP200

Special Packing Provisions for Packages

PP87 RR6 L2

Mixed Packing Instructions for Packages

MP9

ADR Transport Category 2

Tunnel Restriction Code D

Special Provisions for Carriage - Packages V14

Special Provisions for Carriage - Loading, Unloading and Handling CV9 CV12

Special Provisions for Carriage - Operation S2

IMDG

IMDG Class 2

Special Provisions 190 327 344 625

Limited Quantities 1 L

**Gorilla Contact Adhesive Web Spray**

Excepted Quantities	E0
Mixed Packing Instructions for Packages	P207 LP200
Special Packing Provisions for Packages	PP87 RR6 L2
IMDG EMS	F-D, S-U
Stowage and Handling	SW1 SW22
Segregation	SG69
Marine Pollutant	Classified as a Marine Pollutant.
ICAO/IATA	
IATA Proper Shipping Name	AEROSOLS
Excepted Quantities	E0
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y203
Passenger and Cargo Aircraft Limited Quantities Max net Qty	30Kg G
Passenger and Cargo Aircraft Packing Instructions	203
Passenger and Cargo Aircraft Max net Qty	75Kg
Cargo Aircraft Packing Instructions	203
Cargo Aircraft Max net Qty	150Kg
Special Provisions	A145, A167, A802
Emergency Response Guidebook (ERG) Code	10L
Labels	
Labels	2.1

**14.4 Packing group**

Packing group Not applicable.

14.5 Environmental hazards

Environmental hazards Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

United Kingdom Regulations - Authorisations and/or Restrictions On Use

**Gorilla Contact Adhesive Web Spray**

UK REACH Candidate List of Substances of Very High Concern for Authorisation	Not listed
UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation	Not listed
UK REACH Restrictions List (Annex XVII) Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	dimethyl ether (115-10-6), cyclohexane (110-82-7)
UK REACH Rolling Action Plan (RAP)	Not listed
The Persistent Organic Pollutants Regulations 2007 (SI 2007/3106) as amended	Not listed
The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019/583)	Not listed
The Prior Informed Consent (PIC) Regulations concerning the export and import of hazardous chemicals SI2008/2108 as amended	Not listed
European Regulations - Authorisations and/or Restrictions On Use Community Rolling Action Plan (CoRAP)	Not listed

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16

LEGEND

Hazard Pictogram(s)



GHS02



GHS07



GHS09

GHS04: GHS: Gas cylinder
GHS08: GHS: Health hazard

Hazard classification

Flam. Gas 1A : Flammable gas Category 1A
Aerosol 1 : Aerosol, Category 1
Flam. Liq. 2 : Flammable liquid, Category 2
Press. Gas (Liq.) : Gases under pressure, Liquefied gas
Asp. Tox. 1 : Aspiration hazard, Category 1

**Gorilla Contact Adhesive Web Spray**

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H220: Extremely flammable gas.

H222: Extremely flammable aerosol.

H225: Highly flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H280: Contains gas under pressure; may explode if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P261: Avoid breathing spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50° C/ 122° F.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

EC : European Community

IATA : International Air Transport Association

IBC : Intermediate Bulk Container



Gorilla Contact Adhesive Web Spray

ICAO : International Civil Aviation Organization

IMDG : International Maritime Dangerous Goods

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.