

**Gorilla Smooth Finish Wall Filler**

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Gorilla Smooth Finish Wall Filler

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Wall filler.

Uses Advised Against None known.

1.3 Details of the supplier of the safety data sheet

Supplier

Company Identification Gorilla Glue Europe Ltd

Address 26 Eaton Avenue

Matrix Park

Buckshaw Village

Chorley

Lancashire

Postal code

PR7 7NA

Telephone

01257 241 319

E-mail

Eucustomercare@gorillaglue.com

Office hours

08:30 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0)843 507 1200

Contact

Stuart Shotton

National response centre

Address

NHS Direct

Emergency Phone No.

+44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

GB CLP Regulation, UK SI 2019/720 and Not classified as dangerous for supply/use.

UK SI 2020/1567

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name

Gorilla Smooth Finish Wall Filler

Hazard Pictogram(s)

None.

Signal Word(s)

None.

Hazard Statement(s)

EUH208: Contains: (1,2-benzisothiazol-3(2H)-one, 2-methylisothiazol-3(2H)-one)

May produce an allergic reaction.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P501: Disposal should be in accordance with local, state or national legislation.

2.3 Other hazards

Contains 2-methylisothiazol-3(2H)-one and 1,2-benzisothiazol-3(2H)-one, biocidal products to preserve the product during storage. Please follow all usage instructions.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Limestone	1317-65-3	215-279-6	10 - 20	Not classified.	None
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	≤0.036	Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09
2-methylisothiazol-3(2H)-one	2682-20-4	220-239-6	≤0.0015	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314	GHS06 GHS05 GHS07



Gorilla Smooth Finish Wall Filler

				Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09
--	--	--	--	--	-------

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
1,2-benzisothiazol-3(2H)-one	2634-33-5	Skin Sens. 1A C $\geq$ 0.036 $\leq$ 100		Acute Tox. 4 (H302): 450 (21st ATP) Acute Tox. 2 (H330): 0.21 Dust (21st ATP)
2-methylisothiazol-3(2H)-one	2682-20-4	Skin Sens. 1A C $\geq$ 0.0015 $\leq$ 100	Aquatic Acute 1: 10	Acute Tox. 3 (H301): 100 Acute Tox. 3 (H311): 300 Acute Tox. 2 (H330): 0.05

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin Contact	Wash affected skin with soap and water. If symptoms persist, obtain medical attention.
Eye Contact	Flush eyes with water for at least 15 minutes. If symptoms persist, obtain medical attention.
Ingestion	Rinse mouth. Give water or milk to drink. When in doubt or symptoms persist, seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated.

4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire. Extinguish with carbon dioxide, dry chemical, foam or waterspray.

Unsuitable extinguishing media None.

5.2 Special hazards arising from the substance or mixture

Decomposes in a fire giving off toxic fumes: Carbon monoxide, Carbon dioxide, Nitrogen oxides.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Caution - spillages may be slippery. Provide adequate ventilation. Avoid generation of dust. Avoid inhalation of dusts.

6.2 Environmental precautions

Do not allow to enter drains, sewers or watercourses.

6.3 Methods and material for containment and cleaning up

Sweep up spilled substance. Use vacuum equipment for collecting spilt materials, where practicable.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures.
If medical advice is needed, have product container or label at hand. Keep out of reach of children. Avoid accumulation of dust. Avoid inhalation of dusts. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

**Gorilla Smooth Finish Wall Filler**

Storage temperature
Storage life
Incompatible materials
7.3 Specific end use(s)

Keep container tightly closed and in a well-ventilated place.
Ambient.
Stable under normal conditions.
None known.

Wall repair (spackle).

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****8.1.1 Occupational Exposure Limits**

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Limestone total inhalable	1317-65-3		10			
Limestone respirable	1317-65-3		4			

Region
United Kingdom

Source
UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2 Exposure controls

8.2.1. Appropriate engineering controls Ensure adequate ventilation.

8.2.2. Personal protection equipment**Eye Protection**

Wear eye protection with side protection (EN ISO 16321-1).

**Skin protection**

Wear suitable gloves.
Nitrile gloves of minimum thickness >0.5 mm is recommended. Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility, etc.) is noticed.

**Respiratory protection**

Normally no personal respiratory protection is necessary.
An approved dust mask should be worn if dust is generated during handling.

**Thermal hazards**

Not applicable.

8.2.3. Environmental Exposure Controls Do not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Appearance	Solid (paste).
Odour	Colour : Pink - Purple.
Odour threshold	Almost odourless.
pH	Not established.
Melting point/freezing point	10.5 – 11.0
Initial boiling point and boiling range	No information available.
Flash Point	No information available.
Evaporation rate	Not applicable.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	Non-flammable.
Vapour pressure	Not applicable.
Vapour density	No information available.
Density (g/ml)	No information available.
Relative density	No information available.
Solubility(ies)	Solubility (Water) : Not known.
	Solubility (Other) : No information available.
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.

**Gorilla Smooth Finish Wall Filler**

Decomposition Temperature (°C)	No information available.
Viscosity	No information available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2 Other information	
Bulk Density	0.659 kg/l

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid accumulation of dust.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 174801.41
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 20408164
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 285.55
Skin corrosion/irritation	Calculation method : Not classified. pH = 10.5 – 11.0
Serious eye damage/irritation	Calculation method : Not classified. pH = 10.5 – 11.0
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

11.2 Other information

None anticipated.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Harmful to aquatic life.

12.2 Persistence and degradability

No information on this formulation.

12.3 Bioaccumulative potential

No information on this formulation.

12.4 Mobility in soil

No information on this formulation.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

None anticipated.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

**Gorilla Smooth Finish Wall Filler**

Dispose at suitable refuse site. Do not allow to enter drains, sewers or watercourses.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

No information available

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK REACH Authorisation List (Annex XIV) list of substances subject to authorisation Not listed

UK REACH Restrictions List (Annex XVII) Not listed

Restrictions on the manufacture, placing

on the market and use of certain dangerous substances, mixtures and articles

UK REACH Rolling Action Plan (RAP) Not listed

The Persistent Organic Pollutants

Regulations 2007 (SI 2007/3106) as amended

The Ozone-Depleting Substances and

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Not listed

Regulation (EU) No 528/2012 as retained Contains a biocide: Contains 2-methylisothiazol-3(2H)-one and 1,2-benzisothiazol-

in UK law and amended by the Biocidal 3(2H)-one (PT06 – Preservatives for products during storage)

Products (Amendment) (EU Exit)

Regulations 2019

15.2 Chemical Safety Assessment

United Kingdom

Not applicable.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

1 - 16

**Gorilla Smooth Finish Wall Filler****LEGEND**

Hazard Pictogram(s)

GHS05: GHS: Corrosion
GHS06: GHS: Skull and crossbones
GHS07: GHS: Exclamation mark
GHS09: GHS: Environment

Hazard classification

Acute Tox. 2 : Acute toxicity, Category 2
Acute Tox. 3 : Acute toxicity, Category 3
Acute Tox. 4 : Acute toxicity, Category 4
Skin Corr. 1B : Skin corrosion/irritation, Category 1B
Skin Irrit. 2 : Skin corrosion/irritation, Category 2
Skin Sens. 1 : Skin sensitization, Category 1
Skin Sens. 1A : Skin sensitization, Category 1A
Eye Dam. 1 : Serious eye damage/irritation, Category 1
Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1
Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H301: Toxic if swallowed.
H302: Harmful if swallowed.
H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Training Advice

Regular safety training as appropriate

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose.
Gorilla Glue Europe Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law.
Gorilla Glue Europe Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.