



KISSPEPTIN 5 MG - VIAL

RESEARCH USE PROTOCOL

Reconstitution	Reconstitute by adding 4 mL of bacteriostatic water to the vial
Dosage	5 times per week (Monday–Friday), twice daily AM: Draw 10 units (125 mcg) PM: Draw 10 units (125 mcg)
Time of Day	AM and PM
Injection Type	Subcutaneous (abdomen, thigh, or upper arm)
Product Details	Concentration: 5 mg / 4 mL
Product Duration	One vial will last 1 month
Program Duration	2 months; cycle 1 week off between each month
Storage	Store refrigerated at 2–8°C (36–46°F). Do not freeze. Protect from light.

WHAT IS KISSPEPTIN ?

Kisspeptin is a naturally occurring peptide studied for its role in regulating hypothalamic-pituitary signaling pathways associated with reproductive hormone activity.

It is commonly explored in research related to hormonal signaling, endocrine system regulation, and reproductive pathway activity.

WHAT'S IN THE BOX?



HOW IT WORKS

MECHANISM OF ACTION

Kisspeptin is studied for its interaction with central regulatory pathways involved in hormone signaling:

Stimulates hypothalamic signaling related to GnRH release

Supports luteinizing hormone (LH) signaling pathways

Associated with endocrine system regulation

Supports hormonal balance signaling processes

Linked to reproductive pathway activity

These mechanisms are associated with endocrine and hormonal signaling regulation.

RESEARCH OBSERVATIONS

Studied for hormonal signaling pathways

Studied for endocrine system regulation

Studied for reproductive pathway activity

Studied for libido-related signaling processes

Studied for hormone balance mechanisms





OBSERVED REACTIONS IN RESEARCH SETTINGS

Research observations have noted mild and temporary responses such as localized irritation, redness, or mild headache. Responses may vary depending on protocol design and individual variability.

RESEARCH NOTES

In research settings, consistency in protocol design may influence observed outcomes. Factors such as dosing schedule, timing, and individual biological variability may impact response patterns. Results may vary depending on research conditions.

IMPORTANT CONSIDERATIONS FOR RESEARCH USE

Not intended for human consumption or therapeutic use

Not suitable for use during pregnancy or breastfeeding

Not recommended for individuals with hormone-sensitive conditions

Use in research settings may require professional oversight

Not for use alongside medical treatments without supervision

Individual variability may influence observed outcomes