



Certificate of Analysis

Powered by Confident LIMS
1 of 3

Elated Now Beverage (Hot Rod Distillery)

3033 Regal Drive
Alcoa, TN 37701
srs112@comcast.net
(779) 379-6167
Lic. #

Sample ID: 2604SHILO487.2676

Strain: Banana Pudding 300mg HD9 | 100mg CBC\750g
Sample Size/Amount: 1 g; Batch#: ; Batch Size: 750 g
Sample Received: 04/22/2026; Order Completed: 05/05/2026
Report Version:

Banana Pudding 300mg HD9 | 100mg CBC\750g

Ingestible, Beverage
Source ID: ; Sample ID:



Cannabinoids

Analyte	LOQ	Result	Mass	Mass	Mass
	%	mg/g	%	mg/serving	mg/container
THCa	0.0000	ND	ND	ND	ND
Δ9-THC	0.0000	0.419	0.0419	314.1990	314.1990
Δ8-THC	0.0000	ND	ND	ND	ND
THCVa	0.0000	ND	ND	ND	ND
THCV	0.0000	0.002	0.0002	1.3770	1.3770
CBDa	0.0000	ND	ND	ND	ND
CBD	0.0000	0.014	0.0014	10.8068	10.8068
CBDVa	0.0000	ND	ND	ND	ND
CBDV	0.0000	ND	ND	ND	ND
CBN	0.0000	0.001	0.0001	0.4432	0.4432
CBGa	0.0000	ND	ND	ND	ND
CBG	0.0000	ND	ND	ND	ND
CBCa	0.0000	ND	ND	ND	ND
CBC	0.0000	0.149	0.0149	111.7276	111.7276
Reported THC		0.4593	0.0459	10	314.1990
Reported CBD		0.0153	0.0015	10.8068	10.8068
Total		0.585	0.0585	438.5536	438.5536

Terpenes

			NT
Analyte	Result	Result	Total Terpenes

0.0419%

Total THC

0.0014%

Total CBD

0.0433%

Total Major
Cannabinoids

Not Tested

NT
Moisture

Not Tested

NT
Water Activity

Analysis performed according to SOP-024-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Total THC = (THCa * 0.877) + Δ9-THC

Safety

Pass

Pesticides

Pass

Microbials

Pass

Mycotoxins

Pass


Metals

Pass

Solvents



1050 Corporate Blvd
Aurora, IL
(847) 858-8328
<https://www.steepphillil.com/>
Lic# 800000017




PJLA
Testing
Accreditation 117569

Benjamin McCauley

Benjamin McCauley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Certificate of Analysis

Powered by Confident LIMS
2 of 3

Elated Now Beverage (Hot Rod Distillery)

Sample ID: 2604SHILO487.2676

3033 Regal Drive
Alcoa, TN 37701
srs112@comcast.net
(779) 379-6167
Lic. #

Strain: Banana Pudding 300mg HD9 | 100mg CBC\750g
Sample Size/Amount: 1 g; Batch#: ; Batch Size: 750 g
Sample Received: 04/22/2026; Order Completed: 05/05/2026
Report Version:

Banana Pudding 300mg HD9 | 100mg CBC\750g

Ingestible, Beverage
Source ID: ; Sample ID:



Pesticides


Pass

Analyte	LOQ	Limit	Result	Status	Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acephate	0.002	0.100	ND	Pass	Hexythiazox	0.001	0.020	ND	Pass
Acetamiprid	0.002	0.010	ND	Pass	Imazalil	0.003	0.100	ND	Pass
Aldicarb	0.013	0.020	ND	Pass	Imidacloprid	0.002	0.020	ND	Pass
Azoxystrobin	0.002	0.020	ND	Pass	Malathion	0.001	0.100	ND	Pass
Bifenazate	0.001	0.100	ND	Pass	Methiocarb	0.001	50.000	ND	Pass
Boscalid	0.003	0.050	ND	Pass	Methomyl	0.002	0.100	ND	Pass
Carbaryl	0.001	0.020	ND	Pass	Myclobutanil	0.002	0.020	ND	Pass
Carbofuran	0.001	0.100	ND	Pass	Paclobutrazol	0.002	50.000	ND	Pass
Chlorantraniliprole	0.002	0.020	ND	Pass	Prallethrin	0.005	1.000	ND	Pass
Chlorpyrifos	0.002	0.010	ND	Pass	Propiconazole	0.001	0.050	ND	Pass
Diazinon	0.001	0.050	ND	Pass	Propoxur	0.001	50.000	ND	Pass
Dimethoate	0.002	0.020	ND	Pass	Spinosad	0.003	0.020	ND	Pass
Etoxazole	0.002	0.010	ND	Pass	Spiromesifen	0.002	0.020	ND	Pass
Fenoxycarb	0.002	50.000	ND	Pass	Spirotetramat	0.001	0.100	ND	Pass
Fipronil	0.003	0.010	ND	Pass	Spiroxamine	0.003	0.050	ND	Pass
Flonicamid	0.004	0.150	ND	Pass	Tebuconazole	0.001	0.050	ND	Pass
Fludioxonil	0.003	0.010	ND	Pass	Trifloxystrobin	0.001	0.010	ND	Pass

Analysis performed according to SOP-070-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.



1050 Corporate Blvd
Aurora, IL
(847) 858-8328
<https://www.steepphillil.com/>
Lic# 800000017



PJLA
Testing
Accreditation 117569


Benjamin McCauley

Benjamin McCauley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Determination of Pass/Fail is based on SECTION 1300.700 LABORATORY TESTING of the IL Administrative Code. Steep Hill does not use Measurement Uncertainty when determining results. Measurement Uncertainty information is available on request. These results only relate to the item tested and apply only to the sample as received. This report should only be reproduced in its entirety.



Certificate of Analysis

Powered by Confident LIMS
3 of 3

Elated Now Beverage (Hot Rod Distillery)

3033 Regal Drive
Alcoa, TN 37701
srs112@comcast.net
(779) 379-6167
Lic. #

Sample ID: 2604SHILO487.2676

Strain: Banana Pudding 300mg HD9 | 100mg CBC\750g
Sample Size/Amount: 1 g; Batch#: ; Batch Size: 750 g
Sample Received: 04/22/2026; Order Completed: 05/05/2026
Report Version:

Banana Pudding 300mg HD9 | 100mg CBC\750g

Ingestible, Beverage
Source ID: ; Sample ID:



Residual Solvents

Pass

Analyte	LOQ	Limit	Result	Status
	PPM	PPM	PPM	
Acetone	190.7	5000.0	ND	Pass
Butane	190.7	5000.0	ND	Pass
Ethanol	190.7	5000.0	1067.2	Pass
Ethyl-Acetate	190.7	5000.0	ND	Pass
Ethyl-Ether	190.7	5000.0	ND	Pass
Ethylene Oxide	12.8	50.0	ND	Pass
Heptane	190.7	5000.0	ND	Pass
Hexane	12.8	290.0	ND	Pass
Isopropanol	190.7	5000.0	ND	Pass
Methanol	190.7	3000.0	ND	Pass
Methylene-Chloride	190.7	600.0	ND	Pass
Pentane	190.7	5000.0	ND	Pass
Petroleum Ether	190.7	400.0	ND	Pass
Propane	190.7	5000.0	ND	Pass
Toluene	12.8	890.0	ND	Pass
Trichloroethylene	12.8	80.0	ND	Pass
Xylenes	190.7	2170.0	ND	Pass

Analysis performed according to SOP-067-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Microbials

Pass

Analyte	Limit	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10000	ND	Pass
Bile-Tolerant Gram-Negative Bacteria	100	ND	Pass
Coliforms	100	ND	Pass
E. Coli	0	ND	Pass
Salmonella	0	ND	Pass
Shiga Toxin E. Coli	0	ND	Pass
Yeast & Mold	1000	ND	Pass

Analysis performed according to SOP-700-IL, SOP-712-IL, SOP-713-IL, SOP-714-IL, and SOP-715-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Arsenic	30.8	1500.0	ND	Pass
Cadmium	30.8	500.0	ND	Pass
Chromium	76.9	2000.0	ND	Pass
Lead	76.9	1000.0	ND	Pass
Mercury	15.4	3000.0	ND	Pass

Analysis performed according to SOP-061-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

Mycotoxins


Pass

Analyte	LOQ	Limit	Result	Status
	PPB	PPB	PPB	
Aflatoxin B1	0.300	20.000	ND	Pass
Aflatoxin B2	0.300	20.000	ND	Pass
Aflatoxin G1	0.300	20.000	ND	Pass
Aflatoxin G2	0.300	20.000	ND	Pass
Ochratoxin A	0.300	20.000	ND	Pass
Total Aflatoxins	0.300	20.000	ND	Pass

Analysis performed according to SOP-070-IL. LOQ = Limit of Quantitation. Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.



1050 Corporate Blvd
Aurora, IL
(847) 858-8328
<https://www.steepphillil.com/>
Lic# 800000017



PJLA
Testing
Accreditation 117569

Benjamin McCauley

Benjamin McCauley
Laboratory Director

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

