

PAMPA

MADE WITH RECYCLED
MATERIALS


designed by
FERNANDO MARTÍNEZ

The essence of PAMPA is to provide an optimal environment in workspaces. It is designed to illuminate properly, while supporting the soundproofing of a space. Thanks to the sound-absorbing material, it reduces noise, and with UGR glare control technology, it ensures uniform light distribution, minimising disturbing reflections.

La esencia de PAMPA es proporcionar un entorno óptimo en espacios de trabajo. Se trata de un diseño ideado para iluminar adecuadamente, a la vez que sirve de apoyo a la insonorización de un espacio. Gracias al material fonoabsorbente consigue reducir el ruido, y con la tecnología de control de deslumbramiento UGR, garantiza una distribución de luz uniforme, minimizando los reflejos molestos.



PAMPA 34821


SUSPENSION / COLGANTE
IP20
MATERIAL

Acoustic panel, aluminium, polycarbonate and polyester /
 Panel acústico, aluminio, policarbonato y poliéster

FINISH / ACABADO

Acoustic panel / Panel acústico:

Terracotta, dark camel, urban grey and turquoise

Profile / Perfil: Matt black / Negro mate

Polyester belt / Cinta poliéster: Black / Negro

Driver box / Caja driver: Matt black / Negro mate

INSTALLATION / INSTALACIÓN


PCB LED 15W 400mA Optic system UGR<16 (65°) CRI>90

- 3000K 2420lm

- 4000K 2540lm

Ⓓ dim DALI Ⓔ dim PUSH Ⓒ dim Casambi

PAMPA 34822


SUSPENSION / COLGANTE
IP20
MATERIAL

Acoustic panel, aluminium, polycarbonate and polyester /
 Panel acústico, aluminio, policarbonato y poliéster

FINISH / ACABADO

Acoustic panel / Panel acústico:

Terracotta, dark camel, urban grey and turquoise

Profile / Perfil: Matt black / Negro mate

Polyester belt / Cinta poliéster: Black / Negro

Driver box / Caja driver: Matt black / Negro mate

INSTALLATION / INSTALACIÓN

PCB LED 26W 700mA Optic system UGR<16 (65°) CRI>90

- 3000K 4235lm

- 4000K 4445lm

Ⓓ dim DALI Ⓔ dim PUSH Ⓒ dim Casambi



ACOUSTIC PANELS FINISHES / ACABADOS PANELES ACÚSTICOS



Dark Camel
NCS S 3010-Y50R



Urban Grey
NCS S 2005-R80B



Terracotta
NCS S 4030-Y90R



Turquoise
NCS S 4020-B70G


SPECIAL FINISHES / ACABADOS ESPECIALES




Polar White
NCS S 0502-B50G




Opera
NCS S 1505-Y40R



Light Camel
NCS S 1002-Y50R



Cloudy Grey
NCS S 3000-N



Dark Green
NCS S 8010-B30G



Moon Grey
NCS S 6005-R80B



Coral Pink
NCS S 1030-Y80R




Turmeric Yellow
NCS S 2040Y-10R




Blue Green
NCS S 3050-B20G



Dark Blue
NCS S 6030-R80B




Anthracite Grey
NCS S 6502-B



Black
NCS S 9000-N

Sound absorption coefficient, α / Coeficiente absorción acústica, α



— Absortion class A (> 0,85)

Frec. (Hz)	100	125	160	200	260	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	5000
α	0,38	0,24	0,47	0,67	0,76	0,81	0,84	0,85	0,83	0,78	0,73	0,79	0,83	0,83	0,87	0,87	0,92	0,97



Absortion class A —

Sustainability / Sostenibilidad
100% PET (at least 60% recycled / mínimo 60% reciclado)
- Each acoustic panel: 42 recycled bottles
- Cada panel acústico: 42 botellas recicladas

Fire test / Test ignifugo
B-s2,d0
DIN EN 13501-1