

PRIJSLIJST AROMAS

BRUTO PRIJSLIJST EXCLUSIEF BTW

Illum behoudt zich het recht voor om prijzen op elk moment aan te passen.
Alle prijzen zijn bruto, in euro's, exclusief BTW. Let op: sommige producten worden
geleverd zonder lichtbron; dit staat dan vermeld.

Bij bestellingen vanaf € 1000,- (netto, ex. BTW) leveren wij franco binnen Nederland.
Bij kleinere bestellingen rekenen wij verzend- en verwerkingskosten van € 35 (netto,
ex. BTW). Reclamaties dienen binnen 24 uur na levering aan ons gemeld te worden om
in behandeling genomen te kunnen worden.

Wij staan ingeschreven bij de Kamer van Koophandel Rijnland te Leiden onder
nummer 33209514. Onze algemene voorwaarden zijn daar ter inzage beschikbaar.
Tevens is dit ook te bekijken op onze website: www.illum.nl

ILLUM B.V. | WAAIER 50 | 2451 VW LEIMUIDEN | THE NETHERLANDS | TEL. : +31 (0)172 50 66 68 |
WWW.ILLUM.NL | INFO@ILLUM.NL | IBAN: NL78ABNA0 540223972 | BIC: ABNANL2A |
BTW NR.: NL 008 686 518 B01 | KVK LEIDEN NR.: 33209514

03 General Conditions	73 Wall lamps
05 Table lamps	101 Accessories
27 Side tables	105 Bulbs & Shades
31 Pendant lamps	113 Spare parts
65 Floor lamps	119 Dimmer options
	121 Create your lamp



Class I



Class II



Class III



Packaging
recycling



Non-recyclable
electronic device



European
Certification



Compatible
with 110V

*

Shade / Accessories
not included

**

While stocks
last

Index & Icons

1. PRICES

- 1.1. The given prices are the suggested retail prices without VAT.
- 1.2. The pricing do not include bulbs or shades except when mentioned.
- 1.3. This Price list nullify any other Price list.

2. ORDERS

- 2.1. All orders must be sent via email with reference codes, names, colors and if shades and bulbs are needed.

3. PAYMENT TERMS

- 3.1. All orders must be paid in advance by wire transfer with proforma number in description.
- 3.2. In case of orders that require customized products or for projects orders, the company will require total payment or 50% advanced payment.
- 3.3. Payment delays for holidays or festivities will not be accepted.
- 3.4. The delivery date is determined by the circumstances from the date in which the proforma is paid.
- 3.5. The client is not authorized to claim any incident if it is not in writing.
- 3.6. The company reserves right to deny orders if the client does not comply with payment commitments.

4. TRANSPORTATION

- 4.1. Transportation costs are calculated according to order and destination.
- 4.2. If client requires urgent shipment, additional costs will be applied.

5. TRANSPORT INCIDENTS

- 5.1. Any visible damage in packaging must be notified to shipping company upon receipt.
- 5.2. Claims will be accepted 5 working days after receiving order.
- 5.3. Claims must be sent via email to account manager with photos and description. If the above points are not met, the claim can be disqualified.
- 5.4. Claims will be accepted 5 working days after receiving order.
- 5.5. Damage claims are not included except if proved to be manufacturing flaw by AROMAS DEL CAMPO.

6. REPAIRS

- 6.1. If a third party wishes to repair a product before being returned to factory, it must be authorized by AROMAS DEL CAMPO.
- 6.2. The product must be packed correctly and in the original box.
- 6.3. Once the product is received in factory, an approximate price to repair will be issued.
- 6.4. Transportation costs will be covered by client.
- 6.5. In case the lamp has been discontinued, it can be repaired if the company has spare parts.
- 6.6. All repairs will be charged.

7. RETURN

- 7.1. All returns must have approval by company, including claim cases.
- 7.2. For defective products, shipping company authorized by AROMAS will pick up correctly packed box.
- 7.3. We reserve right to charge additional repair costs if the returned package is damaged.
- 7.4. After product examination concludes that complaint was not justified, the company reserves right to charge extras.

8. WEB

- 8.1. In order to sell or publish any AROMAS DEL CAMPO product on the internet, an agreement must be signed.
- 8.2. The display of photographs of products or similar to AROMAS DEL CAMPO in websites must have specified authorization by the company.

9. GENERAL REMARKS

- 9.1. AROMAS DEL CAMPO reserves right to modify, without notice, prices in current catalogue and discontinue products.
- 9.2. Printing errors reserved
- 9.3. Delivery dates are not complaining, AROMAS DEL CAMPO will attempt to fulfil them, however, cannot be held accountable under any case.
- 9.4. Discounts rates can be modified at any moment.
- 9.5. Services offered by any company related to AROMAS DEL CAMPO distribution of products; like replacement of lamps, components, shipping of tester products, are covered by AROMAS DEL CAMPO, SL.
- 9.6. All products are property of AROMAS DEL CAMPO SL until complete claim settlement.
- 9.7. Client accepts the conditions mentioned in this document.
- 9.8. AROMAS DEL CAMPO SL reserves right to declare a client account null if commercial agreement terms are not met.
- 9.9. The prices and descriptions of the products indicated in this price list are subject to possible typographical or updating errors. Aromas del Campo reserves the right to correct any errors, modify prices or specifications without prior notice.

General Information

The descriptions and dimensions of the items in this catalogue are indicative and may be modified for the purpose of technical or design improvements. The natural materials used in our products, such as marble, wood, or other organic elements, may present variations in tone, veining, texture, or small irregularities inherent to their nature. These characteristics are not considered defects, but rather attributes that enhance the authenticity and uniqueness of each piece. We reserve the right to cancel or change all models without prior notice. All items meet the CE. Class 1 and class 2 safety regulations for home lighting appliances. The finishings and technical specifications listed here are for the European market and may vary elsewhere. Do not use stronger bulbs than recommended, and always clean lamps with a soft dry cloth. Metal polish will damage the protective finishings.





Table lamps

GAMB
S1358



Specifications

Light source	E27 6W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	Box
Measures (LxWxD)	32 x 32 x 53cm
Weight (gross)	3 Kg
Volume	0,054 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on integrated in body 0€

Finishes

Metal	Marble	
Matt black	Black	186€
Matt brass	Black	186€
Matt brass	White	186€
Linen		
Natural		

TASTA
S1355



Specifications

Light source	LED Strip 14W 2700K 1220lm
Voltage	220-240 V / 24V (driver included)
Frecuency	50/60 Hz
Class	Tipo
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	48,5 x 41,5 x 12,5 cm
Weight (gross)	3.35 kg
Volume	0,025 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable 0€

Finishes

Metal	
Matt black	286€
Aged gold	286€
Mármol	
White	
Black	
Green	
Brown	

LED not replaceable by user

IRZO
S1353



Specifications

Light source	G9 5W 450lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	51.5 x 32 x 29 cm
Weight (gross)	3 kg
Volume	0,050 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Base:		
Metal		
Matt black		174€
Aged gold		174€
Marble		
Green		174€
Brown		174€
Shade:		
Glass		
Opal		

GEHIT
S1350



Specifications

Light source	LED strip 8.5W 850lm 2700K dimmable
Voltage	220-240 V/12V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	45,5 x 45,5 x 35,2 cm
Weight (gross)	4,9 Kg
Volume	0,0729 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable 0€

Finishes

Metal (Exterior)		
Matt black		436€
Aged gold		436€
Metal (Interior)		
White		
Diffusser		
Opal		
Wood		
Dark Walnut		

LED not replaceable by user

NURO
S1349*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	53.5 x 28.5 x 28 cm
Weight (gross)	4,35 kg
Volume	0,043 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal		
Matt black		370€
Glass		
See colour palette		370€
Marble Ball		
Black		
Marble		
Black		
White		
Brown		
Green		
Travertine		
Shade 801021/40 (not included)		
54€		

VITREE
S1346




Specifications	
Light source	LED strip 12W 1200lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	55 x 36 x 37 cm
Weight (gross)	4.5 kg
Volume	0,070 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Touch me dimmable	0€

Finishes	
Metal	
Matt black	428€
Aged gold	428€
Glass	
Clear	
LED not replaceable by user	

CLOUD
S1345




Specifications	
Light source	Bulb G9 5W 450lm 2700k
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	51.5 x 32 x 29 cm
Weight (gross)	4 kg
Volume	0,050 CBM
HS Code	9405.29.90.90
Control	
ON/OFF-Dimmable	0€

Finishes	
Metal	
Matt black	212€
Aged gold	212€
Glass	
Clear	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€
Difusser	
Opal	

CUBIC
S1344




Specifications	
Light source	Bulb G9 5W 450lm 2700k
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	49 x 32 x 19 cm
Weight (gross)	3.05 kg
Volume	0,030 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes	
Metal	
Matt black	214€
Aged gold	214€
Shade	
Alabaster	

COCO
S1342*




Specifications	
Light source	Bulb E27 Max. 15W (excluded)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	55 x 30 x 12 cm
Weight (gross)	4 kg
Volume	0,020 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Switch ON/OFF in tube	0€

Finishes	
Metal	
Matt black	240€
Aged gold	240€
Chrome	240€
Leather	
Black	
Brown	
Grey Taupe	
Shade NOT included in price.	
Catalogue shade reference	
801011/36	50€


TEA
S1337



Specifications	
Light source	LED chip 6W 600lm 2700K (included)
Voltage	220-240 V/12V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	47 x 35 x 12,5 kg
Weight (gross)	2,9 kg
Volume	0,021 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes		
Metal		Marble
Matt black	Black	
Aged gold	White	
Metallic grey	Brown	
LED not replaceable by user		




Specifications	
Light source	LED plate 9W 810lm 2700K (included)
Voltage	220-240 V/12V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	40,5 x 27,5 x 16 cm
Weight (gross)	1,8 kg
Volume	0,018 CBM
HS Code	9405.29.90.90

Control	
ON/OFF - Dimmer on cable	0€

Finishes		
Metal	Marble	
Matt black	Black	176€
Aged gold	White	188€




Specifications	
Light source	Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	40,5 x 28 x 17,5 cm
Weight (gross)	5,45 kg
Volume	0,020 CBM
HS Code	9405.29.90.90

Control	
ON/OFF - Dimmer on cable	0€

Finishes		
Metal	Marble	
Aged gold	Black	280€
Aged gold	Green	280€
Shade		
Opal		




Specifications	
Light source	2 x LED strip 9W 1600lm 2700K
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	58 x 32 x 23 cm
Weight (gross)	4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control	
ON/OFF - Touch me dimmable	0€

Finishes		
Metal	Marble	
Matt black		278€
Leather		
Cyber / Dark brown / Taupe / Orange		
Glass		
Clear striped		

**While stocks last




Specifications	
Light source	2 x Bulb G9 5W 810lm 2700K (included)
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	40 x 73 x 43 cm
Weight (gross)	12,10 kg
Volume	0,074 CBM
HS Code	9405.29.90.90

Control	
ON/OFF - Dimmer on cable	0€

Finishes		
Metal	Marble	
Aged gold	White	328€
Matt black	Black	328€
Glass		
Opal		




Specifications	
Light source	E27 LED 9W dimmable 2700K 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	39 x 15,5 x 22 cm
Weight (gross)	2,7 kg
Volume	0,013 CBM
HS Code	9405.29.90.90

Control	
ON/OFF - Dimmer integrated in body	0€

Finishes		
Body and base:		
Black marble / Black wood		278€
Brown marble / Dark wood		278€
Travertine / Beech wood		278€
Shade NOT included in price.		
Shade in catalogue		
801011/36		50€

KEZO
S1324**



Specifications	
Light source	G9 LED dimmable 5W 2700K 450 lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	50 x 26 x 12 cm
Weight (gross)	5,6 kg
Volume	0,016 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes	
Body	
Matt black	260€
Nickel	260€
Shade	
Matt white (standard)	
Other finish	
See palette colours	+44€
Marble base	
Shiny black	

**While stocks last

HOLM
S1321




Specifications	
Light source	LED plate 14W 2700K 1200 lm LED strip 6W 2700K 450lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	2 Boxes
Measures (LxWxD)	S1321 1/2 55 x 20 x 21,5 cm 0,020 CBM (base)
Weight (gross)	S1321 2/2 39 x 39 x 39 cm 2,6 kg 0,060 CBM (Shade)
Volume	
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes	
Metal	
Black	416€
Body	
Glass	
Diffuser	
Glass	
LED not replaceable by user	

REMS
S1318**




Specifications	
Light source	Bulb E27 LED 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	44,5 x 44,5 x 20 cm
Weight (gross)	5,6 kg
Volume	0,0396 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes		
Metal	Leather shade	
Matt black	Black	290€
Matt black	Orange	290€
Matt black	Light brown	290€
Matt black	Dark brown	290€
Shade included in price.		
LED not replaceable by user		
**While stocks last		

OKET
S1317**




Specifications	
Light source	LED plate integrated dimmable 10W 2700K 810lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	38 x 33 x 59,5 cm
Weight (gross)	3,8 kg
Volume	0,0746 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes	
Body and base: Matt black // Shade: Matt black	
362€	
LED not replaceable by user	
**While stocks last	

IPON
S1316




Specifications	
Light source	LED plate integrated 10W 2700K 810lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	33 x 21 x 55 cm
Weight (gross)	4,2 kg
Volume	0,0381 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on cable	0€

Finishes	
Metal	
Matt black	244€
Aged gold	244€
Pantalla	
Clear (standard)	+0€
Other smoked finish	
Greenish brown	+44€
Amber	+44€
Blue	+44€
Grey	+44€

TURA C
S1313/C



Specifications

Light source	Chip LED 5W 450lm 2700K dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 45,5 cm
Weight (gross)	3,1 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal		
Matt black		322€
Aged gold		322€
Leather head		
Black / Dark Brown / Light Brown / Orange		
Marble		
Matt black		

LED not replaceable by user

TURA
S1313



Specifications

Light source	Chip LED 5W 450lm 2700K dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	53,5 x 8,5 x 33 cm
Weight (gross)	2,4 kg
Volume	0,006 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal		
Matt black		294€
Leather head		
Black / Brown / Orange		
Marble		
Matt black		

LED not replaceable by user

DOUL
S1310**



Specifications

Light source	Bulb G4 LED 3W 2700K 270lm dimmable (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 34 x 17 cm
Weight (gross)	2,8 kg
Volume	0,036 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Push switch	0€
----------------------	----

Finishes

Glass		
Transparent striped glass		
Body		
Matt black		176€

**While stocks last

TANA
S1309



Specifications

Light source	Chip LED 4W 2700K 560lm Dimmer on cable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Caja
Measures (LxWxD)	46,5 x 29 x 30,5 cm
Weight (gross)	2,5 kg
Volume	0,0411 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal		
Matt black		180€

DUSSA
S1307



Specifications

Light source	LED plate dimmable 9W 2700K 720lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	28,5 x 17 x 40 cm
Weight (gross)	2,2 kg
Volume	0,018 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body		Cabezal	
Aged gold		Matt white	198€
Matt black		Matt black	198€
Matt black		Travertine	198€
Change head finish			+66€

BION
S1306



Specifications

Light source	Bulb G9 dimmable 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	58,5 x 56 x 10 cm
Weight (gross)	2,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body	
Aged gold	296€
Matt black	296€
Base	
Matt black marble	
Shade	
Matt black	
Matt white	

ISON
S1298



Specifications

Light source	LED strip 10W 2700K dimmable 900lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 35 x 52 cm
Weight (gross)	2,5 kg
Volume	0,055 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
3000K	80€

Finishes

Body	
Aged gold	256€
Matt black	256€
Glass	
Clear striped	

LED not replaceable by user

YCRO
S1297



Specifications

Light source	Chip LED 8W 2700K dimmable 810lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	52 x 15 x 18 cm
Weight (gross)	3,1 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Marble	Metal	
Matt black	Matt brass	180€
Matt black	Matt black	180€

LED not replaceable by user.

NANO
S1294



Specifications

Light source	COB LED 3W, 2700K 450lm
Voltage	3,7V 2000 mAh
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	
Battery Autonomy	
5 hours - maximum intensity	
10 hours - medium intensity	
20 hours - low intensity	
2000mAh	

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 32 x 16 cm
Weight (gross)	5,8 kg
Volume	0,013 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Touch me dimmable	0€
----------------------------	----

Finishes

Marble	
Matt black	
Metal (Details)	
Matt brass	334€
Shade	
Opal	
Portable and rechargeable	
Wireless charger included	
LED not replaceable by user	

PIPE
S1293



Specifications

Light source	GU10 LED 3W 2700K dimmable 250lm (included)
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 37 x 15 cm
Weight (gross)	3,1 kg
Volume	0,035 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	196€
------------	------

KINE
S1288*



Specifications

Light source	LED plate 10W 900lm 2700K
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	2 Boxes
Measures (LxWxD)	S1288 39,5 x 22 x 16 cm 6,5 kg 0,014 CBM (base)
Weight (gross)	1288 46 x 46 x 16,5 cm 2,6 kg 0,035 CBM (Tulipa)
Volume	
HS Code	9405.29.90.90


Control

ON/OFF - Touch me dimmable 0€

Finishes

Base S1288 (Marble)		
Black / White		
Shade 1288		
Matt black/Matt white/Matt brass		
S1288/NEG + 1288/NEG		458€
S1288/NEG + 1288/BCO		458€
S1288/NEG + 1288/ORO		524€
S1288/BCO + 1288/NEG		458€
S1288/BCO + 1288/BCO		458€
S1288/BCO + 1288/ORO		524€

AIDER
S1287**



Specifications

Light source	E27 LED Max. 9W dimmable 2700K 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 40,5 x 25 cm
Weight (gross)	2,4 kg
Volume	0,045 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable 0€

Finishes

Shade	
Shiny black	
Metal	
Satin nickel	274€
Matt brass	274€
Chrome	
Base	
Shiny black marble	
Rattan	
Natural tone	

**While stocks last

AMBOR
S1283



Specifications

Light source	G9 LED dimmable 2x3W 2700K 800lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 15 x 37,3 cm
Weight (gross)	2,9 kg
Volume	0,024 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Base and shade	
Matt brass	224€
Matt black	224€
Body	
Matt black	

ATIL
S1281



Specifications

Light source	G9 LED dimmable 2x5W 2700K 600lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 21 cm
Weight (gross)	3,5 kg
Volume	0,038 CBM
HS Code	9405.29.90.90


Control

ON/OFF 0€
Dimmer on cable +44€

Finishes

Shade	
Opal	
Base and body	
Matt brass	380€
Matt black	370€

NOOI
S1276



Specifications

Light source	T8 LED 5W 2700K dimmable 550lm (included)
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 22 x 26 cm
Weight (gross)	2,1 kg
Volume	0,035 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	
Matt black	204€
Shade	
Line textil cream	

NINO
S1275



Specifications

Light source	Chip LED 7W 2700K dimmable 800lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	53 x 28 x 26 cm
Weight (gross)	3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Touch me dimmable 0€

Finishes

Metal	320€
Matt black	
Matt brass (details)	
Optic glass	
Clear	
Dimmer Touch Me on head	
LED not replaceable by user	

LYB
S1274



Specifications

Light source	Chip LED integrated 5W 2700K 500lm
Voltage	220-240 V/ 12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	65 x 30 x 9 cm
Weight (gross)	1,8 kg
Volume	0,018 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Matt black	330€
LED not replaceable by user	

SHIN
S1261*



Specifications

Light source	E27 LED 5W 2700K dimmable 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 17 cm
Weight (gross)	6 kg
Volume	0,019 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Base marble	Metal	
Matt black	Matt black	296€
Matt white	Matt white	296€
Shade NOT included		
Shade en catalogue		
801011/36		50€

ABBACUS
S1258



Specifications

Light source	G9 LED 5W 2700K 500lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	31,5 x 30,5 x 9,5 cm
Weight (gross)	3,9 kg
Volume	0,009 CBM
HS Code	9405.29.90.90


Control

ON/OFF 0€
Dimmer on cable +44€

Finishes

Matt brass	274€
Shade (included)	
Opal	
Clear**	
**While stocks last	

ERTO
S1257



Specifications

Light source	G9 LED 5W 2700K 500lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	65,5 x 31 x 12,5 cm
Weight (gross)	3 kg
Volume	0,025 CBM
HS Code	9405.29.90.90


Control

ON/OFF 0€
Dimmer on cable +44€

Finishes

Matt black	344€
Matt brass details	
Compatible accessories (included):	
Alabaster-1096/25- S1257+1096/25	
Glass-1223 - S1257+1223	
Ceramic-1097/20 - S1257+1097/20	
Metal-1038/25 + 1038/25	
Striped metal-1089/25 - S1257+1089/25	

MAHO
S1254



Specifications

Light source	COB LED 5W 600lm 2700K (included)
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	53,5 x 8,5 x 33 cm
Weight (gross)	2,4 kg
Volume	0,006 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body	
Matt black	
Head	
Matt brass	204€
Matt black	204€

LED not replaceable by user

PULL
S1249



Specifications

Light source	E27 Max 11W 2700K (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 26 x 44 cm
Weight (gross)	3,4 kg
Volume	0,029 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body	
Matt black	364€
Metal shade	
Matt black	
Aged gold	
Shade	
Fabric	
Marble base	
Matt black	
Recomended bulb: B211	

LITA
S1230**



Specifications

Light source	Chip LED 3W 3000K 300lm (included)
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 24 x 24 cm
Weight (gross)	4 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control


ON/OFF	0€
Dimmable on cable	+44€

Finishes

Head	
Walnut	176€
Black wood	176€
Body and base	
Matt black	
LED not replaceable by user	

**While stocks last

NERA
S1229/S



Specifications

Light source	Chip LED 7W 2700K 700lm (included)
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 32 x 20 cm
Weight (gross)	3,1 kg
Volume	0,029 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body and wood base	
Matt black	240€
LED not replaceable by user	

ATOM
S1214**



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	62 x 24 x 10 cm
Weight (gross)	2,3 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Push switch	0€
Dimmer on cable	+44€

Finishes

Body	
Matt black	224€
Matt brass	224€
Shade	
Opal	
Clear**	

**While stocks last

DOBI
S1207



Specifications

Light source	E14 Max. 33W (not included)
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	54,5 x 21 x 28,5 cm
Weight (gross)	3 kg
Volume	0,033 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Matt black	212€
------------	------

MARU
S1194



Specifications

Light source	LED COB integrated 3W 3000K 300lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	62,5 x 24 x 10 cm
Weight (gross)	3 kg
Volume	0,015 CBM
HS Code	9405.29.90.90

Control


ON/OFF	0€
--------	----

Finishes

Matt black/Matt brass	290€
Matt black	264€

LED not replaceable by user

LALU
S1189



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 31 x 17 cm
Weight (gross)	3,6 kg
Volume	0,030 CBM
HS Code	9405.29.90.90

Control


ON/OFF	0€
Dimmer on cable	+44€

Finishes

Body	Shade	
Chrome	Shinny white	254€
Matt brass	Shinny white	292€

Shade colour change +44€

HEDRA
S1159*



Specifications

Light source	E27 LED 9W 2700K dimmable 810lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 30 x 12 cm
Weight (gross)	4 kg
Volume	0,020 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmer on cable	0€
--------------------------	----


Finishes

Base marble	Metal	
Matt black	Matt black	180€
Matt black	Matt brass	180€

Shade NOT included.

Shade in catalogue	
801011/41	62€

ENDO
S1156



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	71,5 x 24 x 22 cm
Weight (gross)	3 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Push switch	0€
Dimmer on cable	+44€

Finishes

Body	
Matt brass	248€
Chrome	248€

Opal shade included in box

STAN
S1154**




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	2,8 kg
Volume	0,008 + 0,021 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Matt brass	228€
Matt black	228€
Rattan	
Natural	
Matt black	

**While stocks last

HEDULA
S1150 + 1160/30




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	2 Box (shade + base)
Measures (LxWxD)	35x35x25 cm + 26x27x23 cm
Weight (gross)	3,3 kg
Volume	0,008 + 0,021 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes		
Wood	Shade	
Natural	Matt Black	180€
Matt black		
Shade included in price		

SAND
S1109




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	45 x 39,5 x 39,5 cm
Weight (gross)	6,4 kg
Volume	0,072 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Dimmer on base	0€

Finishes	
Grey terrazo	230€
Shade included	

ALDA
S1108*




Specifications	
Light source	E27 Max. 15W (no included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	53 x 18 x 18 cm
Weight (gross)	5 kg
Volume	0,017 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Shiny gold/Matt brass/Chrome/ Nickel	264€
Matt black / Matt white	264€
Wood	
Natural Black	Black, White Green, Brown
Shade not included in price.	
Shade in catalogue	
801021/36	+50€

TEX
S1026*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	48 x 36 x 12 cm
Weight (gross)	2,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Matt black	132€
Matt white	132€
Shade not included in price.	
Recommended shade	
801011/41	62€

CURN
NAC149/L



Specifications	
Light source	LED plate 7W 700lm 2700K
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30cm
Weight (gross)	2.5 kg
Volume	0,075 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Matt black / Chrome / Aged gold	242€
Marble	
Black / White / Green / Brown	
Cerámica	
See colour palette	0€
Other colour (out of palette)	+44€
LED not replaceable by user	

CURN
NAC149/S



Specifications	
Light source	LED plate 7W 700lm 2700K
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30cm
Weight (gross)	2 kg
Volume	0,075CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Matt black / Chrome / Aged gold	216€
Marble	
Black / White / Green / Brown	
Cerámica	
See colour palette	0€
Other colour (out of palette)	+44€
LED not replaceable by user	

FILL
NAC148*



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	4 kg
Volume	0,075 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	250€
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price. Catalogue shade reference 801011/41	

YUT
NAC147*



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	81 x 31 x 30 cm
Weight (gross)	4.5 kg
Volume	0,075CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	266€
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price. Catalogue shade reference 801011/41	

BAMBU
NAC146/2*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20





Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 80 cm
Weight (gross)	8 kg
Volume	0,030 CBM
HS Code	9405.29.90.90


Control	
ON/OFF	0€
Dimmer on cable	+44€


Finishes	
Metal	438€
Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
Ceramic	
See colour palette	0€
Other colour (out of palette)	+44€/piece
Shade NOT included in price. Catalogue shade reference 801011/41	

BAMBU NAC146* 	Specifications		Packaging		Finishes	
	Light source	E27 Max. 15W (not included)	Package(s)	1 Box	Metal	286€
	Voltage	220-240V	Measures (LxWxD)	81 x 31 x 30 cm	Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
	Frecuency	50/60Hz	Weight (gross)	3 kg		
	Class	Type II	Volume	0.075 CBM		
	Energy Classification	E	HS Code	9405.29.90.90	Ceramic	
	Protection	IP20			See colour palette	0€
		   	Control		Other colour (out of palette)	+44€
			ON/OFF	0€	Shade NOT included in price.	
			Dimmer on cable	+44€	Catalogue shade reference	+62€
					801011/41	


SYAL NAC145* 	Specifications		Packaging		Finishes	
	Light source	E27 Max. 15W (not included)	Package(s)	1 Box	Metal	262€
	Voltage	220-240V	Measures (LxWxD)	81 x 31 30 cm	Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
	Frecuency	50/60Hz	Weight (gross)	4.5 kg		
	Class	Type II	Volume	0.075 CBM	Ceramic	
	Energy Classification	E	HS Code	9405.29.90.90	See colour palette	0€
	Protection	IP20			Other colour (out of palette)	+44€
		   	Control		Shade NOT included in price.	
			ON/OFF	0€	Catalogue shade reference	
			Dimmer on cable	+44€	161021/40	+70€

OLAS NAC144* 	Specifications		Packaging		Finishes	
	Light source	E27 Max. 15W (not included)	Package(s)	1 Box	Metal	348€
	Voltage	220-240V	Measures (LxWxD)	81 x 31 x 30 cm	Matt black / Chrome / Matt white / Satin Niquel / Matt Brass /Shiny Gold	
	Frecuency	50/60Hz	Weight (gross)	5 kg		
	Class	Type II	Volume	0,075 CBM	Ceramic	
	Energy Classification	E	HS Code	9405.29.90.90	See colour palette	0€
	Protection	IP20			Other colour (out of palette)	+44€
		   	Control		Shade NOT included in price.	
			ON/OFF	0€	Catalogue shade reference	
			Dimmer on cable	+44€	801011/41	+62€

MAPI NAC143* 	Specifications		Packaging		Finishes	
	Light source	E27 Max. 15W (not included)	Package(s)	1 Box	Metal	
	Voltage	220-240V	Measures (LxWxD)	24 x 25,5 x 66 cm	Black	274€
	Frecuency	50/60Hz	Weight (gross)	3,8 kg	Glass	
	Class	Type II	Volume	0,0404 CBM	Colour palette	0€
	Energy Classification	E	HS Code	9405.29.90.90	Other colour (out of palette)	+44€/piece
	Protection	IP20			Rings	
		   	Control		Matt black	
			ON/OFF	0€	Shade NOT included in price.	
			Dimmer on cable	+44€	Catalogue shade reference	
					801011/41	+62€

PAPI NAC142* 	Specifications		Packaging		Finishes	
	Light source	E27 Max. 15W (not included)	Package(s)	1 Box	Metal	
	Voltage	220-240V	Measures (LxWxD)	24 x 25,5 x 66 cm	Black	282€
	Frecuency	50/60Hz	Weight (gross)	3,2 kg	Glass	
	Class	Type II	Volume	0,0404 CBM	Colour palette	0€
	Energy Classification	E	HS Code	9405.29.90.90	Other colour (out of palette)	+44€/piece
	Protection	IP20			Rings	
		   	Control		Matt black	
			ON/OFF	0€	Shade NOT included in price.	
			Dimmer on cable	+44€	Catalogue shade reference	
					801011/41	+62€

ROCK
 NAC 141/L*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
CE	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes	
Metal	366€
Chrome/Shiny gold/Matt brass/Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ROCK
 NAC 141/S*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
CE	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes	
Metal	296€
Chrome/Shiny gold/Matt brass/Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801130/36	+86€

PIRE
 NAC 140/3*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
CE	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes	
Metal	326€
Chrome/Shiny gold/Matt brass/Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€/piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

PIRE
 NAC 140/2*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
CE	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes	
Metal	274€
Chrome/Shiny gold/Matt brass/Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€/piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

PIRE
 NAC 140/1*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
CE	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	24 x 25,5 x 66 cm
Weight (gross)	2,2 kg
Volume	0,0404 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
ON/OFF - Dimmer on cable	+44€

Finishes	
Metal	242€
Chrome/Shiny gold/Matt brass/Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

AMEC

NAC 139*



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type II

Energy Classification

E

Protection

IP20

Packaging

Package(s)

1 Box

Measures (LxWxD)

44 x 45 x 80 cm

Weight (gross)

7 kg

Volume

0,030 CBM

HS Code

9405.29.90.90

Control

ON/OFF

0€

ON/OFF - Dimmer on cable

+44€

Finishes

Metal

396€

Chrome/Shiny gold/Matt brass/Black/White/Nickel

Ceramic

0€

Colour palette

0€

Other colour (out of palette)

+44€

Shade NOT included in price.


Catalogue shade reference

1251/BCO

+112€

ANADA

NAC 138**



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type II

Energy Classification

E

Protection

IP20

Packaging

Package(s)

1 Box

Measures (LxWxD)

24 x 25,5 x 66 cm

Weight (gross)

2,2 kg

Volume

0,0404 CBM

HS Code

9405.29.90.90

Control

ON/OFF

0€

ON/OFF - Dimmer on cable

+44€

Finishes

Metal

242€

Chrome/Shiny gold/Matt brass/Black/White/Nickel

Ceramic

0€

Colour palette

0€

Other colour (out of palette)

+44€

Shade NOT included in price.

Catalogue shade reference


801011/32

+40€

**While stocks last

LOPO

NAC 137*



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type II

Energy Classification

E

Protection

IP20

Packaging

Package(s)

1 Box

Measures (LxWxD)

44 x 45 x 57 cm

Weight (gross)

4,2 kg

Volume

0,1129 CBM

HS Code

9405.29.90.90

Control

ON/OFF

0€

ON/OFF - Dimmer on cable

+44€

Finishes

Metal

244€

Chrome/Shiny gold/Matt brass/Black/White/Nickel

Ceramic

0€

Colour palette

0€

Other colour (out of palette)

+44€

Shade NOT included in price.


Catalogue shade reference

801011/41

+62€

DENA

NAC 136*



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type II

Energy Classification

E

Protection

IP20

Packaging

Package(s)

1 Box

Measures (LxWxD)

24 x 25,5 x 66 cm

Weight (gross)

2,2 kg

Volume

0,0404 CBM

HS Code

9405.29.90.90

Control

ON/OFF

0€

ON/OFF - Dimmer on cable

+44€

Finishes

Metal

226€

Chrome/Shiny gold/Matt brass/Black/White/Nickel

Ceramic

0€

Colour palette

0€

Other colour (out of palette)

+44€

Shade NOT included in price.


Catalogue shade reference

136011

+40€

CACTUS

NAC135/1*



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type II

Energy Classification

E

Protection

IP20

Packaging

Package(s)

1 Box

Measures (LxWxD)

24 x 25,5 x 66 cm

Weight (gross)

2,2 kg

Volume

0,0404 CBM

HS Code

9405.29.90.90

Control

ON/OFF

0€

Dimmer on cable

+44€

Finishes

Metal

268€

Chrome/Shiny gold/Matt brass/Black/White/Nickel

Glass

0€

Colour palette

0€

Other colour (out of palette)

+44€


Shade NOT included in price.

Catalogue shade reference

801011/36

+42€

CACTUS
NAC135/2*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	4,2 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	362€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ETHO
NAC134**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2.4 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	254€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/46	+74€
**While stocks last	

OBRIE
NAC133**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2,8 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	220€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
4024	+108€
**While stocks last	

LUET
NAC132*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 81 cm
Weight (gross)	2,6 kg
Volume	0,0558 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	316€
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

URAL
NAC131*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 45 x 57 cm
Weight (gross)	2,6 kg
Volume	0,1129 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	276€
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ONUT
NAC130/2*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 326€	
Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ONUT
NAC130*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 228€	
Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

BORA
NAC129*




Specifications	
Light source	LED plate 3W 3000K 300lm (Included)
Voltage	5V/2A
Frecuency	50/60Hz
Class	Type III
Energy Classification	F
Protection	IP65
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 44 cm
Weight (gross)	4 kg
Volume	0,040 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - Touch me dimmable	0€

Finishes	
Metal cover	
Aged gold	204€
Matt black	204€
Ceramic cover	
Palette colours	204€
Other colour (out of palette)	+44€
Clear striped glass	
Handle synthetic leather	
Portable and rechargeable	
4800 mAh	
USB Type C	
Autonomy since 48h	

TILLA
NAC128*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	3 kg
Volume	0,122 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 280€	
Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/36	+50€

DAB
NAC127*




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 44 cm
Weight (gross)	3 kg
Volume	0,040 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 220€	
Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/35	+44€

BABEL
NAC126**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90


Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	248€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

**While stocks last

GOT
NAC125*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	25 x 91 x 26 cm
Weight (gross)	2,4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	242€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/32	+40€

COPO
NAC124*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	2,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	260€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€/ piece
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

ADON
NAC119*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	3,3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	258€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801021/41	+62€

HOME
NAC118**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 45 x 45 cm
Weight (gross)	2,8 kg
Volume	0,059 CBM
HS Code	9405.29.90.90

Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	180€
Chrome/Shiny gold/Matt brass/ Black/White/Nickel	
Ceramic	
Colour palette	
Other colour (out of palette)	+44€
Shade NOT included in price.	
Recommended shade reference	
801011/41	+62€

**While stocks last


METRIC	Specifications	Packaging	Finishes
NAC117*	Light source E27 Max. 15W (not included) Voltage 220-240V Frequency 50/60Hz Class Type II Energy Classification E Protection IP20 	Package(s) 1 Box Measures (LxWxD) 60 x 31 x 30 cm Weight (gross) 3,2 kg Volume 0,056 CBM HS Code 9405.29.90.90 Control ON/OFF 0€ Dimmer on cable +44€	Metal Chrome/Shiny gold/Matt brass/ 306€ Black/White/Nickel Ceramic Colour palette 0€ Other colour (out of palette) +44€ Shade NOT included in price. Catalogue shade reference 801011/41 +62€

SONICA	Specifications	Packaging	Finishes
NAC116*	Light source E27 Max. 15W (not included) Voltage 220-240V Frequency 50/60Hz Class Type II Energy Classification E Protection IP20 	Package(s) 1 Box Measures (LxWxD) 60 x 31 x 30 cm Weight (gross) 2 kg Volume 0,056 CBM HS Code 9405.29.90.90 Control ON/OFF 0€ Dimmer on cable +44€	Metal 268€ Chrome/Shiny gold/Matt brass/ 306€ Black/White/Nickel Ceramic Colour palette 0€ Other colour (out of palette) +44€ Shade NOT included in price. Catalogue shade reference 801011/35 +44€

ATINA	Specifications	Packaging	Finishes
NAC115*	Light source E27 Max. 15W (not included) Voltage 220-240V Frequency 50/60Hz Class Type II Energy Classification E Protection IP20 	Package(s) 1 Box Measures (LxWxD) 91 x 25 x 26 cm Weight (gross) 2,4 kg Volume 0,059 CBM HS Code 9405.29.90.90 Control ON/OFF 0€ Dimmer on cable +44€	Metal Chrome/Shiny gold/Matt brass/ 256€ Black/White/Nickel Glass Colour palette 0€ Other colour (out of palette) +44€ Shade NOT included in price. Catalogue shade reference 801011/35 +44€

ONICA	Specifications	Packaging	Finishes
NAC114*	Light source E27 Max. 15W (not included) Voltage 220-240V Frequency 50/60Hz Class Type II Energy Classification E Protection IP20 	Package(s) 1 Box Measures (LxWxD) 60 x 31 x 30 cm Weight (gross) 2 kg Volume 0,056 CBM HS Code 9405.29.90.90 Control ON/OFF 0€ Dimmer on cable +44€	Metal 290€ Chrome/Shiny gold/Matt brass/ 306€ Black/White/Nickel Ceramic Colour palette 0€ Other colour (out of palette) +44€ Shade NOT included in price. Catalogue shade reference 801011/41 +62€


TARO	Specifications	Packaging	Finishes
NAC113*	Light source E27 Max. 15W (not included) Voltage 220-240V Frequency 50/60Hz Class Type II Energy Classification E Protection IP20 	Package(s) 1 Box Measures (LxWxD) 60 x 31 x 30 cm Weight (gross) 3,3 kg Volume 0,056 CBM HS Code 9405.29.90.90 Control ON/OFF 0€ Dimmer on cable +44€	Metal Chrome/Shiny gold/Matt brass/ 270€ Black/White/Nickel Ceramic Colour palette 0€ Other colour (out of palette) +44€ Shade NOT included in price. Catalogue shade reference 801021/41 +62€



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	3 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€


Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 336€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	4,8 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€


Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 298€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/colour
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	3,3 kg
Volume	0,059 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€


Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 278€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/colour
Shade NOT included in price.	
Catalogue shade reference	
801011/41	62€



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 30 cm
Weight (gross)	5,5 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 296€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€/colour
Shade NOT included in price.	
Catalogue shade reference	
801011/40	54€




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,4 kg
Volume	0,059 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes	
Metal	
Chrome/Shiny gold/Matt brass/ 228€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/36	50€

LUSA
NAC104*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	


Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,6 kg
Volume	0,059 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ 272€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
801011/41	+62€

MELLY
NAC103*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	


Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 30 x 31 cm
Weight (gross)	2,4 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Metal	
Chrome/Shiny gold/Matt brass/ 248€ Black/White/Nickel	
Glass	
Colour palette	0€
Other colour (out of palette)	+44€
Shade NOT included in price.	
Catalogue shade reference	
151011/45	+62€

SAM
NAC093**



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	


Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 48 x 48 cm
Weight (gross)	4,5 kg
Volume	0,056 CBM
HS Code	9405.29.90.90
Control	
ON/OFF	0€
Dimmer on cable	+44€

Finishes

Wood	
Walnut	226€
Recycled glass	
Brown	
Shade NOT included in price.	
Catalogue shade reference	
801011/46	+74€


**While stocks last




Side Tables

The table lamp designs NAC110, NAC 113, NAC114, NAC116, NAC117, NAC130, NAC130/2 have a multipurpose use, they can be manufactured as lamps and also as small tables for the placement of the lamps themselves. Both in glass and ceramic, in any color of the NCS color palette.

NOA
M110



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	284€
Matt brass	284€
Matt black	284€
Body in glass	
Colours palette	0€
Other colour (out of palette)	+44€

TARO
M113



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,2 kg / 2 kg
Volume	0,056 CBM / CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	318€
Matt brass	318€
Matt black	318€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

ONICA
M114



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	2,4 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	304€
Matt brass	304€
Matt black	304€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

SONICA
M116



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	2 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	268€
Matt brass	268€
Matt black	268€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

METRIC
M117



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,6 kg / 2 kg
Volume	0,056 CBM / 0,026 CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	328€
Matt brass	328€
Matt black	328€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€

ONUT DOBLE
M130/2



View 3D




Packaging

Package(s)	2 Boxes
Measures (LxWxD)	60 x 31 x 30 cm/52 x 52 x 4,5cm
Weight (gross)	3,8 kg / 2 kg
Volume	0,056 CBM / CBM
HS Code	9403.89.00.10


Finishes

Metal Cover and Base	
Satin nickel	382€
Matt brass	382€
Matt black	382€
Body in ceramic	
Colours palette	0€
Other colour (out of palette)	+44€



Pendant lamps


IRZO
C1353/6



Specifications		Packaging	
Light source	6 xG9 5W 2250lm 2700K (included)	Package(s)	1 Box
Voltage	220-240 V	Measures (LxWxD)	100 x 100 x 20 cm
Frecuency	50/60 Hz	Weight (gross)	14,2 kg
Class	Tipo I	Volume	0,200 CBM
Energy Classification	E	HS Code	9405.29.90.90
Protection	IP20	Control	
   		ON/OFF -Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		792€
Aged gold		792€
Glass		
Opal		
Optional:		
Leather		
Orange		
Black		
Brown		


IRZO
C1353



Specifications		Packaging	
Light source	G9 5W 450 lm 2700K (included)	Package(s)	1 Box
Voltage	220-240 V	Measures (LxWxD)	24 x 24 x 26 cm
Frecuency	50/60 Hz	Weight (gross)	2 kg
Class	Tipo I	Volume	0,0150 CBM
Energy Classification	E	HS Code	9405.29.90.90
Protection	IP20	Control	
   		ON/OFF -Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		156€
Aged gold		156€
Glass		
Opal		


VANT
C1352



Specifications		Packaging	
Light source	LED plate 9W 900lm 2700K	Package(s)	1 Box
Voltage	220-240 V/ 24V(Driver included)	Measures (LxWxD)	34,5 x 26 x 18,7 cm
Frecuency	50/60 Hz	Weight (gross)	1,9 kg
Class	Tipo I	Volume	0,017 CBM
Energy Classification	F	HS Code	9405.29.90.90
Protection	IP20	Control	
   		ON/OFF -LED dimmable	0€
		DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user			

Finishes		
Metal		Marble
Matt black	Black	188€
Aged gold	White	188€
Compatible accessories (not included)		
C1352 + 1096/25 (alabaster)		298€
C1352 + 1096/35 (alabaster)		353€
C1352 + 1097/30 (ceramics)		256€
C1352 + 1132 (Natural Osion)		376€
C1352 + 1132 (Osion color)		420€
C1352 + 1093/50 (Natural Range)		372€
C1352 + 1093/50 (Color range)		416€


HULO
C1351



Specifications		Packaging	
Light source	GU10 5W 450lm 2700K (included)	Package(s)	1 Box
Voltage	220-240 V	Measures (LxWxD)	24 x 33 x 25 cm
Frecuency	50/60 Hz	Weight (gross)	3,6 kg
Class	Tipo I	Volume	0,02 CBM
Energy Classification	E	HS Code	9405.29.90.90
Protection	IP20	Control	
   		ON/OFF -Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		208€
Aged gold		208€
Marble		
Black		
White		
Green		
Brown		


GEHIT
C1350/60



Specifications		Packaging	
Light source	LED strip 14W 1200lm 2700K	Package(s)	1 Box
Voltage	220-240 V/ 24V(Driver included)	Measures (LxWxD)	66 x 32 x 65 cm
Frecuency	50/60 Hz	Weight (gross)	6,35 kg
Class	Tipo I	Volume	0,14 CBM
Energy Classification	F	HS Code	9405.29.90.90
Protection	IP20	Control	
   		ON/OFF -LED dimmable	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		654€
Aged gold		654€
Glass		
Transparent		
Wood		
Dark walnut		
Diffuser		
Opal		

GEHIT
C1350/40



Specifications

Light source	LED strip 14W 1200lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 28 x 46 cm
Weight (gross)	3 kg
Volume	0,06 CBM
HS Code	9405.29.90.90


Control

ON/OFF -LED dimmable	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal	
Matt black	418€
Aged gold	418€
Glass	
Transparent	
Wood	
Dark walnut	
Acrylic	
Opal	

NURO
C1349



Specifications

Light source	GU10 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	54,5 x 28,5 x 18,5 cm
Weight (gross)	3,5 kg
Volume	0,03 CBM
HS Code	9405.29.90.90


Control

ON/OFF - dimmable bulbs	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal	
Matt black	352€
Metal details	
Aged gold	
Marble	
Black/White/Brown/ Green/Travertine	
Glass	
See colors palette	
Marble ball	
Black	

YMA
C1347/H



Specifications

Light source	LED strip 15W/m 1500 lm 2700K
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	11 kg
Volume	0,122 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

4m Silicone Tubing	
852€	
Accessories (as pictured)	
Green marble ball 10 cm	
Matt brass metal disc 20 cm	
Painted resin ball (color palette) 10 cm	
White resin ball (color palette) 10 cm	
White resin ball 10 cm	
Matt brass metal disc 20 cm	
Clear striped glass ball 14 cm	
Matt black metal ball 10 cm	
Matt brass metal disc 20 cm	
Clear striped glass ball 14 cm	
White marble ball 10 cm	

YMA
C1347/V



Specifications

Light source	LED strip 15W/m 1500lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 54,5 cm
Weight (gross)	9 kg
Volume	0,105 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

2m Silicone Tubing	
642€	
Accessories (as pictured)	
Aged gold metal ball 10 cm	
Painted resin ball (palette finish) 10 cm	
Striped fume glass ball 20 cm	
Matt brass metal disc 20 cm	
Striped clear glass gold 14 cm	
Alabaster disc 25 cm	
Brown marble ball 10 cm	

YMA
C1347/1



Specifications

Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2 kg
Volume	0,016 CBM
HS Code	9405.29.90.90

Control


ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

1m Silicone Tubing	
182€	
Metal	
Matt Black	
Compatible accessories (NOT included):	
1347/MN	
1347/MO	
1347/MC	
1347/NEG	
1347/BCO	
1347/BROWN	
1347/VER	
1347/RESIN	
1347/RESPINT	
1347/GREY14	
1347/GREY20	
1289	
1038	

YMA
C1347/2




Specifications	
Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2,50 kg
Volume	0,016 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user	

Finishes	
2m Silicone Tubing	198€
Metal Matt Black	
Compatible accessories (NOT included): 1347/MN 1347/MO 1347/MC 1347/NEG 1347/BCO 1347/BROWN 1347/VER 1347/RESIN 1347/RESPINT 1347/GREY14 1347/GREY20 1289 1038	

YMA
C1347/3




Specifications	
Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	2,75 kg
Volume	0,016 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user	

Finishes	
3m Silicone Tubing	248€
Metal Matt Black	
Compatible accessories (NOT included): 1347/MN 1347/MO 1347/MC 1347/NEG 1347/BCO 1347/BROWN 1347/VER 1347/RESIN 1347/RESPINT 1347/GREY14 1347/GREY20 1289 1038	

YMA
C1347/4




Specifications	
Light source	LED strip 15W/m 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	41 x 10 x 40 cm
Weight (gross)	3,15 kg
Volume	0,016 CBM
HS Code	9405.29.90.90
Control	
ON/OFF - LED regulable	0€
DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user	

Finishes	
4m Silicone Tubing	304€
Metal Matt Black	
Compatible accessories (NOT included): 1347/MN 1347/MO 1347/MC 1347/NEG 1347/BCO 1347/BROWN 1347/VER 1347/RESIN 1347/RESPINT 1347/GREY14 1347/GREY20 1289 1038	

VITREE
C1346/S




Specifications	
Light source	LED strip 12W 1000lm 2700k TRIAC Dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	52 x 28 x 29 cm
Weight (gross)	3,1 kg
Volume	0,042CBM
HS Code	9405.29.90.90
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user	

Finishes	
Metal Matt black	252€
Aged Gold	252€
Glass Clear	

VITREE
C1346/L




Specifications	
Light source	LED strip 30W 2800lm 2700k TRIAC dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	112 x 33 x 32 cm
Weight (gross)	8,6 kg
Volume	0,118 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€
LED NOT replaceable by user	

Finishes	
Metal Matt black	826€
Aged Gold	826€
Glass Clear	

CLOUD
C1345/3



Specifications

Light source	3 x Bulb G9 5W 1350lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	113 x 31 x 32 cm
Weight (gross)	8 kg
Volume	0,112 CBM
HS Code	9405.29.90.90


Control

ON/OFF -Bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	544€
Aged Gold	544€
Glass	
Clear	+0€
Greenish brown	+44€/piece
Amber	+44€/piece
Grey	+44€/piece

CLOUD
C1345



Specifications

Light source	Bulb G9 5W 450lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	35 x 24,5 x 42 cm
Weight (gross)	2,2 kg
Volume	0,036 CBM
HS Code	9405.29.90.90


Control

ON/OFF -bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	184€
Aged Gold	184€
Glass	
Clear	+0€
Greenish brown	+44€
Amber	+44€
Grey	+44€

CUBIC
C1344/L



Specifications

Light source	LED strip 35W 3200lm 2700k
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	122 x 19 x 25 cm
Weight (gross)	10 kg
Volume	0,057CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	1398€
Aged Gold	1398€
Shade	
Alabaster	

CUBIC
C1344/S



Specifications

Light source	Bulb G9 5W 450lm 2700k (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 16 x 19 cm
Weight (gross)	1,3 kg
Volume	0,008 CBM
HS Code	9405.29.90.90


Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	160€
Aged Gold	160€
Shade	
Alabaster	

NUMU
C1343/3



Specifications

Light source	3 x LED strip 9W 900lm 2700k TRIAC dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	115 x 13 x 23 cm
Weight (gross)	4,4 kg
Volume	0,034 CBM
HS Code	9405.29.90.90


Control

ON/OFF -LED dimmable	0€
3000 K	180€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Chrome	600€
Diffuser	
Opal	
Shade	
Clear striped	

NUMU
C1343



Specifications

Light source	LED strip 9W 900lm 2700k TRIAC dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 11,5 x 11,5 cm
Weight (gross)	1,6 kg
Volume	0,010CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
3000 K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Chrome	218€
Diffuser	
Opal	
Shade	
Clear striped	

MARG
C1341/40



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	46,5 x 46,5 x 38,5 cm
Weight (gross)	3,85 kg
Volume	0,083 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	328€
Matt white	328€
Green leaf	372€
Mocca	372€
Silhouette	372€
Canopy	
Matt black	
Marble	
Black /White/Brown /Travertine /Green	
Cable length	3m
Cable colour	Black

MARG
C1341/30



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 28,5 cm
Weight (gross)	2,55 kg
Volume	0,038 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	304€
Matt white	304€
Green leaf	348€
Mocca	348€
Silhouette	348€
Canopy	
Matt black	
Marble	
Black / White /Brown /Travertine/Green	
Cable length	3m
Cable colour	Black

MARG
C1341/20



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 20,5 cm
Weight (gross)	1,65 kg
Volume	0,014 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	196€
Matt white	196€
Green leaf	240€
Mocca	240€
Silhouette	240€
Canopy	
Matt black	
Marble	
Black /White /Brown /Travertine /Green	
Cable length	3m
Cable colour	Black

TRAG
C1340/40



Specifications

Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	46,5 x 46,5 x 38,5 cm
Weight (gross)	3,85 kg
Volume	0,083 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

LED NOT replaceable by user

Finishes

Metal	
Matt black	304€
Matt white	304€
Green leaf	348€
Mocca	348€
Silhouette	348€
Canopy	
Black	
Cable length	3m
Cable colour	Black

TRAG
C1340/30



Specifications	
Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 28,5 cm
Weight (gross)	2,55 kg
Volume	0,038 CBM
HS Code	9405.29.90.90


Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	278€
Matt white	278€
Green leaf	322€
Mocca	322€
Silhouette	322€

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

TRAG
C1340/20



Specifications	
Light source	LED plate 12W 1200lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 20,5 cm
Weight (gross)	1,65 kg
Volume	0,014 CBM
HS Code	9405.29.90.90


Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	170€
Matt white	170€
Green leaf	214€
Mocca	214€
Silhouette	214€

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

FLOW
C1339/6



Specifications	
Light source	6 x G9 7W 4500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	95 x 95 x 20,5 cm
Weight (gross)	10,85 kg
Volume	0,185 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -Bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	682€
Aged gold	682€
Shade	
Opal	

Cable length	3m
Cable colour	Black

FLOW
C1339



Specifications	
Light source	G9 7W 810lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	32 x 27 x 27,5 cm
Weight (gross)	1,80 kg
Volume	0,024 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -Bulb dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	204€
Aged gold	204€
Shade	
Opal	

Cable length	3m
Cable colour	Black

BETTY
C1338/2



Specifications	
Light source	2 x LED plate 10W 1800lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	93 x 47 x 18,5 cm
Weight (gross)	8,2 kg
Volume	0,080 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	510€
Aged gold	510€
Glass	
Clear (standard)	
Greenish brown	+44€/shade
Amber	+44€/shade
Grey	+44€/shade
Blue	+44€/shade

The height is configured during the installation of the pendant, by threading the different tubes (2x60+1x30+2x15 cm)

BETTY
C1338



Specifications

Light source	LED plate 10W 900lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	62,5 x 47 x 18,5 cm
Weight (gross)	4,9 kg
Volume	0,054 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	256€
Aged gold	256€
Glass	
Clear (standard)	
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	+44€

The height is configured during the installation of the pendant, by threading the different tubes (2x60+1x30+2x15 cm)

TEA
C1337/5



Specifications

Light source	5 x Cree LED 3W 1500lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	125 x 24 x 13,5 cm
Weight (gross)	2,85 kg
Volume	0,041 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	Marble	
Matt black	Black	406€
Aged gold	White	406€
Metallic grey	Brown	406€

Marble cannot be change

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

TEA
C1337/8



Specifications

Light source	8 x Cree LED 3W 2800lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	63 x 72 x 19 cm
Weight (gross)	5,95 kg
Volume	0,086 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	748€
Marble	
Black	

LED NOT replaceable by user

TEA
C1337



Specifications

Light source	Cree LED 3W 300lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	33,5 x 22 x 35 cm
Weight (gross)	4,15 kg
Volume	0,026 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	Marble	
Matt black	Black	142€
Aged gold	White	142€
Metallic grey	Brown	142€

Marble cannot be change

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

ANZA
C1336/5



Specifications

Light source	5 x LED plate 9W 3650lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	106 x 23 x 17,5cm
Weight (gross)	6,35 kg
Volume	0,043 CBM
HS Code	9405.29.90.90

Control

ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	Marble	
Matt black	Black	714€
Aged gold	White	766€

Change of marble is not possible

Cable length	3m
Cable colour	Black

LED replaceable by user

ANZA
C1336



Specifications

Light source	LED plate 9W 810lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 19 x 20 cm
Weight (gross)	1,35 kg
Volume	0,010 CBM
HS Code	9405.29.90.90

Control

DALI/230V adapter (install outside of the canopy)	0€
---	----

Finishes


Metal	Marble	
Matt black	Black	172€
Aged gold	White	172€

Change of marble is not possible

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

SOKO
C1335/8



Specifications

Light source	LED strip 22W 2250lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	78,5 x 34 x 19,5 cm
Weight (gross)	6,75 kg
Volume	0,052 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Marble	
Matt black	Black	644 €
Aged gold	White	644 €

Shade


Opal

Change of marble is not possible

Cable length	3m
Cable colour	Black

LED NOT replaceable by user

GINA
C1334/5



Specifications

Light source	5 x Bulb G9 5W 2250lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	117 x 41.5 x 18 cm
Weight (gross)	7.85kg
Volume	0,0873 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	
Matt black	840 €
Aged gold	840 €

Shade

Opal

Cable length	3m
Cable colour	Black

GINA
C1334



Specifications

Light source	Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	17.5 x 57.5 x 24
Weight (gross)	2.3 kg
Volume	0,024 CBM
HS Code	9405.29.90.90

Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	
Matt black	210€
Aged gold	210€

Shade

Opal

The height is configured during the installation of the pendant, by threading the different tubes (3X50+1X30 cm)

STOR
C1332**



Specifications

Light source	4 x LED plate 9W 1800lm 2700K TRIAC dimmable
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	75.5 x 47.5 x 25 cm
Weight (gross)	8.35 kg
Volume	0,090 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt black	718€

Shade


Matt nickel

Disc
Brown marble / Black marble / Travertine / White marble / Green marble

The height is configured during the installation of the pendant, by threading the different tubes (1X15+1X30 cm)

**While stocks last

HADO
C1331/12



Specifications

Light source	12 x bulb G4(included), 3W 2450lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	130 x 130 x 11.5cm
Weight (gross)	14,7 kg
Volume	0,1943 CBM
HS Code	9405.29.90.90

Finishes

Body	
Aged gold	1408€
Glass	
Optic transparent striped	
Cable length	
3m	
Cable colour	
Black	

Two pendants can be put on the same canopy as in the catalogue picture.

HADO
C1331/10



Specifications

Light source	10 x bulb G4 (included), 3W 2150lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	114x114x11.5 cm
Weight (gross)	12,25 kg
Volume	0,1494 CBM
HS Code	9405.29.90.90

Finishes

Body	
Aged gold	1298€
Glass	
Optic transparent striped	
Cable length	
3m	
Cable colour	
Black	

Two pendants can be put on the same canopy as in the catalogue picture.

HADO
C1331/8



Specifications

Light source	8 x bulb G4 (included), 3W 1850lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	89 x 89 x 11 cm
Weight (gross)	9.65 kg
Volume	0,087 CBM
HS Code	9405.29.90.90

Finishes

Body	
Aged gold	1096€
Glass	
Optic transparent striped	
Cable length	
3m	
Cable colour	
Black	

Two pendants can be put on the same canopy as in the catalogue picture.

NOSA
C1330**



Specifications

Light source	4 x Bulb GU-10 (included), 5W 1800lm 2700K
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	116 x 23.5 x 17 cm
Weight (gross)	9.6 kg
Volume	0,046 CBM
HS Code	9405.29.90.90

Finishes

Body	
Aged gold	594€
Matt black	594€
Corrugated metal sheets:	
Palette colour	+0€
Other colour (Out of palette)	+66€
Cable length	
3m	
Cable colour	
Black	

**While stocks last

CRAM
C1329/6



Specifications

Light source	6 x LED strip 3,3W 3150lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	70.5 x 53.5 x 19 cm
Weight (gross)	11,15 kg
Volume	0,0716 CBM
HS Code	9405.29.90.90

Finishes

Metal	
Matt black	1390€
Aged gold	1390€
Silicone	
Opal	

The height is configurated during the installation of the pendant, by threading the different tubes (2x50+1x30+1x15 cm)

CRAM
C1329/2



Specifications	
Light source	2 x LED strip 20W 2500lm 2700K
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	52.5 x 10.5 x 127 cm
Weight (gross)	4.8kg
Volume	0,070 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	746€
Matt black	746€
Aged gold	
Silicone	
Opal	

The height is configured during the installation of the pendant, by threading the different tubes (4 x 50cm)

CRAM
C1329



Specifications	
Light source	LED strip 20W 1500lm 2700K
Voltage	220-240V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	59.5 x 10.5 x 116 cm
Weight (gross)	4.40 kg
Volume	0,072 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	520€
Aged gold	520€
Silicone	
Opal	

The height is configured during the installation of the pendant, by threading the different tubes (4 x 50cm)

LERA
C1323



Specifications	
Light source	10 x bulb G9 5W (included) 2700K 3200 lm
Voltage	220-240V / 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	22,5 x 23,5 x 125,5 cm
Weight (gross)	6,1 kg
Volume	0,1589 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Not dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	860€
Nickel	
Aged gold	
Matt black	
Glass	
Opal / Smoked brown	
Cable length	3m
Cable colour	Black
-Installation in horizontal or vertical position.	
See spare parts on page 113	

IMAN
C1322/L



Specifications	
Light source	2x LED strip 18W 2700K 3200 lm TRIAC Dimmable
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	93 x 43 x 16 cm
Weight (gross)	7,5 kg
Volume	0,0640 CBM
HS Code	9405.19.90.90


Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes	
Metal	958€
Matt black	
Aged gold	
Glass	
Striped clear	
Cable length	3m
Cable colour	Black

See spare parts on page 113

IMAN
C1322



Specifications	
Light source	2x LED strip 11W 2700K 1600 lm TRIAC Dimmable
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	58 x 44,5 x 16 cm
Weight (gross)	3,85 kg
Volume	0,0413 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes	
Metal	520€
Matt black	
Aged gold	
Glass	
Striped clear	

The height is configured during the installation of the pendant, by threading the different tubes (1 x 10cm + 4x50cm)

See spare parts on page 113

CANNA
C1319/L



Specifications

Light source	LED strip 20W 2700K 1650lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 17 x 134 cm
Weight (gross)	3,6 kg
Volume	0,0387 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user


Finishes

Metal	
Aged gold	638€
Matt black	638€
Glass	
Opal	

Cable length	3m
Cable colour	Black

See spare parts on page 113

CANNA
C1319/S



Specifications

Light source	LED strip dimmable 9W 2700K 750lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	67,5 x 16 x 16 cm
Weight (gross)	1,70 kg
Volume	0,0173 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Aged gold	222€
Matt black	222€
Glass	
Opal	

Cable length	3m
Cable colour	Black

See spare parts on page 113

REMS
C1318



Specifications

Light source	Bulb E27 LED 9W 2700K 900lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44,5 x 44,5 x 20 cm
Weight (gross)	2,5 kg
Volume	0,0297 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	202€
Leather shade	
Black /Orange /Light brown /Dark brown	

Cable length	3m
Cable colour	Black

REMS
C1318/2



Specifications

Light source	2 x E27 LED dim. 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	18 x 45 x 93 cm
Weight (gross)	4,2 kg
Volume	0,0753 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	410€
Matt black	
Leather shade	
Black /Orange /Light brown /Dark brown	

The height is configured during the installation of the pendant, by threading the different tubes (4 x 50cm)

OKET
C1317



Specifications

Light source	LED plate integrated 10W 2700K 720lm TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	29 x 29 x 38 cm
Weight (gross)	3 kg
Volume	0,0320 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes

Metal: Matt brass // Shade: Matt white	318€
Metal: Matt black // Shade: Matt black	318€

Cable length	3m
Cable colour	Black

IPON
C1316/1



Specifications

Light source	LED plate 10W 2700K 810lm TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE E X

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 15 x 26 cm
Weight (gross)	3,4 kg
Volume	0,0101 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230Vadapter (install outside of the canopy)	120€

Finishes

Metal	168€
Matt black	168€
Aged gold	
Shade	+0€
Clear (standard)	+44€
Greenish brown	+44€
Amber	+44€
Grey	+44€
Blue	
Cable length	3m
Cable colour	Black

IPON
C1316/4



Specifications

Light source	4 x LED plate 10W 2700K 3200lm TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE E X

Packaging

Package(s)	1 Box
Measures (LxWxD)	126 x 48 x 20 cm
Weight (gross)	6,2 kg
Volume	0,1210 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	638€
Matt black	
Aged gold	
Shade	+0€
Clear (standard)	+44€/per shade
Greenish brown	+44€/per shade
Amber	+44€/per shade
Grey	+44€/per shade
Blue	+44€/per shade
The height is configurated during the installation of the pendant, by threading the different tubes (4x30+2x15+2x60 cm each arm)	

PEPO
C1315/40



Specifications

Light source	LED strip 15W 2700K 1080 lm Triac Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE E X

Packaging

Package(s)	1 Box
Measures (LxWxD)	65x45x42 cm
Weight (gross)	4,8 kg
Volume	0,122 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Aged gold	662€
Matt black	662€
Diffuser	
Acrylic	
Glass	
Clear striped	
Cable length	3m
Cable colour	Black

PEPO
C1315/60



Specifications

Light source	LED strip 15W 2700K 1080 lm TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE E X

Packaging

Package(s)	1 Box
Measures (LxWxD)	70x70x72 cm
Weight (gross)	5 kg
Volume	0,123 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Aged gold	740€
Matt black	740€
Diffuser	
Acrylic	
Glass	
Clear striped	
Cable length	3m
Cable colour	Black

PEPO
C1315/70



Specifications

Light source	LED strip 9W 2700 K 720 lm TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE E X

Packaging

Package(s)	1 Box
Measures (LxWxD)	95x95x97 cm
Weight (gross)	7,9 kg
Volume	0,353 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Aged gold	712€
Matt black	712€
Diffuser	
Acrylic	
Glass	
Clear striped	
Cable length	3m
Cable colour	Black

NIRO
C1314



Specifications

Light source	LED strip 30W 2700K 1850lm TRIAC Dimmable
Voltage	220-240 V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	28 x 12x 24 cm
Weight (gross)	3,2 kg
Volume	0,0081 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal	
Aged gold	774€
Textured matt black	774€
Wood	
Walnut	
Difusser	
Acrylic	
Cable length	3m
Cable colour	Black

LED NOT replaceable by user

TURA
C1313



Specifications

Light source	Chip LED 5W 2700K (included) 5000lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	12 x 24 x 12 cm
Weight (gross)	2,2 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	188€
Leather head	
Brown	
Black	
Orange	
Cable length	3m
Cable colour	Black

LED NOT replaceable by user

TURA
C1313/C



Specifications

Light source	12 x LED COB 3W 2700K-6500K 3000lm
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 90 x 16,5 cm
Weight (gross)	6,4 kg
Volume	0,1322 CBM
HS Code	9405.19.90.90

Control


TRIAC - CCT controller + dimmer Driver (adjustment of light intensity and light colour temperature)	0€
--	----

Finishes

Body	
Matt black	1149€
Leather head (12 uds)	
Black /Orange /Light brown / Dark brown /Striped aged gold	
Combine them as you like	
Cable length	3m
Cable colour	Black

LED NOT replaceable by user

ELMA
C1312/S



Specifications

Light source	LED strip 6W 2700K 600 lm TRIAC Dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	42 x 22 x 21 cm
Weight (gross)	3 kg
Volume	0,069 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Black	246€
Aged gold	246€
Glass	
Clear striped	
Cable length	3m
Cable colour	Black
See spare parts on page 113	

LED NOT replaceable by user

ELMA
C1312/L



Specifications

Light source	LED strip 3 x 9W 2700K 2000 lm TRIAC dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	65 x 65 x 24 cm
Weight (gross)	5,5 kg
Volume	0,019 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

LED 1 NOT replaceable by user

Finishes

Metal	
Black	679€
Aged gold	679€
Glass	
Clear striped	
Cable length	3m
Cable colour	Black
See spare parts on page 113	

ELLI
C1311/S



Specifications

Light source	Chip LED 5W 2700K TRIAC dimmable (included) 500 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	50 x 42 x 20 cm
Weight (gross)	3,15 kg
Volume	0,042 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal: Matt black / Details in matt black	396€
Metal: Aged gold / Details in matt black	396€
Acrylic: Opal	
Cable length	3m
Cable colour	Black

LED NOT replaceable by user

ELLI
C1311/L



Specifications

Light source	LED strip 22W 2200 lm (included)
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	113 x 113 x 18 cm
Weight (gross)	12,5 kg
Volume	0,230 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
TRIAC + CCT	0€

Finishes

Metal: Matt black / Details in matt black	1042€
Metal: Aged gold / Details in matt black	1042€
Acrylic: Opal	
Cable length	3m
Cable colour	Black

LED NOT replaceable by user

DOUL
C1310



Specifications

Light source	G4 LED 3W 2700K (included) 270 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	3,2 kg
Volume	0,008 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

Finishes

Metal	
Matt black	168€
Aged gold	168€
Cable length	3m
Cable colour	Black
See spare parts on page 113	

DUSSA
C1307



Specifications

Light source	LED plate 9W 2700K (included) 900 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	36 x 16 x 25,5 cm
Weight (gross)	1,8 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control


ON/OFF - DALI PUSH /230V	0€
--------------------------	----

Finishes

Body	Marble	
Aged gold	Matt white	194€
Matt black	Matt black	194€
Change of head is not possible		
Cable length	3m	
Cable colour	Black	

LED NOT replaceable by user

DUSSA
C1307/6



Specifications

Light source	6 x LED plate 9W 2700K (included) 5400 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	68 x 61 x 15,5 cm
Weight (gross)	8,5 kg
Volume	0,060 CBM
HS Code	9405.19.90.90

Control

ON/OFF - DALI PUSH /230V	0€
--------------------------	----

Finishes

Body	Marble	
Aged gold	Matt white	968€
Matt black	Matt black	968€
Matt black	Travertine	968€
Change of each marble head		+66€
The height is configurated during the installation of the pendant, by threading the different tubes (4 x 50cm)		

BIG DUSSA
C1307/L



Specifications	
Light source	LED plate 9W 2700K (included) 900 lm
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	68 x 61 x 15,5 cm
Weight (gross)	8,5 kg
Volume	0,060 CBM
HS Code	9405.19.90.90

Finishes		
Body	Marble	
Matt black	Travertine	254€
Aged gold	Travertine	254€


Change of head is not possible

Cable length	3m
Cable colour	Black

Control	ON/OFF - DALI PUSH /230V	0€
---------	--------------------------	----

LED not replaceable by user

BION
C1306/6



Specifications	
Light source	6 x G9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	131 x 76,5 x 12,5 cm
Weight (gross)	6,9 kg
Volume	0,120 CBM
HS Code	9405.19.90.90


Finishes		
Body		
Textured matt black		1030€
Aged gold		1066€

Shades (included)	
Textured matt black	
Textured matt white	

The height is configurated during the installation of the pendant. By threading the different tubes (3x30cm + 3x50cm)

Control	ON/OFF - Dimmable bulbs	0€
	DALI/230V adapter (install outside of the canopy)	120€

ICONIC
C1300



Specifications	
Light source	LED plate 7W 2700K dimmable 700 lm
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 25 cm
Weight (gross)	4,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90


Finishes		
Metal		
Black		198€
Aged gold		198€

Marble		
Finnish		
Cable length	3m	
Cable colour	Black	

Control	ON/OFF - Dimmable LED	0€
	DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

ONETA
C1299



Specifications	
Light source	G4 LED 2W 2700K (included) 170 lm
Voltage	220-240V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 25 cm
Weight (gross)	4,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90


Finishes		
Metal	Marble	
Matt black	White	184€
Aged gold	Black	184€

Marble		
Marble change not possible		
Cable length	3m	
Cable colour	Black	

Control	ON/OFF - Dimmable bulbs	0€
	DALI/230V adapter (install outside of the canopy)	120€

See spare parts on page 113

ISON
C1298



Specifications	
Light source	LED strip 8W 2700K dimmable 800 lm TRIAC Dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	85 x 12 x 12 cm
Weight (gross)	2,2 kg
Volume	0,012 CBM
HS Code	9405.19.90.90

Finishes		
Matt black		208€
Aged gold		228€


Cable length	3m
Cable colour	Black

Control	ON/OFF - Dimmable LED	0€
	3000K	80€
	DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

See spare parts on page 113

ISON
C1298/5



Specifications

Light source	5 xLED strip 7W 2700K dimmable 4000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 62 x 22 cm
Weight (gross)	5,2 kg
Volume	0,085 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	220€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Matt black	840€
Aged gold	840€

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)

See spare parts on page 113

YCRO
C1297



Specifications

Light source	Chip LED 8W 2700K dimmable 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 10 x 10 cm
Weight (gross)	2,3 kg
Volume	0,003 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Matt black	120€
Matt brass	120€

Cable length	3m
Cable colour	Black

LED not replaceable by user

TUBE
C1296



Specifications

Light source	LED strip 17W 2700K dimmable 2000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	100 x 10 x 10 cm
Weight (gross)	2,3 kg
Volume	0,010 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Aged gold	394€
Matt black	394€

Diffuser


Opal	
Cable length	3m
Cable colour	Black

Vertical and horizontal positioning of the lamp can be configured with one single element(included in box)

See spare parts on page 113

LED not replaceable by user

ARC
C1292



Specifications

Light source	LED strip 17W 2700K dimmable 2000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	106 x 53 x 11 cm
Weight (gross)	4 kg
Volume	0,062 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Aged gold	540€
Matt black	540€

Diffuser

Opal	
Mechanical Joint piece 1292J	


Aged gold	18€
Matt black	18€

The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)

See spare parts on page 113

LED not replaceable by user

MIRO
C1289**



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 17 x 17 cm
Weight (gross)	2,3 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	139€
------------	------


Opal shade included

Compatible accessories (NOT included):

Alabaster - 1289/20/A	
Ceramic - 1097/20	
Striped metal - 1089/25	
Glass - 1223	
Metal - 1289/20	
C1289 + 1289/20/A	212€
C1289 + 1097/20	180€
C1289 + 1089/25	196€
C1289 + 1223	192€
C1289 + 1289/20	176€

Cable length	3m
Cable colour	Black

MIRO
C1289/6**



Specifications	
Light source	6xG9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	59 x 20 x 69,5 cm
Weight (gross)	6,2 kg
Volume	0,080 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Matt black	1268€
Opal shade included	
Compatible accessories (NOT included):	
Alabaster - 1289/20/A	
Ceramic - 1097/20	
Striped metal - 1089/25	
Glass - 1223	
Metal - 1289/20	
C1289/6 + 6 x 1289/20/A	1772€
C1289/6 + 6 x 1097/20	1580€
C1289/6 + 6 x 1089/25	1676€
C1289/6 + 6 x 1223	1688€
C1289/6 + 6 x 1289/20	1568€

The height is configured during the installation of the pendant, by threading the different tubes (1x15cm+1x30cm+1x60cm)

AIDER
C1287**



Specifications	
Light source	E27 LED max. 9W reg. 2700K (included) 810 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	41 x 41 x 19 cm
Weight (gross)	3 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	244€
Satin nickel	
Matt brass	
Shade	
Shiny black	
Rattan	
Natural tone	
Cable length	3m
Cable colour	Black

ATIL
C1281**



Specifications	
Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	44,5 x 21 x 15,5 cm
Weight (gross)	1,7 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	
Matt brass	244€
Shade	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113
**While stocks last

DALT
C1280



Specifications	
Light source	G9 LED 5W 450 lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	57,5 x 15 x 15 cm
Weight (gross)	2,1 kg
Volume	0,012 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Aged gold/Green marble	220€
Matt black/Black marble	220€
Matt black/White marble	220€
Matt black/Green	286€
Aged gold/Black	286€
Aged gold / White	286€
Aged gold / Brown	286€
Opal Shade	
Cable length	3m
Cable colour	Black

See spare parts on page 113

DALT
C1280/6



Specifications	
Light source	6xG9 LED 5W 2700K (included) 2700 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	72,5 x 69,5 x 25,5 cm
Weight (gross)	14 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Aged gold / Green marble	907€
Matt black / Black marble	907€
Shade	
Opal	
Change of each marble piece	+66€
The height is configured during the installation of the pendant, by threading the different tubes (3 x 30cm + 1x15cm)	
See spare parts on page 113	


FOCUS
C1279



Specifications		Packaging	
Light source	GU10 LED 5W 2700K (included) 450 lm	Package(s)	1 Box
Voltage	220-240V	Measures (LxWxD)	40 x 16 x 17 cm
Frequency	50/60Hz	Weight (gross)	2 kg
Class	Type I	Volume	0,010 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	
Matt black	166€
Head	
Aged gold	
Anthracite	
Alabaster/head	+36€
Cable length	3m
Cable colour	Black


N00I
C1276/L



Specifications		Packaging	
Light source	T8 LED 14W 1500 lm 2700K (included)	Package(s)	1 Box
Voltage	220-240 V/24V (Driver included)	Measures (LxWxD)	119 x 22,5 x 20,5 cm
Frequency	50/60Hz	Weight (gross)	4,3 kg
Class	Type I	Volume	0,0549 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		3000K	180€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	388€
Matt black	
Shade	
Cream linen textile	
Ball	
Black metal	+0€
Black/White/Green/ Brown marble	+66€
Cable length	3m
Cable colour	Black
T8/L Replacement	66€


NOOI
C1276



Specifications		Packaging	
Light source	T8 LED 5W 450 lm 2700K (included)	Package(s)	1 Box
Voltage	220-240V/24V (Driver included)	Measures (LxWxD)	58 x 23 x 28 cm
Frequency	50/60Hz	Weight (gross)	1,9 kg
Class	Type I	Volume	0,037 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		3000K	80€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	204€
Shade	
Cream linen textile	
Cable length	3m
Cable colour	Black
T8/S Replacement	33€


NINO
C1275



Specifications		Packaging	
Light source	Chip LED 7W 2700K dimmable 700 lm	Package(s)	1 Box
Voltage	220-240V/24V (Driver included)	Measures (LxWxD)	25 x 15 x 15 cm
Frequency	50/60Hz	Weight (gross)	1,6 kg
Class	Type I	Volume	0,005 CBM
Energy Classification	F	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable LED	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt black	222€
Matt brass	222€
Optic glass	
Clear	
Cable length	3m
Cable colour	Black
See spare parts on page 113	


LYB
C1274



Specifications		Packaging	
Light source	Chip LED 5 X 5W 2700K 2500 lm	Package(s)	1 Box
Voltage	220-240V/24V (Driver included)	Measures (LxWxD)	129 x 14 x 16 cm
Frequency	50/60Hz	Weight (gross)	4,7 kg
Class	Type I	Volume	0,029 CBM
Energy Classification	F	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable LED	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Matt black	558€
Matt brass (3000K)	573€
LED not replaceable by user	
Driver No dimmable	
Cable length	3m
Cable colour	Black

COLN C1267



Specifications

Light source	LED strip 21W 2700K 2100 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	165 x 12 x 12 cm
Weight (gross)	3 kg
Volume	0,024 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
3000K	80€


DALI/230V adapter
(install outside of the canopy)

LED not replaceable by user

Finishes


Matt black	444€
Cable length	1,5m
Cable colour	Black

TERA C1260**



Specifications

Light source	Chip LED 8W 3000K dimmable 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	129 x 14 x 16 cm
Weight (gross)	4,7 kg
Volume	0,029 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes

Blued	138€
Cable length	3m
Cable colour	Black


**While stocks last

ABBACUS C1258**



Specifications

Light source	4 x G9 LED 5W 2700K (included) 1800 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box + 2 Boxes shades
Measures (LxWxD)	146,5 x 31,5 x 10 cm
Weight (gross)	4,3 kg
Volume	0,046 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	824€
Matt brass	824€
Shade	
Opal	
Cable length	1,5m
Cable colour	Black


**While stocks last

ABBACUS C1258/1



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box + 1 Boxes shades
Measures (LxWxD)	72 x 31,5 x 9,5 cm
Weight (gross)	1,7 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	354€
Matt brass	354€
Shade	
Opal	
Clear	
Cable length	3m
Cable colour	Black


**While stocks last

ERTO C1257/5



Specifications

Light source	5 x G9 LED 5W 2700K (included) 2250 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	146,5 x 31,5 x 10 cm
Weight (gross)	4,3 kg
Volume	0,046 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Body	
Matt black	690 €
Details - Matt brass	
Compatible accessories (not included)	
Alabaster - 1096/25	
Cristal - 1223	
Ceramic - 1097/20	
Metal - 1038/25	
Striped metal - 1089/25	
C1257/5 + 1096/25	1240 €
C1257/5 + 1223	1040 €
C1257/5 + 1097/20	950 €
C1257/5 + 1038/25	990 €
C1257/5 + 1089/25	1030 €

The height is configured during the installation of the pendant, by threading the different tubes (3 x 30cm + 1x15cm)

PULL

C1249/3



Specifications

Light source	3 x G9 4W 1200lm 2700K(included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	114 x 22,5 x 33 cm
Weight (gross)	6,5 kg
Volume	0,084 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Body	
Matt black	
Metal shade	
Matt black	628€
Aged gold	
Shade	
Fabric	

The height is configured during the installation of the pendant, by threading the different tubes (3x50 + 1x30+1x15cm)

PULL

C1249/L



Specifications

Light source	G9 4W 400lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	31 x 31 x 54 cm
Weight (gross)	2,9 kg
Volume	0,052 CBM
HS Code	9405.29.90.90

Control


ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and cable	
Matt black	
Metal shade	
Matt black	252€
Aged gold	252€
Shade	
Fabric	
Cable length	3m
Cable colour	Black

PULL

C1249/S



Specifications

Light source	G9 4W 400lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	22 x 39 x 22 cm
Weight (gross)	1,9 kg
Volume	0.02 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (instalar fuera del florón)	106€

Finishes

Body	
Matt black	220€
Metal shade	
Matt black	
Aged gold	
Shade	
Fabric	
Cable length	3m
Cable colour	Black

OHLALA

C1242**



Specifications

Light source	4xE27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	118,5 x 29 x 23,5 cm
Weight (gross)	4,5 kg
Volume	0,081 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Matt black / Matt brass	438€
Bulbs and accessories not included	
Cable length	2m
Cable colour	Black

**While stocks last

CRANE

C1241**



Specifications

Light source	E27 Max. 15W (not included) + 2xG4 3W (included) 2700K 540 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging

Package(s)	1 Box
Measures (LxWxD)	141 x 22,5 x 20 cm
Weight (gross)	4 kg
Volume	0,050 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Matt black / Matt brass	683€
-------------------------	------

The height is configured during the installation of the pendant, by threading the different tubes (1 x 30cm + 1x40cm + 1x50cm)

**While stocks last

ULON
C1235



Specifications

Light source	Bulb G9 LED 5W 2700k 450 lm (included) dimmable.
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
	⊕ CE Ⓡ

Packaging

Package(s)	1 Box
Measures (LxWxD)	63 x 45 x 39 cm
Weight (gross)	4.6 kg
Volume	0,1106 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Glass
Matt black	
Glass	
Clear	270€
Other finish	
See colour palette	314€
Out of palette	+44€/colour
Cable length	3m
Cable colour	Black

See spare parts on page 113

MAPI
C1235/H



Specifications

Light source	3 x LED strip 5W 2700K 1300 lm
Voltage	220-240 V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE Ⓡ

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 57 x 57 cm
Weight (gross)	7,8 kg
Volume	0,1877 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Glass
Matt black	Clear
Matt black	See colour palette
Matt black	Out of palette
Shade	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113

MAPI
C1235/V



Specifications

Light source	3 x LED strip 5W 2700K 1300 lm
Voltage	220-240 V/24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE Ⓡ

Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 57 x 57 cm
Weight (gross)	7,8 kg
Volume	0,1877 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Glass
Matt black	Clear
Matt black	See colour palette
Matt black	Out of palette
Shade	
Opal	
Cable length	3m
Cable colour	Black

See spare parts on page 113

OVALO
C1234



Specifications

Light source	GU10 LED 5W 450lm 2700K
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
	⊕ CE Ⓡ

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	2 kg
Volume	0,122 CBM
HS Code	9405.29.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal
Matt Black
196€
Glass
Colour of palette

LITA
C1230



Specifications

Light source	Chip LED 6.5W 3000K 600 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
	⊕ CE Ⓡ

Packaging

Package(s)	1 Box
Measures (LxWxD)	19,5 x 15 x 15 cm
Weight (gross)	1,2 kg
Volume	0,020 CBM
HS Code	9405.19.90.90

Control


ON/OFF- LED Dimmable	0€
----------------------	----

Finishes

Matt black wood	138€
Cable length	3m
Cable colour	Black

LED not replaceable by user

PAPI
C1233



Specifications

Light source	Bulb GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 81 cm
Weight (gross)	4,6 kg
Volume	0,0729 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes


Metal	516€
Matt black	
Glass	
See colour palette	+0€
Colour out of palette	+44€/each colour
Cable length	3m
Cable colour	Black
See spare parts on page 113	

You can configure the lamp to your liking by combining the three modules


CABLE
MODULE 1
MODULE 2
MODULE 3

146€
108€
180€
96€


MODULE 1



MODULE 2




MODULE 3



Possible combinations of modules



DORA
C1228**



Specifications

Light source	LED strip 6,5W 3000K 650 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 14 x 16 cm
Weight (gross)	1,6 kg
Volume	0,005 CBM
HS Code	9405.19.90.90

Control


ON/OFF - LED Dimmable	0€
-----------------------	----

LED not replaceable by user

Finishes

Shiny gold	275€
Cable length	3m
Cable colour	Black

DELIE
C1224



Specifications

Light source	G9 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	35 x 17 x 15 cm
Weight (gross)	1,2 kg
Volume	0,009 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold / Black marble	168€
Matt black / White Marble	168€
Marble CANNOT be changed	
Cable length	3m
Cable colour	Black
See spare parts on page 113	

DELIE
C1224/8



Specifications

Light source	8 x G9 5W 2700K (included) 3600 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
  	

Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 63 x 42 cm
Weight (gross)	8,5 kg
Volume	0,17 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Aged gold / Black marble	1046€
Matt black / White Marble	998€
Marble CANNOT be changed	
The height is configurated during the installation of the pendant, by threading the different tubes (3 x 30cm)	
See spare parts on page 113	

FEST
C1223



Specifications

Light source	6 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	41 x 40 x 45 cm
Weight (gross)	1,5 kg
Volume	0,074 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Cable	
Black	682€
Glass 1223 (included)	
Choose between:	
Turquoise	
Dark blue	
Amber	
Brown	
Pink	
Cable length	2m
Cable colour	Black

YOYO
C1222



Specifications

Light source	3xG9 3W 3000K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	90 x 57,5 x 59 cm
Weight (gross)	3,8 kg
Volume	0,305 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Exterior Black	556€
Interior White	
Diffuser	
Matt brass	
Black	
Cable length	3m
Cable colour	Black

BALL
C1215



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	65,5 x 17,5 x 9 cm
Weight (gross)	1,1 kg
Volume	0,010 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt Black	216€
Matt Brass	254€
Shade (included)	
Opal	
Clear**	
Cable length	3m
Cable colour	Black

ATOM
C1214/8



Specifications

Light source	8xG9 LED 5W 2700K (included) 3600 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box + 3 Boxes shades
Measures (LxWxD)	123,5 x 52,5 x 24,5 cm
Weight (gross)	6,7 kg
Volume	0,159 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt black	1254€
Matt brass	1344€
Shades (included)	
Opal / Clear	
The height is configured during the installation of the pendant, by threading the different tubes (3 x 30cm + 1 x 15cm)	

ANET
C1206



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	68,5 x 19 x 18,5 cm
Weight (gross)	2,5 kg
Volume	0,024 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	Marble	
Matt black	White	212€
Matt black	Black	212€
Bronze	Brown	212€
Aged gold	White	212€
Aged gold	Brown	212€
Aged gold	Green	212€
Aged gold	Black	212€
Nickel**	Black	212€
Change of marble		+66€
Cable length	1,5m	
Cable colour	Black	

MIKA
C1204



Specifications

Light source	Chip LED 3W 2700K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	55 x 6 x 65 cm
Weight (gross)	0,8 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Cable	Canopy	
Clear	Black	
Body		
Matt White / Black		126€
Gold		126€
Bronze - Body		126€
Cable length	3m	
Cable colour	Black	

MIKA MULTI
C1204/8



Specifications

Light source	8 x Chip LED 3W 2700K 2400 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	69 x 20,5 x 11 cm
Weight (gross)	7,2 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Canopy and hoop	
Matt Black	1066€
Body	
Shinny Gold	
Matt White	
Matt Black	
Bronze / Body	
Cable length	3m
Cable colour	Black

BIGCOSS
C1203/80



Specifications

Light source	LED strip 28W 2700K 2500 lm+ LED projector 20W 2700K 1500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	87 x 87 x 23 cm
Weight (gross)	6 kg
Volume	0,174 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Exterior dome	
Matt Black	690€
Internal flat diffuser	
Mirror	
Cable length	3m
Cable colour	Black

MARU
C1194



Specifications

Light source	Chip LED 3W 3000K 300 lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	29,5 x 12 x 12 cm
Weight (gross)	1,2 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
-----------------------	----

LED not replaceable by user

Finishes

Black / Matt brass	214€
Black / Black	214€
Cable length	3m
Cable colour	Black

ELLA
C1158



Specifications

Light source	LED plate 9W 2700K 900 lm TRIAC Dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	2,5 kg
Volume	0,059 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes

Metal	
Matt black	376€
Interior diffuser	
Matt black	
Matt brass	
Cable length	2m
Cable colour	Black

CHAPÉU

C1157**



Specifications

Light source	E27 Max. 15W 2700K (not included)
Voltage	230V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	2,8 kg
Volume	0,122 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Black	228€
Matt brass / Shiny gold	
Nickel	
White	
Chrome	
Ceramic	
Colours palette	
Other colour (out of palette)	+44€
Cable length	2m
Cable colour	Black

ENDO

C1156/6**



Specifications

Light source	6xG9 LED 5W 2700K (included) 2700lm
Voltage	220-240 V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	138 x 48 x 22,5 cm
Weight (gross)	9,2 kg
Volume	0,150 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	484€
Chrome	484€
Opal shades included in box	
Colours palette	
Cable length	3m
Cable colour	Black

PTAN

C1154



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	91 x 25 x 26 cm
Weight (gross)	1,1 kg
Volume	0,059 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Black	284€
Matt brass	284€
Rattan	
Natural / Black	
Cable length	3m
Cable colour	Black

GLAMM

C1130



Specifications

Light source	LED plate 7W 700 lm 2700K TRIAC dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 33 x 33 cm
Weight (gross)	3,8 kg
Volume	0,039 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes

Metal	
Matt black/ Matt white / Nickel	272€
Gold shiny/Matt brass/Chrome	
Marble	
White / Black / Green / Brown	
Glass	
Clear Striped	
Ceramic/metal dome	
Palette colours	+0€
Other colours	+44€
Cable length	3m
Cable colour	Black

CORA

C1129



Specifications

Light source	LED plate 7W 2700K 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 26 x 23 cm
Weight (gross)	1,8 kg
Volume	0,016 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	230€
Shiny gold	
Chrome	
White	
Black	
Nickel	
Matt brass	
Ceramics (hand painted):	
Palette colours	0€
Other colour (off palette)	+44€
Cable length	3m
Cable colour	Black

CORA
C1129/O




Specifications	
Light source	LED plate 3W 3000K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	27 x 26 x 23 cm
Weight (gross)	1,8 kg
Volume	0,016 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Ceramics (hand painted):	170€
Colour palette	0€
Other colour (out of palette)	+44€
Cable length	
3m	
Cable colour	
Black	

LED not replaceable by user

TICO
C1095/L/LED




Specifications	
Light source	LED plate 9W 2700K 850lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Package(s)	105 x 105 x 20 cm
Measures (LxWxD)	4,8 kg
Weight (gross)	0,220 CBM
Volume	9405.29.90.90
HS Code	
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		Accessory
Matt black	Matt black	374€
Aged gold	Aged gold	374€
Chrome	Chrome	374€
Acoustic disc		
Palette colours		
Cable length		2m
Cable colour		Black
LED not replaceable by user		

TICO
C1095/L/BULB




Specifications	
Light source	Bulb G9 5W 2700K 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Package(s)	105 x 105 x 30 cm
Measures (LxWxD)	4,8 kg
Weight (gross)	0,220 CBM
Volume	9405.29.90.90
HS Code	
Control	
ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		Accessory
Matt black	Matt black	374€
Aged gold	Aged gold	374€
Chrome	Chrome	374€
Acoustic disc		
Palette colours		
Cable length		2m
Cable colour		Black

TICO
C1095/S/LED




Specifications	
Light source	LED plate 9W 2700K 850lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Package(s)	55 x 55 x 20 cm
Measures (LxWxD)	4,2 kg
Weight (gross)	0,060 CBM
Volume	9405.29.90.90
HS Code	
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		Accessory
Matt black	Matt black	308€
Aged gold	Aged gold	308€
Chrome	Chrome	308€
Acoustic disc		
Palette colours		
Cable length		2m
Cable colour		Black
LED not replaceable by user		

TICO
C1095/S/BULB




Specifications	
Light source	Bulb G9 5W 2700K 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Package(s)	55 x 55 x 20 cm
Measures (LxWxD)	4,2 kg
Weight (gross)	0,060 CBM
Volume	9405.29.90.90
HS Code	
Control	
ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		Accessory
Matt black	Matt black	308€
Aged gold	Aged gold	308€
Chrome	Chrome	308€
Acoustic disc		
Palette colours		
Cable length		2m
Cable colour		Black

PIRE
C1090/L



Specifications

Light source	GU10 5W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90


Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and metal parts	272€
Matt black / Matt white / Matt brass / Shiny gold / Nickel / Chrome	
Ceramic	0€
Colour palette	+44€
Other colour (out of palette)	
Cable length	2m
Cable colour	Black

PIRE
C1090/S



Specifications

Light source	GU10 5W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90


Control

ON/OFF -Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and metal parts	262€
Matt black / Matt white / Matt brass / Shiny gold / Nickel / Chrome	
Ceramic	0€
Colour palette	+44€
Other colour (out of palette)	
Cable length	2m

DENA
C1088



Specifications

Light source	LED plate 9W 810lm 2700K
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.29.90.90


Control

ON/OFF -LED not dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Canopy and metal parts	280€
Matt black	
Ceramic	0€
Colour palette	+44€
Other colour (out of palette)	
Cable length	2m
Cable colour	Black

BAMBU
C1087



Specifications

Light source	GU10 3W Includido 2700K 300lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 56 x 39 cm
Weight (gross)	4 kg
Volume	0,039 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shinny gold/Matt brass/Matt white/Matt Black/ Chrome / Nickel	
Ceramic	
Palette colours	306€
Other colours	+44€
Cable length	2m
Cable colour	Black

COPPO
C1085



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	4,3 kg
Volume	0,039 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shinny gold/Matt brass/Chrome/Black/ White / Nickel	
Ceramic dome	
Palette colours	194€
Other colours	+44€
Cable length	2m
Cable colour	Black

BELL
C1084



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	2,1 kg
Volume	0,039 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shinny gold/Matt brass/Chrome/Black/White /Nickel	
Marble	
White / Black / Green / Brown	
Ceramic dome	260€
Palette colours	0€
Other colours	+44€
Cable length	2m
Cable colour	Black

ALPHA
C1083



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	1,3 kg
Volume	0,039 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal or ceramic	
Pedant	
Shinny gold/Matt brass/Chrome/Black/White/Nickel	
Dome	
colour palette	190€
Other colours	+44€
Cable length	2m
Cable colour	Black

BETA
C1082



Specifications

Light source	E27 Max. 15W (no included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 40 x 41 cm
Weight (gross)	1,5 kg
Volume	0,079 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal or ceramic	
Pendant	
Shinny gold/Matt brass/Chrome/Black/White/Nickel	
Dome	
Colour palette	258€
Other colours	+44€
Cable length	2m
Cable colour	Black

GAMMA
C1081



Specifications

Light source	LED diffuser 9W 2700K 900 lm
Light source	220-240V/24V (Driver included)
Voltage	50/60Hz
Frecuency	Type I
Class	F
Energy Classification	IP20
Protection	



Packaging

Package(s)	1 Box
Measures (LxWxD)	45 x 40 x 41 cm
Weight (gross)	2 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
Possibility of E27 lampholder (consult)	
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Pedant	
Shinny gold/Matt brass/Chrome/Black/White/Nickel	
Dome	
Colour palette	422€
Out off palette	+44€
Diffuser	
Matt black / Matt brass / Chrome	
Cable length	2m
Cable colour	Black

CURN
C1080



Specifications

Light source	LED plate 7W 2700K 700 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Tipo I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	42 x 41 x 30 cm
Weight (gross)	2 kg
Volume	0,517 CBM
HS Code	9405.19.90.90

Control


ON/OFF - dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt black	262€
Marble	
Black / White / Green / Brown	
Ceramic	
See colors palette	

ANYA
C1010 + 1143**



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	41 x 41 x 22 cm
Weight (gross)	2,5 kg
Volume	0,044 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
C1010 (single pedant)	
Gold	
Black	
Bamboo shade	
1143 - Ø 40 cm (C1010 + 1143)	124€
Cable length	3m
Cable colour	Black

**While stocks last

ANYA
C1010 + 1144**



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	51 x 51 x 29 cm
Weight (gross)	2,8 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
C1010 (single pedant)	
Gold	
Black	
Bamboo shade	
1144 - Ø 50 cm (C1010 + 1144)	154€
Cable length	3m
Cable colour	Black

**While stocks last

HADO
T1331



Specifications	
Light source	Bulb G9, 3W 270lm 2700K dimmable
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	13.5 x 25.5 x 26.5 m
Weight (gross)	3.40 kg
Volume	0,013 CBM
HS Code	9405.29.90.90

Control	
ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	
Aged gold	160€
Matt black	
Glass	
Optic transparent striped	

DOUL
T1310



Specifications	
Light source	G4 LED 2W 2700K (included) 170 lm
Voltage	220-240V / 24V(Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	16 x 14 x 14 cm
Weight (gross)	2,4 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Aged Gold	146€
Matt Black	146€
Glass	
Clear striped	

YCRO
T1297



Specifications	
Light source	Chip LED 7.5W 2700K (included) 540 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	23 x 15 x 11 cm
Weight (gross)	1 kg
Volume	0,004 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes	
Metal	
Matt Black / Matt Brass	128€
Matt Black / Matt Black	128€

YCRO
T1297/4



Specifications	
Light source	4 x Chip LED 7.5W 2700K (included) 800 lm
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	


Packaging	
Package(s)	1 Box
Measures (LxWxD)	101 x 23 x 11 cm
Weight (gross)	2,36 kg
Volume	0,011 CBM
HS Code	9405.19.90.90

Finishes	
Metal	
Matt Black / Matt Brass	484€
Matt Black / Matt Black	484€

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

FOCUS
T1279



Specifications	
Light source	GU10 4.5W 2700K (included) 300lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	


Packaging	
Package(s)	1 Box
Measures (LxWxD)	23 x 27 x 23 cm
Weight (gross)	1,9 kg
Volume	0,019 CBM
HS Code	9405.19.90.90

Finishes	
Matt Black	118€
Aged Gold	118€
Antracite	118€
Alabaster	136€

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Built in lamp
Surface hole (Diam. 75 mm)
Space required behind the surface (80mm)

NOON
T1278




Specifications	
Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	17 x 11,5 x 10,5 cm
Weight (gross)	1 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Finishes	
Metal	
Matt Black	90€
Blued	90€

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

NOON
T1278/1




Specifications	
Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	35 x 18 x 10,5 cm
Weight (gross)	1,5 kg
Volume	0,007 CBM
HS Code	9405.19.90.90

Finishes	
Metal	
Matt Black	114€
Blued	114€

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

NOON
T1278/3








Specifications	
Light source	3 x GU10 LED 5W 2700K (included) 1350 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	84,5 x 11,5 x 10 cm
Weight (gross)	2,1 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Finishes	
Metal	
Matt Black	172€
Blued	172€


Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

LATTO T1268 	Specifications Light source GU10 LED 4.5W 2700K dimmable (included) 340 lm Voltage 220-240V Frecuency 50/60Hz Class Type I Energy Classification E Protection IP20 ⊕ CE ⓧ 🔄	Packaging Package(s) 1 Box Measures (LxWxD) 27 x 23 x 26 cm Weight (gross) 1,1 kg Volume 0,016 CBM HS Code 9405.19.90.90 Control ON/OFF - Dimmable bulbs 0€ DALI/230V adapter (install outside of the canopy) 120€	Finishes Aged Gold 142€ Matt Black 142€ Anthracite 142€
TAMB T1019/50 	Specifications Light source 2 x E27 Max. 15W (not included) Voltage 220-240V Frecuency 50/60Hz Class Type I Energy Classification E Protection IP20 ⊕ CE ⓧ 🔄	Packaging Package(s) 1 Box Measures (LxWxD) 55 x 45 x 45 cm Weight (gross) 0,9 kg Volume 0,110 CBM HS Code 9405.19.90.90 Control ON/OFF - Dimmable bulbs TRIAC 0€ DALI/230V adapter (install outside of the canopy) 120€	Finishes Textil White / Black / Grey Diffuser White T1019/50 - 50 cm 164€
TAMB T1019/30 	Specifications Light source 2 x E27 Max. 15W (not included) Voltage 220-240V Frecuency 50/60Hz Class Type I Energy Classification E Protection IP20 ⊕ CE ⓧ 🔄	Packaging Package(s) 1 Box Measures (LxWxD) 55 x 45 x 45 cm Weight (gross) 0,9 kg Volume 0,110 CBM HS Code 9405.19.90.90 Control ON/OFF - Dimmable bulbs TRIAC 0€ DALI/230V adapter (install outside of the canopy) 120€	Finishes Textil White / Black / Grey Diffuser White T1019/30 - 30 cm 138€
TAMB SQUARE T1016 	Specifications Light source 2xE27 Max. 15W (not included) Voltage 220-240V Frecuency 50/60Hz Class Type I Energy Classification E Protection IP20 ⊕ CE ⓧ 🔄	Packaging Package(s) 1 Box Measures (LxWxD) 55 x 45 x 45 cm Weight (gross) 0,9 kg Volume 0,110 CBM HS Code 9405.19.90.90 Control ON/OFF - Dimmable bulbs 0€ DALI/230V adapter (install outside of the canopy) 120€	Finishes Textil White / Black / Grey Diffuser White T1016 162€



Floor lamps

IRZO
P1353



Specifications

Light source	3 x G9 5W 1350lm 2700K
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	78 x 40 x 24 cm
Weight (gross)	6.6 kg
Volume	0,0749 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	
Matt black	584€
Aged gold	584€
Glass	
Opal	

GEHIT
P1350



Specifications

Light source	LED strip 9W 900lm 2700K
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 45 x 30 cm
Weight (gross)	6.6 kg
Volume	0,086 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	
Aged gold	540€
Matt black	540€
Glass	
Clear	
Wood	
Dark Walnut	
Difusser	
Opal	
LED not replaceable by user	

VITREE
P1346



Specifications

Light source	LED strip 28W 2000lm 2700K
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	37 x 114 x 38 cm
Weight (gross)	9,9 kg
Volume	0,160 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Touch me dimmable 0€

Finishes

Metal	
Aged gold	828€
Matt black	828€
Glass	
Clear	
LED not replaceable by user	

NUMU
P1343



Specifications

Light source	3 x LED strip 9W 2700k
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	21 x 121 x 13 cm
Weight (gross)	3,9 kg
Volume	0,0330 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal	
Chrome	616€
Marble	
Black	
Glass	
Clear stripped	
Diffuser	
Opal	
LED not replaceable by user	

FLOW
P1339



Specifications

Light source	2 x G9 7W 1400lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	89 x 76 x 20,5 cm
Weight (gross)	9,85 kg
Volume	0,139 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable 0€

Finishes

Metal		Marble
Aged gold	White	528€
Matt black	Black	
Shade		
Opal		

SOKO
P1335



Specifications

Light source	LED strip 24W 2400lm 2700K (included) dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	73 x 35 x 25 cm
Weight (gross)	10,30 kg
Volume	0,064 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal	Marble	
Aged gold	White	638€
Matt black	Black	
Shade		
Opal		

LED not replaceable by user

REMS
P1318



Specifications

Light source	E27 LED dimmable 9W 2700K 720lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
	   

Packaging

Package(s)	2 Boxes
Measures (LxWxD)	P1318 1/2 142 x 50 x 12 cm 3,6 kg 0,090 CBM
Weight (gross)	P1318 2/2 43,5 x 12 x 43,5 cm 2,6 kg 0,060 CBM
Volume	
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal		350€
Matt black		
Leather shade		
Black		
Orange		
Light brown		
Dark brown		

Shade included in price

OKET
P1317



Specifications

Light source	LED plate 10W 2700K 720lm
Voltage	220-240 V / 24V(Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	130 x 40 x 40 cm
Weight (gross)	4 kg
Volume	0,2080 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body and base: Matt brass //	408€
Shade: Matt white	
Body and base: Matt black //	408€
Shade: Matt black	
Telescopic height adjustment.	

LED not replaceable by user

NIRO
P1314



Specifications

Light source	LED strip 30W 2700K 1850lm
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	2 Boxes
Measures (LxWxD)	P1314 1/2 15 x 15 x 153 cm 0,030 CBM
Weight (gross)	
Volume	P1314 2/2 37 x 37 x 8 cm 1,36 kg 0,010 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Foot dimmer on cable	0€
-------------------------------	----

Finishes

Metal	Marble	
Aged gold	Matt white	778€
Matt black	Matt black	778€
Wood		
Walnut		
Difusser		
Acrylic		

LED not replaceable by user

ELMA
P1312



Specifications

Light source	3 x LED strip 9W 2000 lm 2700K
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	54 x 22,5 x 50 cm
Weight (gross)	7,3 kg
Volume	0,061 CBM
HS Code	9405.29.90.90


Control

ON/OFF - TRIAC	0€
3000K	180€

Finishes

Metal		
Black		696€
Aged Gold		696€
Glass		
Clear striped		


LED not replaceable by user



Specifications	
Light source	LED strip 30W 3000 lm CCT+TRIAC driver
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	113 x 113 x 18 cm
Weight (gross)	14,2 kg
Volume	0,230 CBM
HS Code	9405.29.90.90

Finishes		
Metal: Matt black / Details in matt black //	Marble: Matt black	880€
Acrilic: Opal		
LED not replaceable by user		
**While stocks last		




Specifications	
Light source	LED plate 9W 2700K 900 lm TRIAC Dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging	
Package(s)	2 Boxes
Measures (LxWxD)	P1307 1/2 12 x 41 x 120 cm 0,0590 CBM
Weight (gross)	P1307 2/2 43,5 x 12+6 x 43,5 cm 2,6 kg 0,060 CBM
Volume	
HS Code	9405.29.90.90

Finishes		
Body	Marble	
Matt black	Travertine	444€
Aged gold	Travertine	444€

Control	
ON/OFF - Dimmer on cable	0€

LED replaceable by user




Specifications	
Light source	G9 LED 5W 2700K dimmable (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	138 x 46 x 10 cm
Weight (gross)	4 kg
Volume	0,063 CBM
HS Code	9405.29.90.90

Finishes		
Body		
Textured matt black		394€
Base		
Matt black marble		
Shade		
White		
Black		

Control	
ON/OFF - Dimmer on cable	0€




Specifications	
Light source	E27 LED 9W 2700K dimmable (included) 810 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	74,5 x 42,5 x 20 cm
Weight (gross)	4 kg
Volume	0,063 CBM
HS Code	9405.29.90.90

Finishes		
Metal		
Matt brass		390€
Nickel		
Chrome		
Base		
Shiny black marble		
Rattan		
Natural tone		
Shade		

Control	
ON/OFF - Dimmer on foot	0€




Specifications	
Light source	T8 LED 14W 2700K (included) 1260 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	115 x 29 x 25 cm
Weight (gross)	3,4 kg
Volume	0,082 CBM
HS Code	9405.29.90.90

Finishes		
Body		
Matt Black		398€
Shade		
Linen textile		
T8/L Replacement		66€

Control	
ON/OFF - Dimmer on cable	0€
3000K	180€

LYB
P1274



Specifications

Light source	Chip LED dimmable 5W 2700K 450lm
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	165 x 43 x 10 cm
Weight (gross)	3,8 kg
Volume	0,071 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Matt Black	398€
------------	------

LED chip not replaceable by user

COLN
P1267



Specifications

Light source	LED strip 21W 2700K 2100 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	150 x 18 x 18 cm
Weight (gross)	6,4 kg
Volume	0,048 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal	
Matt Black	530€
Marble	
Matt Black	

LED not replaceable by user

HINOO
P1266



Specifications

Light source	LED chip 17W 2700K 1000 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	   

Packaging

Package(s)	2 Boxes
P1266 32,5x32,5x29 cm (base)	36 kg 0,031 CBM
P1266 120x46x16,5 cm (cuerpo)	3,6 kg 0,091 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Head	Structure	
Matt black	Matt black	638€
Matt brass	Matt black / Details matt brass	638€
Marble		
Black		
White		

Chip LED NOT replaceable by user

ARTIC
P1256*



Specifications

Light source	3 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	118 x 40,5 x 19 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90

Control


ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base	
Matt black	248€
Lampholder	
Matt brass	

Accessories see page 101

MAHO
P1254



Specifications

Light source	Chip LED 5W 2700K dimmable 500 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
	   

Packaging

Package(s)	1 Box
Measures (LxWxD)	75 x 35 x 15 cm
Weight (gross)	6 kg
Volume	0,040 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Body	
Matt Black	
Head	
Matt Brass	244€
Matt Black	244€

LED chip not replaceable by user

COT
P1251



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body	Walnut wood	498€
Shade (included)	Black / White	

PULL
P1249



Specifications

Light source	G9 4W 500lm 2700K (included)
Voltage	220-240V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body	Matt black	
Metal shade	Matt black	496€
	Aged gold	496€
Shade	Fabric	
Marble	Black	

FICUS
P1243



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	145 x 52,5 x 15 cm
Weight (gross)	6 kg
Volume	0,114 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body	Matt Black	380€
Details	Matt Brass	
Shade	Matt Brass	

OHLALA
P1242**



Specifications

Light source	2 x E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	85 x 35 x 11 cm
Weight (gross)	5,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control


ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base	Matt black	286€
Lampholder	Matt brass	
Accessories and bulbs not included		

**While stocks last

LUCA
P1237



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	76,5 x 46 x 27,5 cm
Weight (gross)	19 kg
Volume	0,097 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and shade	Matt black	444€
Base	White marble	

MAPI
P1235



Specifications

Light source	3 x LED strip 10W 3000lm 2700K TRIAC Dimmable
Voltage	220-240 V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	77 x 57 x 44,5 cm
Weight (gross)	14,3 kg
Volume	0,0548 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal	Glass	
Matt black	Clear	858€
Matt black	See colour palette	980€
Matt black	Out of palette	+44€/colour
Shade		
Opal		
Marble		
Matt black		
LED replaceable by user		

ARIO
P1234



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 53,5 x 14,5 cm
Weight (gross)	15,3 kg
Volume	0,087 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body and base		
Matt black		414€
Shade (included)		
Black		

NERA
P1229



Specifications

Light source	Chip LED integrated 8W 3000K 800 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	112 x 54 x 15 cm
Weight (gross)	6 kg
Volume	0,087 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Touch me dimmable	0€
----------------------------	----

Finishes

Body		
Matt black		298€
Base		
Black lacquered wood		
LED NOT replaceable by user		

ATOM
P1214



Specifications

Light source	G9 LED 5W 2700K 450lm (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
	  

Packaging

Package(s)	1 Box + 1 Box shade
Measures (LxWxD)	152 x 33 x 10 cm
Weight (gross)	5,6 kg
Volume	0,050 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Push switch	0€
Dimmer on cable	+80€

Finishes

Body		
Matt black		360€
Matt brass		438€
Shade (included)		
Opal		
Clear**		
**While stocks last		

MARU
P1194



Specifications

Light source	Chip LED integrated 3W 3000K 300 lm
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type II
Energy Classification	F
Protection	IP20
	  

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 34 x 10 cm
Weight (gross)	5,4 kg
Volume	0,027 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
--------	----

Finishes

Body	Head	
Matt black	Matt black	370€
Matt black	Matt brass	370€
LED not replaceable by user		

DIRA
P1185



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	136,5 x 46,5 x 10 cm
Weight (gross)	5,4 kg
Volume	0,0635 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Legs: Metal		
Pine imitation		320€
Shade		
Light linen		

HEDRA
P1159



Specifications

Light source	E27 9W 2700K dimmable (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 33 x 12 cm
Weight (gross)	4,5 kg
Volume	0,032 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmer on cable	0€
--------------------------	----

Finishes

Metal	Marble	
Matt black	Matt black	260€
Matt brass	Matt black	260€
Shade NOT included		
Shade catalogue reference		
801011/41		+60€

ENDO
P1156



Specifications

Light source	G9 LED 5W 2700K (included) 450 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	84,5 x 32 x 22 cm
Weight (gross)	4,5 kg
Volume	0,059 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Push switch	0€
Dimmer on cable	+80€

Finishes

Body and base	
Matt brass	372€
Chrome	296€
Shade 140 mm included in box	
Opal	

RIU
P1140



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	157 x 43 x 22,5 cm
Weight (gross)	8,5 kg
Volume	0,152 CBM
HS Code	9405.29.90.90


Control

ON/OFF	0€
Dimmer on cable	+80€

Finishes

Body, base and shade	
Matt white	448€
Wood	
Beech	
Shade included	

TEX
P1026*



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type II
Energy Classification	E
Protection	IP20
   	

Packaging


Package(s)	1 Box
Measures (LxWxD)	82 x 36 x 12 cm
Weight (gross)	3,8 kg
Volume	0,035 CBM
HS Code	9405.29.90.90

Control

ON/OFF	0€
Dimmer on cable	+80€


Finishes

Matt white	210€
Matt black	210€
Shade not included	
Shade catalogue reference	
151011/45	+63€



Wall lamps

LIDA
A1357/R60




Specifications	
Light source	Integrated LED 6W 600 lm 2700K TRIAC dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	67 x 67 x 16 cm
Weight (gross)	4 kg
Volume	0,0718 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Touch me dimmer	0€

Finishes	
Metal	
Matt Black	484€
Aged Gold	484€
Glass	
Clear	

LIDA
A1357/R30




Specifications	
Light source	Integrated LED 6W 600 lm 2700K TRIAC dimmable
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	37 x 37 x 16 cm
Weight (gross)	1,95 kg
Volume	0,0219 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Touch me dimmer	0€

Finishes	
Metal	
Matt Black	212€
Aged Gold	212€
Glass	
Clear	

LIDA
A1357/S




Specifications	
Light source	LED Strip 7W 700 lm 2700K TRIAC dimmable
Voltage	220-240 V / 24V (Included driver)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	39 x 21 x 26 cm
Weight (gross)	3,10kg
Volume	0,0213 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt Black	260€
Aged Gold	260€
Glass	
Clear	

LED not replaceable by user

LIDA
A1357/L




Specifications	
Light source	LED Strip 9W 900lm 2700K TRIAC dimmable
Voltage	220-240 V / 24V (Included driver)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	63 x 21 x 26 cm
Weight (gross)	4 kg
Volume	0,0344 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Matt Black	426€
Aged Gold	426€
Glass	
Clear	

LED not replaceable by user

HITA
A1356




Specifications	
Light source	2 x G9 5W 900lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	E
Protection	IP20
  	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	34,5 x 28 x 16,5 cm
Weight (gross)	1,45 kg
Volume	0,016 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal	Marble	
Matt Black	Black	172€
Aged Gold	White	172€
Parchment Paper		
Natural		

TASTA
A1355



Specifications

Light source	LED Strip 14W 1220lm 2700K TRIAC dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Tipo I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	19,5 x 11,3 x 45,5 cm
Weight (gross)	2,1 kg
Volume	0,01 CBM
HS Code	9405.29.90.90

Control


ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Matt Black	206€
Aged Gold	206€
Marble	
Black	
White	
Green	
Brown	

IRZO
A1353



Specifications

Light source	G9 5W 450 lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	24 x 24 x 26 cm
Weight (gross)	1,2kg
Volume	0,0150 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	118€
Aged gold	118€
Glass	
Opal	

RITA
A1348/70



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 28 cm
Weight (gross)	2,3 kg
Volume	0.03 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Petals	
Black	374€
Tea green	374€
Silhouette	374€
Vintage Brown	374€
White	374€
Central disc	
Matt Gold / Chrome / Shiny Gold / Matt White / Matt Black/ Silhoutte / Green tea / Vintage Brown	
Canopy	
Matt White	

RITA
A1348/50



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	46 x 24 x 28 cm
Weight (gross)	2,3 kg
Volume	0.03 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Petals	
Black	264€
Tea green	264€
Silhouette	264€
Vintage Brown	264€
White	264€
Central disc	
Matt Gold / Chrome / Shiny Gold / Matt White / Matt Black/ Silhoutte / Green tea / Vintage Brown	
Canopy	
Matt White	

VITREE
A1346



Specifications

Light source	E27 Max. 15W (Not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	25 x 25 x 18 cm
Weight (gross)	1,2kg
Volume	0,011CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	132€
Aged Gold	132€
Glass	
Clear	

CLOUD
A1345



Specifications

Light source	G9 5W 500lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	58 x 24 x 12 cm
Weight (gross)	3,10kg
Volume	0,02 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	176€
Aged Gold	176€
Glass	
Clear (standard)	
Other finishes	
Amber	+44€
Greenish Brown	+44€
Grey	+44€

CUBIC
A1344



Specifications

Light source	G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	16 x 26 x 19 cm
Weight (gross)	1.2 kg
Volume	0.01 CBM
HS Code	9405.29.90.90


Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt Black	172€
Aged Gold	172€
Alabaster	

NUMU
A1343



Specifications

Light source	LED strip 10W 1000lm 2700K TRIAC Dimmable
Voltage	220-240 V / 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	15 x 51 x 15 cm
Weight (gross)	1,30 kg
Volume	0,0115 CBM
HS Code	9405.29.90.90

Control


ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	
Chrome	228€
Glass	
Opal	

COCO
A1342



Specifications

Light source	Chip LED 3W 450lm 2700K TRIAC Dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Switch ON/OFF	0€
------------------------	----

LED not replaceable by user

Finishes

Metal	
Matt black	208€
Aged gold	208€
Leather	
Black	
Brown	
Grey Taupe	

FLOW
A1339



Specifications

Light source	G9 7W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP44



Packaging

Package(s)	1 Box
Measures (LxWxD)	27 x 25 x 27,5 cm
Weight (gross)	1,5 kg
Volume	0,019 CBM
HS Code	9405.29.90.90


Control

ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Matt black	174€
Aged gold	174€
Shade	
Opal	

BETTY
A1338



Specifications

Light source	LED plate 10W 1000lm 2700K TRIAC Dimmable (included)
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	47 x 47 x 18,5 xm
Weight (gross)	4,5kg
Volume	0,0381 CBM
HS Code	9405.29.90.90

Control


ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal		
Matt black		236€
Aged gold		236€
Glass		
Clear (standard)		
Other smoked finishes		
Greenish brown		+44€
Amber		+44€
Grey		+44€
Blue		+44€

TEA
A1337/2



Specifications

Light source	CREE LED 3W 300lm 2700K + Bulb G9 5W 450lm 2700K (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	33,5 x 29 x 17 cm
Weight (gross)	1,60 kg
Volume	0,017 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Switch ON/OFF	0€
------------------------	----

LED not replaceable by user

Finishes

Metal		Marble	
Matt black	Black		204€
Aged gold	White		204€
Metallic grey	Brown		204€
Shade			
Opal			

TEA
A1337



Specifications

Light source	CREE LED 3W 300lm 2700K TRIAC Dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	29 x 25 x 17 cm
Weight (gross)	1,40 kg
Volume	0,012 CBM
HS Code	9405.29.90.90

Control


ON/OFF - Switch ON/OFF	0€
------------------------	----

LED not replaceable by user

Finishes

Metal		Marble	
Matt black	Black		128€
Aged gold	White		128€
Metallic grey	Brown		128€

ANZA
A1336



Specifications

Light source	LED plate 9W 900lm 2700K TRIAC Dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	36,5 x 36,5 x 24 cm
Weight (gross)	3,05 kg
Volume	0,032 CBM
HS Code	9405.29.90.90

Control


ON/OFF -Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal		
Matt black		216€
Marble		
Black		
White		
Green		
Brown		
Disc		
Alabaster		

SOKO L
A1335/5



Specifications

Light source	LED strip 16W 1500lm 2700K TRIAC Dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	64 x 31 x 19,5 cm
Weight (gross)	3,80kg
Volume	0,039 CBM
HS Code	9405.29.90.90

Control


ON/OFF -Dimmable led	0€
3000K	180€
DALI/230V adapter (install outside of the canopy)	120€

77 LED not replaceable by user

Finishes

Metal		Marble	
Matt black	Black		388€
Aged gold	White		388€
Shade			
Opal			

SOKO S
A1335/3




Specifications	
Light source	LED strip 10W 900lm 2700K TRIAC dimmable
Voltage	220-240 V/ 24V (driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging	
Package(s)	1 Box
Measures (LxWxD)	39,5 x 37 x 19,5 cm
Weight (gross)	3,15 kg
Volume	0,028 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -Dimmable led	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal	Marble	
Matt black	Black	236€
Aged gold	White	236€
Shade		
Opal		

LED not replaceable by user

GINA
A1334




Specifications	
Light source	Bulb G9 5W 450lm 2700K dimmable (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20

Packaging	
Package(s)	1 Box
Measures (LxWxD)	33,5 x 28,5 x 18 cm
Weight (gross)	1.8 kg
Volume	0,017 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		184€
Aged gold		184€
Shade		
Opal		

LARI
A1333




Specifications	
Light source	LED strip 9W 900lm 2700K TRIAC dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP44

Packaging	
Package(s)	1 Box
Measures (LxWxD)	21,5 x 15 x 27,5 cm
Weight (gross)	1.3 kg
Volume	0,008 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		218€
Accessory		
Leather		
Cyber / Dark brown / Taupe / Orange		
Metal		
Striped aged gold		
Glass		
Clear striped		

STOR
A1332




Specifications	
Light source	LED plate 9W 450lm 2700K TRIAC dimmable
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging	
Package(s)	1 Box
Measures (LxWxD)	41,5 x 24,5 x 25 cm
Weight (gross)	2.10 kg
Volume	0,025 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		176€
Shade		
Matt nickel		
Disc		
Brown marble / Black marble / Travertine / White marble / Green marble		

LED not replaceable by user

POINT
A1328




Specifications	
Light source	LED strip 16W 1500lm 2700K TRIAC dimmable
Voltage	220-240V / 24V (driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20

Packaging	
Package(s)	1 Box
Measures (LxWxD)	67 x 41 x 12,5 cm
Weight (gross)	3 kg
Volume	0,034 CBM
HS Code	9405.29.90.90
Control	
ON/OFF -LED dimmable	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Aged gold		286€
Matt black		
Disc		
Alabaster		
Black marble		
White marble		

LED not replaceable by user

KEZO
A1324**



Specifications	
Light source	Bulb G9 dimmable 5W 2700K (included) 450lm
Voltage	220-240 Hz
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	14 x 18 x 22 cm
Weight (gross)	2,1 kg
Volume	0,007 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Body	Shade	
Matt black/Nickel	Matt white	144€
Body	Shade	
Matt black/Nickel	Other colour palette	188€
Adjustable shade during installation		

CANNA
A1319



Specifications	
Light source	LED strip 10W 750lm 2700K TRIAC dimmable
Voltage	220-240 V/ 24V(Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	50 x 25 x 19 cm
Weight (gross)	1,85 kg
Volume	0,021
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes		
Metal		
Aged gold		258€
Matt black		258€
Glass		
Opal		

REMS
A1318



Specifications	
Light source	E27 9W 2700K 720lm dimmable (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	31 x 27,5 x 24,5 cm
Weight (gross)	3,6 kg
Volume	0,02 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal	Leather shade	
Matt black	Black	178€
Matt black	Orange	178€
Matt black	Light brown	178€
Matt black	Dark brown	178€
Linen shade		
Matt black	Light linen	170€
Shade included in price		

OKET
A1317



Specifications	
Light source	LED plate 10W 7200K 800lm TRIAC dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	48 x 16,5 x 51 cm
Weight (gross)	2,8 kg
Volume	0,04 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes		
Difusser	Shade	
Matt black	Matt white	264€
Matt black	Matt black	308€

IPON
A1316



Specifications	
Light source	LED plate 10W 2700K 800lm TRIAC dimmable
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	26 x 26 x 15 cm
Weight (gross)	2,1 kg
Volume	0,01 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		
Metal		
Matt black		152€
Aged gold		
Shade		
Clear (estandard)		
Other smoked finishes		
Greenish brown		+44€
Amber		+44€
Grey		+44€
Blue		+44€

NIRO A1314



Specifications

Light source	LED strip 8W 700lm 2700K TRIAC Dimmable
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	17 x 17 x 80 cm
Weight (gross)	2.25 kg
Volume	0,0231 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

Finishes

Metal	256€
Aged gold	
Matt black	
Wood	
Walnut	
Difusser	
Acrylic	

TURA C A1313/C



Specifications

Light source	LED Chip 5W 500lm 2700K TRIAC dimmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	14 x 14 x 14 cm
Weight (gross)	0,70kg
Volume	0.003CBM
HS Code	9405.19.90.90

Control


ON/OFF - Switch ON/OFF	0€
------------------------	----

LED not replaceable by user

Finishes

Metal	
Matt black	218€
Aged Gold	218€
Leather	
Black	
Dark Brown	
Light Brown	
Orange	

TURA A1313



Specifications

Light source	Chip LED 5W 500lm 2700K TRIACdimmmable
Voltage	220-240V / 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Touch me dimmable	0€
----------------------------	----

LED not replaceable by user

Finishes

Metal	Leather	
Matt black	Black	210€
Matt black	Brown	210€
Matt black	Orange	210€

ELMA A1312



Specifications

Light source	LED 10W 600lm 2700K TRIAC dimmable
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP44
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	54 x 22,5 x 35 cm
Weight (gross)	3,4 kg
Volume	0,042 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable LED	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€


LED not replaceable by user

Finishes

Cuerpo	
Matt black	258€
Aged gold	258€
Nickel	258€
Glass	
Clear striped	

See spare parts on page 113

DOUL A1310



Specifications

Light source	G4 LED 3W 270lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP44
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26 x 17 x 39 cm
Weight (gross)	2,4 kg
Volume	0,017 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Body	
Matt Black	194€
Aged Gold	194€
Glass	
Clear striped	

See spare parts on page 113

YCRO
A1297



Specifications

Light source	Chip LED 8W 800 lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 14 x 10 cm
Weight (gross)	2,1 kg
Volume	0,003 CBM
HS Code	9405.19.90.90

Finishes


Metal	
Matt black	132€
Aged gold	132€

Control

ON/OFF - Touch me dimmable	0€
----------------------------	----

LED not replaceable by user

PIPE
A1293



Specifications

Light source	GU10 3W 300 lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	18 x 14 x 12 cm
Weight (gross)	1,9 kg
Volume	0,003 CBM
HS Code	9405.19.90.90


Finishes

Matt black	120€
------------	------

Control

ON/OFF - Dimmable bulb	0€
DALI/230V adapter (install outside of the canopy)	120€

MIRO
A1289**



Specifications

Light source	G9 LED 5W 450lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	34 x 29 x 15 cm
Weight (gross)	2,4 kg
Volume	0,015 CBM
HS Code	9405.19.90.90

Finishes


Matt black	140€
Opal shade included	
Accessories compatibles (NOT included):	
Alabaster - 1289/20/A	
Ceramic - 1097/20	
Metal - 1289/20	
A1289 + 1289/20/A	224€
A1289 + 1097/20/E27	192€
A1287 + 1289/20	190€

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

See spare parts on page 113

AIDER
A1287



Specifications

Light source	Bulb E27 9W 2700K 810lm (included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	38 x 28 x 43 cm
Weight (gross)	2,5 kg
Volume	0,036 CBM
HS Code	9405.19.90.90


Finishes

Body	212€
Satin nickel	
Matt brass	
Rattan	
Natural tone	
Shade	
Shiny black	

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

AMBOR
A1283



Specifications

Light source	3xG9 LED 3W 810lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	26,5 x 26,5 x 12 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90


Finishes

Metal	
Matt black	142€
Difusser	
Opal	

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

ATIL
A1281



Specifications

Light source	2xG9 LED 5W 2700K (included) 900lm dimmable
Voltage	220-240V9
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	48 x 16 x 18 cm
Weight (gross)	2,1 kg
Volume	0,012 CBM
HS Code	9405.19.90.90


Finishes

Metal	
Matt black	320€
Matt brass	320€
Shade (included)	
Opal	

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

DALT
A1280



Specifications

Light source	G9 LED 5W 2700K (included) 450lm dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	36 x 17,9 x 22,5 cm
Weight (gross)	2,3 kg
Volume	0,013 CBM
HS Code	9405.19.90.90

Finishes


Metal		Marble	
Matt black	White	194€	
Matt black	Black	194€	
Aged gold	Green	194€	
Matt black	Brown	260€	
Matt black	Green	260€	
Aged gold	Black	260€	
Aged gold	White	260€	
Aged gold	Brown	260€	

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

See spare parts on page 113

N001
A1276



Specifications

Light source	T8 5W 450 lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	62 x 22 x 28 cm
Weight (gross)	2,3 kg
Volume	0,038 CBM
HS Code	9405.19.90.90


Finishes

Metal		184€
Matt Black		
Shade		
Cream linen textile		
Acrylic		
Opal		
T8/S Replacement		33€

Control

ON/OFF - Dimmable bulbs	0€
3000K	80€
DALI/230V adapter (install outside of the canopy)	120€

NINO
A1275



Specifications

Light source	Chip LED 7W 700 lm 2700K TRIAC Dimmable
Voltage	220-240V-24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	56 x 34 x 32 cm
Weight (gross)	2 kg
Volume	0,061 CBM
HS Code	9405.19.90.90

Finishes

Metal		230€
Matt Black		
Details - Matt Brass		
Optic glass		
Clear		
Marble		
Matt Black		


Control

ON/OFF - Touch me dimmable	0€
----------------------------	----

See spare parts on page 113

LED not replaceable by user

LYB
A1274



Specifications

Light source	Chip LED 5W 450 lm 2700K TRIAC Dimmable
Voltage	220-240V / 12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	80 x 32 x 12 cm
Weight (gross)	1,4 kg
Volume	0,030 CBM
HS Code	9405.19.90.90

Finishes

Matt Black	296€
------------	------


Control

ON/OFF - Touch me dimmable	0€
----------------------------	----

LED not replaceable by user

CLOCK

A1273



Specifications

Light source	LED strip 16W 1200 lm 2700K TRIAC Dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	68 x 18,3 x 10 cm
Weight (gross)	2,9 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Finishes

Matt Black	220€
Aged gold	220€

Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

CLOCK XL

A1273/120



Specifications

Light source	LED strip 24W 2700K 2400 lm TRIAC Dimmable
Voltage	220-240V/ 24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	125 x 20 x 10 cm
Weight (gross)	5,2 kg
Volume	0,025 CBM
HS Code	9405.19.90.90

Finishes

Matt Black	254€
Aged gold	254€


Control

ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

LATTO

A1268



Specifications

Light source	GU10 LED 5W 2700K (included) 450 lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	11 x 13 x 15 cm
Weight (gross)	0,5 kg
Volume	0,002 CBM
HS Code	9405.19.90.90

Finishes


Metal	
Aged gold	126€
Matt black	126€
Blued	126€

Control

ON/OFF - Flat switch	0€
----------------------	----

HINOO

A1266



Specifications

Light source	LED chip 13W 2700K 1000 lm TRIAC Dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	99.5 x 50 x 18.5 cm
Weight (gross)	3 kg
Volume	0,0895 CBM
HS Code	9405.19.90.90

Finishes

Head	Structure	
Matt black	Matt black	312€
Matt brass	Matt black / Details matt brass	312€


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

XAGO

A1262



Specifications

Light source	S14D LED 16W 1600lm 2700K TRIAC dimmable
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	104 x 16 x 24 cm
Weight (gross)	2,8 kg
Volume	0,040 CBM
HS Code	9405.19.90.90


Finishes

Body	298€
Matt Black	
Aged Gold	
Acrylic	
Opal	

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

ABBY
A1259/2



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Finishes


Matt brass	110€
Matt black	104€

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 35 cm.

ABBY
A1259/4



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Finishes


Matt brass	220€
Matt black	220€

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 50 cm.

ABBY
A1259/6



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	79 x 26 x 13 cm
Weight (gross)	2,3 kg
Volume	0,026 CBM
HS Code	9405.19.90.90

Finishes


Matt brass	240€
Matt black	240€

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

*Accesories and bulb NOT included
The accessory must to have a E27 peach and the diameter must not be more than 50 cm.

ABBACUS
A1258**



Specifications

Light source	G9 LED 5W 450lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 22 x 14 cm
Weight (gross)	0,8 kg
Volume	0,009 CBM
HS Code	9405.19.90.90


Finishes

Body	
Matt Black	254€
Matt Brass	254€
Shade (included)	
Clear**	
Opal	

Control

ON/OFF - Rocker switch	0€
------------------------	----

ERTO
A1257**



Specifications

Light source	G9 LED 5W 450lm 2700K (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging

Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 19 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90


Finishes

Matt black	
Matt brass - Details	
Compatible accessories to be selected (NOT included):	
Alabaster - 1096/25+A1257	290€
Glass - 1223+A1257	250€
Ceramic - 1097/20+A1257	232€
Metal - 1038/25+A1257	240€
Striped Metal - 1089/25+A1257	248€

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

SUAL
A1255*



Specifications

Light source	LED plate 9W 900lm 2700K TRIAC Dimmable
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt black	
Compatible accessories to be selected(NOT included):	
Alabaster - 1096/25+A1255	208€
Alabaster - 1096/35+A1255	263€
Glass - 1223 + A1255	168€
Ceramic - 1097/30+A1255	166€
Ceramic - 1097/20+A1255	150€
Metal - 1038/25+A1255	158€
Metal - 1038/35+A1255	186€
Striped metal - 1089/25+A1255	166€
A1255 (with out accessories)	98€

LED not replaceable by user

MAHO
A1254



Specifications

Light source	Chip LED 5W 500 lm 2700K TRIAC Dimmable
Voltage	220-240V/24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	20 x 20 x 20 cm
Weight (gross)	1,9 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Touch me dimmable	0€
----------------------------	----

Finishes

Body	
Matt Black	
Head	
Matt Brass	154€
Matt Black	154€

LED not replaceable by user

PULL
A1249



Specifications

Light source	Bulb G9 4W 500lm 2700K (included)
Voltage	220-240V/24V
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	87,5 x 25 x 23,5 cm
Weight (gross)	3,2 kg
Volume	0,051 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Switch ON/OFF	0€
------------------------	----

Finishes

Body	
Matt Black	
Metal shade	
Matt Brass	302€
Matt Black	302€
Shade	
Fabric	

FLEXI LEATHER
A1248



Specifications

Light source	Chip LED 3W 250lm 2700K TRIAC Dimmable
Voltage	220-240 V/12V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 18 cm
Weight (gross)	1,6 kg
Volume	0,033 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Switch ON/OFF	0€
------------------------	----

Finishes

Metal	
Matt brass	160€
Leather	
Dark brown	

LED not replaceable by user

LUCA
A1237



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	32 x 26,5 x 17,5 cm
Weight (gross)	1,6 kg
Volume	0,015 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Matt Black	140€
------------	------

LITA
A1230**



Specifications	
Light source	Chip LED integrated 3W 300 lm 3000K TRIAC Dimmable
Voltage	220-240V/12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Touch me dimmable	0€

Finishes	
Head	
Walnut wood	122€
Black walnut wood	122€
Body and base	
Matt Black	
Cromed swivel	

LED not replaceable by user

NERA
A1229**



Specifications	
Light source	Chip LED integrated 8W 800 lm 3000K TRIAC Dimmable
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	61 x 42 x 11 cm
Weight (gross)	3,2 kg
Volume	0,028 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Touch me dimmable	0€

Finishes	
Matt black	130€

LED not replaceable by user

DELIE
A1224




Specifications	
Light source	G9 LED 5W 450lm 2700K dimmable (included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	22 x 14 x 26 cm
Weight (gross)	1,1 kg
Volume	0,008 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Aged Gold / Black Marble	166€
Matt Black / White Marble	166€

DELIE
A1224/L




Specifications	
Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	112 x 18 x 19,5 cm
Weight (gross)	2,25 kg
Volume	0,028 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Aged Gold / Black Marble	240€
Matt Black / White Marble	240€

HELMET CURVE
A1219**




Specifications	
Light source	E27 COB LED 3W 2700K 300lm
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 31 x 18 cm
Weight (gross)	1,6 kg
Volume	0,033 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	
Matt brass	286€
Matt black	286€

HADA
A1218




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	50: 60 x 11 x 64.5 cm 30: 44,5 x 44 x 17 cm
Weight (gross)	1, 5kg
Volume	50: 0,043 / 30: 0,03 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes		Ø 30	Ø 50
Metal			
Matt black		187€	239€
Matt white		187€	239€
Chrome		195€	247€
Shiny gold		195€	247€
Wicker			
Dark / Brown border			
Light / Taupe border			

ATOM
A1214




Specifications	
Light source	G9 LED 5W 2700K dimmable (included) 450lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	21 x 20 x 21 cm
Weight (gross)	0,6 kg
Volume	0,009 CBM
HS Code	9405.19.90.90

Finishes	
Metal	
Matt black	204€
Matt brass	204€
Shade (included)	
Opal	

Control	
ON/OFF - Push switch	0€

DOBI
A1207




Specifications	
Light source	E14 Max. 40W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	27 x 18 x 18 cm
Weight (gross)	1 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Finishes	
Matt Black	190€

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

COSS
A1203/40



Specifications	
Light source	LED integrated 21W 2700K 1200 lm TRIAC Dimmable
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	


Packaging	
Package(s)	1 Box
Measures (LxWxD)	49 x 49 x 19 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Finishes	
Exterior dome	256€
Matt White	
Matt Black	
Diffuser	
Matt Black	
White	
Matt Brass	

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

COSS
A1203/60



Specifications	
Light source	LED integrated 28W 2700K 2400 lm TRIAC Dimmable
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20
   	


Packaging	
Package(s)	1 Box
Measures (LxWxD)	67,5 x 67,5 x 24 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Finishes	
Exterior dome	312€
Matt White	
Matt Black	
Diffuser	
Matt Black	
White	
Matt Brass	

Control	
ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

LED not replaceable by user

COSS ALABASTER
A1203/40/ALABASTRO



Specifications

Light source	LED integrated 21W 2700K 1200 lm TRIAC Dimmable
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	49 x 49 x 19 cm
Weight (gross)	2,6 kg
Volume	0,05 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable LED	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Exterior dome	
Matt Black	256€
Aged Gold	306€
Diffuser	
Alabaster	

LED not replaceable by user

BIGCOSS
A1203/80



Specifications

Light source	LED strip 20W 2700K 2500 lm TRIAC Dimmable
Voltage	220-240V /12V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	87 x 87 x 22 cm
Weight (gross)	1,2 kg
Volume	0,166 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Touch me dimmable	0€
----------------------------	----

Finishes

Body	626€
Matt Black	
Diffuser	
Mirror	

LED not replaceable by user

GLIC
A1199



Specifications

Light source	LED integrated 5W 2700K 500lm TRIAC Dimmable
Voltage	220-240 V / 24V (Driver included)
Frecuency	50/60 Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	35,5 x 35,5 x 15 cm
Weight (gross)	2 kg
Volume	0,02 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Touch me dimmable	0€
----------------------------	----


Finishes

Metal	186€
Canopy: Matt black	
Touch me: Matt brass	
Glass	
Wavy opal	

LED not replaceable by user

LED not replaceable by user

MARU
A1194



Specifications

Light source	Chip LED 3W 3000K 300lm TRIAC Dimmable
Voltage	220-240V /24V (Driver included)
Frecuency	50/60Hz
Class	Type I
Energy Classification	F
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	31 x 25 x 27 cm
Weight (gross)	1,6 kg
Volume	0,021 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Touch me dimmable	0€
	120€

Finishes

Black/Matt brass	210€
Black/Matt black	210€

LED not replaceable by user

LOTTO
A1176



Specifications

Light source	E14 LED 2W 2700K (included - B030) 180lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 30 x 30 cm
Weight (gross)	1,4 kg
Volume	0,021 CBM
HS Code	9405.19.90.90


Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Metal	
Shiny gold	170€
Chrome	170€
Carving glass shade	


LOTTO
A1175



Specifications		Packaging	
Light source	E14 LED 2W 2700K (included - B030) 180lm	Package(s)	1 Box
Voltage	220~240V	Measures (LxWxD)	44 x 30 x 30 cm
Frecuency	50/60Hz	Weight (gross)	0,7kg
Class	Type I	Volume	0,021 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Shiny gold	162€
Chrome	162€
Carving glass shade	


LOTTO
A1174



Specifications		Packaging	
Light source	E14 LED 2W 2700K (included - B030) 180lm	Package(s)	1 Box
Voltage	220-240V	Measures (LxWxD)	44 x 30 x 30 cm
Frequency	50/60Hz	Weight (gross)	0,5 kg
Class	Type I	Volume	0,021 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Shiny gold	140€
Chrome	140€
Carving glass shade	


DUO
A1170/2



Specifications		Packaging	
Light source	2x E27 Max. 15W (not included)	Package(s)	1 Box
Voltage	220-240V	Measures (LxWxD)	140 x 68 x 12 cm
Frequency	50/60Hz	Weight (gross)	3 kg
Class	Type I	Volume	0,114 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Body	440€
Matt Black	
Shade	
Exterior - Matt Black	
Interior - Matt White	


CALP
A1168



Specifications		Packaging	
Light source	G9 Bulbs LED 3,5W 2700K dimmable 350lm (included)	Package(s)	1 Box
Voltage	220-240V	Measures (LxWxD)	27 x 23 x 26 cm
Frequency	50/60Hz	Weight (gross)	1,9 kg
Class	Type I	Volume	0,016 CBM
Energy Classification	E	HS Code	9405.19.90.90
Protection	IP20	Control	
   		ON/OFF - Dimmable bulbs	0€
		DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Ceramic	148€
Consult colour palette	+0€
Out of palette	+44€


FLEXOR
A1151



Specifications		Packaging	
Light source	Chip LED 3W 2700K 270lm TRIAC Dimmable	Package(s)	1 Box
Voltage	220-240V / 12V (driver included)	Measures (LxWxD)	36 x 15 x 9 cm
Frecuency	50/60Hz	Weight (gross)	1,1 kg
Class	Type I	Volume	0,005 CBM
Energy Classification	F	HS Code	9405.19.90.90
Protection	IP20	Control	
		ON/OFF - Switch ON/OFF	0€

Finishes	
Matt Black	118€
Matt White	118€

LED not replaceable by user




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	30x30x9 cm
Weight (gross)	0,3 kg
Volume	0,0081 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1135	
Matt black	66€
Accessories 1135	
1135/30 - 30 cm	86€
A1135 + 1135/30	152€




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	60x60x9 cm
Weight (gross)	0,9 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1135	
Matt black	66€
Accessories 1135	
1135/60 - 60 cm	150€
A1135 + 1135/60	216€




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	90x90x9 cm
Weight (gross)	1,2 kg
Volume	0,072 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V (install outside of the canopy)	120€

Finishes	
Fitting A1135	
Matt black	66€
Accessories 1135	
1135/90 - 90 cm	206€
A1135 + 1135/90	272€




Specifications	
Light source	E27 max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	2 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1134	
Matt black	74€
Accessories 1134	
1134/30 - 30cm	106€
Palette colour	+0€
Out of palette	+44€
A1134+1134/30	180€



Specifications	
Light source	E27 max. 15W (not included)
Voltage	220-240 V
Frecuency	50/60 Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	60 x 60 x 9 cm
Weight (gross)	3,2 kg
Volume	0,032 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1134	
Matt black	74€
Accessories 1134	
1134/50 - 50 cm	228€
Palette colour	+0€
Out of palette	+44€
A1134+1134/50	302€

ARTEN
A1134 + 1134/70




Specifications table for ARTEN A1134 + 1134/70 with rows for Light source, Voltage, Frequency, Class, Energy Classification, and Protection.

Packaging and Control details for ARTEN A1134 + 1134/70, including Package(s), Measures, Weight, Volume, HS Code, and Control options with prices.

Finishes and Accessories for ARTEN A1134 + 1134/70, including Fitting A1134, Accessories 1134, and A1134+1134/70 with prices.

OSION
A1132




Specifications table for OSION A1132 with rows for Light source, Voltage, Frequency, Class, Energy Classification, and Protection.

Packaging and Control details for OSION A1132, including Package(s), Measures, Weight, Volume, HS Code, and Control options with prices.

Finishes and Diffuser for OSION A1132, including Diffuser, Chrome / Black / Matt brass, Resin, and Other colour with prices.

LED not replaceable by user

AORA
A1129




Specifications table for AORA A1129 with rows for Light source, Voltage, Frequency, Class, Energy Classification, and Protection.

Packaging and Control details for AORA A1129, including Package(s), Measures, Weight, Volume, HS Code, and Control options with prices.

Finishes and Body for AORA A1129, including Body, Shinny Gold, Chrome, White, Black, and Ceramica (hand painted) with prices.

LED not replaceable by user

ALTUN
A1120/15




Specifications table for ALTUN A1120/15 with rows for Light source, Voltage, Frequency, Class, Energy Classification, and Protection.

Packaging and Control details for ALTUN A1120/15, including Package(s), Measures, Weight, Volume, HS Code, and Control options with prices.

Finishes and Canopy for ALTUN A1120/15, including Canopy, White, Shade, and Other colour with prices.

LED not replaceable by user

ALTUN
A1120/22





Specifications table for ALTUN A1120/22 with rows for Light source, Voltage, Frequency, Class, Energy Classification, and Protection.


Packaging and Control details for ALTUN A1120/22, including Package(s), Measures, Weight, Volume, HS Code, and Control options with prices.


Finishes and Canopy for ALTUN A1120/22, including Canopy, White, Shade, and Other colour with prices.


LED not replaceable by user

FIND A1110**		Specifications	Packaging	Finishes	
		Light source	Chip LED 3W 3000K 300 lm	Package(s)	1 Box
		Voltage	220-240V /12V (Driver included)	Measures (LxWxD)	37 x 14 x 12 cm
		Frecuency	50/60Hz	Weight (gross)	1,1 kg
		Class	Type I	Volume	0,006 CBM
		Energy Classification	F	HS Code	9405.19.90.90
		Protection	IP20	Control	
		   		ON/OFF - Switch ON/OFF	0€
LED not replaceable by user					

CROPI A1100/25		Specifications	Packaging	Finishes	
		Light source	E27 Max. 15W (not included)	Package(s)	1 Boxes
		Voltage	220-240V	Measures (LxWxD)	60 x 60 x 30 cm
		Frecuency	50/60Hz	Weight (gross)	0,9 kg
		Class	Type I	Volume	0,108 CBM
		Energy Classification	E	HS Code	9405.19.90.90
		Protection	IP20	Control	
		   		ON/OFF - Dimmable bulbs	0€
				DALI/230V adapter (install outside of the canopy)	120€


CROPI A1100/56		Specifications	Packaging	Finishes	
		Light source	E27 Max. 15W (not included)	Package(s)	1 Box
		Voltage	220-240V	Measures (LxWxD)	60 x 60 x 30 cm
		Frecuency	50/60Hz	Weight (gross)	0,9 kg
		Class	Type I	Volume	0,108 CBM
		Energy Classification	E	HS Code	9405.19.90.90
		Protection	IP20	Control	
		   		ON/OFF - Dimmable bulbs	0€
				DALI/230V adapter (install outside of the canopy)	120€

DANA A1098/35		Specifications	Packaging	Finishes	
		Light source	Bulb G9 5W 2700K 450lm dimmable	Package(s)	1 Box
		Voltage	220-240V	Measures (LxWxD)	42 x 42 x 20 cm
		Frecuency	50/60Hz	Weight (gross)	4,2 kg
		Class	Type I	Volume	0,035 CBM
		Energy Classification	F	HS Code	9405.19.90.90
		Protection	IP20	Control	
		   		ON/OFF - Dimmable bulb	0€
				DALI/230V adapter (install outside of the canopy)	120€
				Steel	
				Matt black	
				Glass	
				Opal	
				Resin	
				White	198€
				Colours palette	+44€

DANA A1098/50		Specifications	Packaging	Finishes	
		Light source	Bulb G9 5W 2700K 450lm dimmable	Package(s)	1 Box
		Voltage	220-240V	Measures (LxWxD)	55 x 55 x 20 cm
		Frecuency	50/60Hz	Weight (gross)	4,2 kg
		Class	Type I	Volume	0,060 CBM
		Energy Classification	F	HS Code	9405.19.90.90
		Protection	IP20	Control	
		   		ON/OFF - Dimmable Bulb	0€
				DALI/230V adapter (install outside of the canopy)	120€
				Steel	
				Matt black	
				Glass	
				Opal	
				Resin	
				White	280€
				Colours palette	+44€

TICO

A1095/L



Specifications

Light source

LED plate 9W 2700K 850lm
TRIAC Dimmable

Voltage

220-240V (driver included)

Frecuency

50/60Hz

Class

Type I

Energy Classification

F

Protection

IP20



Packaging

Package(s)

1 Box

Measures (LxWxD)

105 x 105 x 20 cm

Weight (gross)

4,8 kg

Volume

0,220 CBM

HS Code

9405.29.90.90

Control

ON/OFF -LED dimmable

0€

DALI/230V adapter
(install outside of the canopy)

120€

LED not replaceable by user

Finishes

Metal

Accessory

Matt black

Black marble

358€

Aged gold

Aged gold


358€

Acoustic disc

Palette colours

TICO

A1095/S



Specifications

Light source

LED plate 9W 2700K 850lm
TRIAC Dimmable

Voltage

220-240V / 24V (driver included)

Frecuency

50/60Hz

Class

Type I

Energy Classification

F

Protection

IP20



Packaging

Package(s)

1 Box

Measures (LxWxD)

55 x 55 x 20 cm

Weight (gross)

4,2 kg

Volume

0,060 CBM

HS Code

9405.29.90.90

Control

ON/OFF -LED dimmable

0€

DALI/230V adapter
(install outside of the canopy)

120€

LED not replaceable by user

Finishes

Metal

Accessory

Matt black

Black marble

218€

Aged gold

Aged gold


218€

Acoustic disc

Palette colours

RANG

A1093



Specifications

Light source

LED integrated 9W 2700K 900lm
TRIAC Dimmable

Voltage

220-240V/ 24V (driver included)

Frecuency

50/60Hz

Class

Type I

Energy Classification

F

Protection

IP20



Packaging

Package(s)

1 Box

Measures (LxWxD)

58,5 x 58,5 x 33 cm

Weight (gross)

4,2 kg

Volume

0,1129 CBM

HS Code

9405.19.90.90

Control

ON/OFF - Dimmable LED

0€

DALI/230V adapter
(install outside of the canopy)

120€

LED not replaceable by user

Finishes

Steel

Matt Brass

Chrome

Matt black

Resin

White


252€

Colours palette

+44€

VASTER

A1092



Specifications

Light source

G9 LED dimmable 5W 2700K
(included) 450lm

Voltage

220-240V

Frecuency

50/60Hz

Class

Type I

Energy Classification

E

Protection

IP20



Packaging

Package(s)

1 Box

Measures (LxWxD)

21 x 18 x 18 cm

Weight (gross)

2 kg

Volume

0,007 CBM

HS Code

9405.19.90.90

Control

ON/OFF - Dimmable LED

0€

DALI/230V adapter
(install outside of the canopy)

120€

Finishes

Metal


Chrome

194€

Natural alabaster

GHABAN

A1086 + 1086/60



Specifications

Light source

E27 Max. 15W (not included)

Voltage

220-240V

Frecuency

50/60Hz

Class

Type I

Energy Classification

E

Protection

IP20



Packaging

Package(s)

2 Box

A1086

24 X 24 12 CM

2,3 kg

1086/60

64 X 34 X 3 CM

1 kg

HS Code

9405.19.90.90

Control

ON/OFF - Dimmable bulbs

0€

DALI/230V adapter
(install outside of the canopy)

120€

Finishes

Fitting A1086

Matt black

78 €

Textil

See colour palette

+0€

Out of palette

+44€

1086/60 (textil)


184€

A1086 + 1086/60

262€

GHABAN

A1086 + 1086/90



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging


Package(s)	2 Box	
A1086	24 X 24 12 CM	2,3 kg
1086/90	94 X 94 X 3 CM	1,8 kg
HS Code	9405.19.90.90	
Control		
ON/OFF - Dimmable bulbs		0€
DALI/230V adapter (install outside of the canopy)		120€

Finishes

Fitting A1086	
Matt black	78 €
Textil	
See colour palette	+0€
Out of palette	+44€
1086/90 (textil)	252€
A1086 + 1086/90	330€

GHABAN

A1086 + 1086/110



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging


Package(s)	2 Boxes	
A1086	24 X 24 12 CM	2,3 kg
1086/110	114 X 114 X 3 CM	2,4 kg
HS Code	9405.19.90.90	
Control		
ON/OFF - Dimmable bulbs		0€
DALI/230V adapter (install outside of the canopy)		120€

Finishes

Fitting A1086	
Matt black	78 €
Textil	
See colour palette	+0€
Out of palette	+44€
1086/110 (textil)	320€
A1086 + 1086/110	398€

MINI ROSS

A1063/25



Specifications

Light source	3 x Bulbs G9 dimmables LED 3W 2700K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging


Package(s)	1 Box
Measures (LxWxD)	44x30x30 cm
Weight (gross)	0,5 kg
Volume	0,039 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	
DALI/230V adapter (install outside of the canopy)	
0€	
120€	

Finishes

Metal	
Matt brass	124€
Matt Black	124€

MINI ROSS

A1063/40



Specifications

Light source	3 x Bulb G9 LED 3W 2700K (included) 810 lm
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging


Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	
DALI/230V adapter (install outside of the canopy)	
0€	
120€	

Finishes

Metal	
Matt Brass	204€
Chrome	204€

NOLD

A1053 + 1226



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	
DALI/230V adapter (install outside of the canopy)	
0€	
120€	

Finishes

Metal	
Shiny gold / Chrome	63€
Black / White	55€
Glass	
Clear	84€
Turquoise	84€
Amber	84€
Dark blue	84€
Pink	84€
Brown	84€
COMPLETE LAMP	
A1053/5/ORO + 1226	147€
For more sizes of fittings and other accessories, see page 101	

LASS
A1053+1225/30**



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Steel	
Shiny gold / Chrome	
White / Black	
1225/30	77€
A1053/5	63€
COMPLETE LAMP	
A1053/5/ORO+1225/30	140€
For more sizes of fittings and other accessories, see page 101	
**While stocks last	

LASS
A1053+1225/50**



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Steel	
Shiny gold / Chrome	
White / Black	
1225/50	100€
A1053/5	63€
COMPLETE LAMP	
A1053/5/ORO+1225/50	163€
For more sizes of fittings and other accessories, see page 101.	
**While stocks last	

FEST
A1053 + 1223



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	0,8 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Metal	
Shiny gold / Chrome	63€
Black / White	55€
Glass	
Turquoise	70€
Amber	70€
Dark blue	70€
Pink	70€
Brown	70€
COMPLETE LAMP	
A1053/5/ORO + 1223	133€
For more sizes of fittings and other accessories, see page 101	

SPIDER
A1053 + 1163/30



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Shiny gold / Chrome	63€
Black / Matt brass	55€
COMPLETE LAMP	
A1053/5/ORO+1163/30	196€
For more sizes of fittings and other accessories, see page 101	

SPIDER
A1053 + 1163/52



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20




Packaging	
Package(s)	1 Box
Measures (LxWxD)	55x45x45 cm
Weight (gross)	0,8 kg
Volume	0,111 CBM
HS Code	9405.19.90.90

Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Shiny gold / Chrome	63€
Black / Matt brass	55€
COMPLETE LAMP	
A1053/5/ORO+1163/52	218€
For more sizes of fittings and other accessories, see page 101	


LAOS

A1053/5 + 1141



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frequency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box (1141) + 1 Box (A1053)
Measures (LxWxD)	30x30x9 + 27x23x26 cm
Weight (gross)	0,9 / 0,6 kg
Volume	0,032 / 0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€


Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1141	
1141/30 - 30 cm	44€
1141/50 - 50 cm	55€
COMPLETE LAMP	
A1053/5/ORO + 1141/30	107€
A1053/5/ORO + 1141/50	118€

For more sizes of fittings and other accessories, see page 101


LAOS

A1053/10 + 1141



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frequency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box (1141) + 1 Box (A1053)
Measures (LxWxD)	60x60x9 + 27x23x26 cm
Weight (gross)	0,9 / 0,6 kg
Volume	0,032 / 0,008 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1141	
1141/30 - 30 cm	44€
1141/50 - 50 cm	55€
COMPLETE LAMP	
A1053/10/ORO + 1141/30	121€
A1053/10/ORO + 1141/50	132€

For more sizes of fittings and other accessories, see page 101


TAN TAN

A1053/5 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frequency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,2 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/5/ORO + 1125/30	175€
A1053/5/ORO + 1125/60	214€
A1053/5/ORO + 1125/90	288€

For more sizes of fittings and other accessories, see page 101

TAN TAN

A1053/10 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frequency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,5 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control

ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/10/ORO + 1125/30	189€
A1053/10/ORO + 1125/60	228€
A1053/10/ORO + 1125/90	302€

For more sizes of fittings and other accessories, see page 101.


TAN TAN

A1053/15 + 1125



Specifications

Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frequency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging

Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 17 cm
Weight (gross)	1,5 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Control


ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes

Fitting A1053	
15 cm - Shiny gold / Chrome	90 €
15 cm - Black / White	77 €
Accessories 1125	
1125/30 - Natural / Black	112€
1125/60 - Natural / Black	151€
1125/90 - Natural / Black	225€
COMPLETE LAMP	
A1053/15/ORO + 1125/30	202€
A1053/15/ORO + 1125/60	241€
A1053/15/ORO + 1125/90	315€

For more sizes of fittings and other accessories, see page 101.

KASSY
A1053/5 + 1097




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	45x41x40 cm
Weight (gross)	0,6 kg
Volume	0,074 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1097	
1097/30 - 30 cm	68€
1097/20 - 20 cm	52€
COMPLETE LAMP	
A1053/5/ORO + 1097/30	131€
A1053/5/ORO + 1097/20	115€
For more sizes of fittings and other accessories, see page 101.	

KASSY
A1053/10 + 1097




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	44x30x30 cm
Weight (gross)	0,5 kg
Volume	0,039 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1097	
1097/30 - 30 cm	68€
1097/20 - 20 cm	52€
COMPLETE LAMP	
A1053/10/ORO + 1097/30	145€
A1053/10/ORO + 1097/20	129€
For more sizes of fittings and other accessories, see page 101.	

ALBA
A1053/5+1096




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 / 0,7 kg
Volume	0,034 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1096	
1096/25 - 25 cm	110€
1097/35 - 35 cm	165€
COMPLETE LAMP	
A1053/5/ORO + 1096/25	173€
A1053/5/ORO + 1097/35	228€
For more sizes of fittings and other accessories, see page 101.	

ALBA
A1053/10+1096




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 / 0,7 kg
Volume	0,034 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1096	
1096/25 - 25 cm	110€
1097/35 - 35 cm	165€
COMPLETE LAMP	
A1053/10/ORO + 1096/25	187€
A1053/10/ORO + 1097/35	242€
For more sizes of fittings and other accessories, see page 101.	

WAVE
A1053/5+1094/30




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20



Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 kg
Volume	0,034 CBM
HS Code	9405.19.90.90
Control	
ON/OFF - Dimmable bulbs	0€
DALI/230V adapter (install outside of the canopy)	120€

Finishes	
Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1094	
1094/30 - 30 cm	126€
COMPLETE LAMP	
A1053/5/ORO + 1094/30	189€
For more sizes of fittings and other accessories, see page 101.	

WAVE
A1053/10+1094/30




Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	44 x 44 x 18 cm
Weight (gross)	1,1 kg
Volume	0,034 CBM
HS Code	9405.19.90.90

Finishes	
Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1094	
1094/30 - 30 cm	126€
COMPLETE LAMP	
A1053/10/ORO + 1094/30	203€
For more sizes of fittings and other accessories, see page 101.	

LINE
A1053/5 + 1089



Specifications	
Light source	E27 Max. 15W (not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Finishes	
Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1089	
1089/25 - 25 cm	68 €
COMPLETE LAMP	
A1053/5/ORO + 1089/25	131€
For more sizes of fittings and other accessories, see page 101.	

LINE
A1053/10 + 1089




Specifications	
Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box
Measures (LxWxD)	30 x 30 x 9 cm
Weight (gross)	0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Finishes	
Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1089	
1089/25 - 25 cm	68 €
COMPLETE LAMP	
A1053/10/ORO + 1089/25	145€
For more sizes of fittings and other accessories, see page 101.	

HABAN
A1053/5 + 1088




Specifications	
Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	

Packaging	
Package(s)	1 Box (1088) + 1 Box (A1053)
Measures (LxWxD)	30x30x9 + 27x23x26cm
Weight (gross)	0,9 + 0,6 kg
Volume	0,008 CBM
HS Code	9405.19.90.90

Finishes	
Fitting A1053	
5 cm - Shiny gold / Chrome	63€
5 cm - Black / White	55€
Accessories 1088	
1088/25 - 25 cm	60€
1088/35 - 35 cm	74€
Out of palette	+44€
COMPLETE LAMP	
A1053/5/ORO + 1088/25	137€
A1053/5/ORO + 1088/35	
For more sizes of fittings and other accessories, see page 101.	


HABAN
A1053/10 + 1088



Specifications	
Light source	E27 Max. 15W (Not included)
Voltage	220-240V
Frecuency	50/60Hz
Class	Type I
Energy Classification	E
Protection	IP20
   	


Packaging	
Package(s)	1 Box (1088) + 1 Box (A1053)
Measures (LxWxD)	44 x 30 x 9 + 27x23x26 cm
Weight (gross)	0,9 + 0,6 kg
Volume	0,039 + 0,008 CBM
HS Code	9405.19.90.90

Finishes	
Fitting A1053	
10 cm - Shiny gold / Chrome	77€
10 cm - Black / White	63€
Accessories 1088	
1088/25 - 25 cm	60€
1088/35 - 35 cm	74€
Out of palette	+44€
COMPLETE LAMP	
A1053/5/ORO + 1088/25	137€
A1053/5/ORO + 1088/35	151€
For more sizes of fittings and other accessories, see page 101.	



Accessories


A1053



Fitting A1053		
5 cm -Shiny Gold / Chrome	63 €	
5 cm - Black / White	55 €	
10 cm - Gold / Chrome	77 €	
10 cm - Black / White	63 €	
15 cm -Shiny Gold /Chrome	90 €	
15 cm - White / Black	77 €	
20 cm - Shiny Gold	112 €	
20 cm - Chrome	112 €	
20 cm - Black / White	90 €	
25 cm - Shiny Gold	118 €	
25 cm - Chrome	118 €	
25 cm - Black / White	100 €	


Finishes
Shiny gold
Chrome
White
Black
⊕ CE ⓧ ♻

C1010




Single pendant C1010		Finishes
E27	50 €	Gold cable
3 m black cable textil	50 €	Black
⊕ CE ⓧ ♻		

1038




Material	Finishes	Sizes
Steel	Black	Ø 15 cm
	White	Ø 25 cm
	Shiny gold /matt brass	Ø 35 cm
	Chrome	E27
	1038/15	30 €
	1038/25	60 €
	1038/35	88 €

R1052




Material	Finishes and sizes
Metal wire E27	30 cm - Gold / Chrome 120 €
	30 cm - Black / White 80 €
	60 cm - Gold / Chrome 155 €
	60 cm - Black / White 102 €
	90 cm - Gold / Chrome 220 €
	90 cm - Black / White 163 €

1088




Material	Finishes	Sizes
Steel	Palette colour	Ø 25 cm
	Other colour +44 €	Ø 35 cm
		E27
	1088/25	60 €
	1088/35	74 €

1089




Material	Finishes	Sizes
Striped metal	Shiny gold / Matt brass	Ø 25 cm
	Chrome	E27
	Black	
	White	
	1089/25	68 €

1093/50




Material	Finishes	Sizes
Resin	Palette colour	Ø 50 cm
	184 €	E27/ E10
	Other colour +44 €	

1094/30




Material	Finishes	Sizes
Albaster	Natural	Ø 30 cm
	126 €	E27
		E10

1096




Material	Finishes	Sizes
Alabaster	Natural	Ø 25 cm
		Ø 35 cm
	1096/25	110 € E27
	1096/35	165 € E10

1097




Material	Finishes	Sizes
Ceramic	Grey	Ø 20 cm
		Ø 30 cm
	1097/20	52 € E27
	1097/30	68 € E10

1125




















Material	Finishes	Measures
Rattan	Natural	Ø 30 cm
	Black	Ø 60 cm
		Ø 90 cm
		E27
	1125/30	112€
	1125/60	151 €
	1125/90	225€


1132



Material	Finishes	Measures
Resin	White	188€ Ø 50 cm
	Other colour +44 €	E27 / E10

1141 	Material Straw	Finishes Natural	Measures Ø 30 cm 44€ Ø 50 cm 55€ E27
1143** 	Material Natural Bamboo	Finishes 1143/BRZ - Bronze 1143/NEG - Black	Measures Ø 40 cm 176€ E27
1144** 	Material Natural Bamboo	Finishes 1143/BRZ - Bronze 1143/NEG - Black	Measures Ø 50 cm 192€ E27
1160** 	Material Fiber	Finishes Black	Measures Ø 30 cm 120€ Ø 60 cm 220€ E27
1163 	Material Metal wire	finishes Shinny Gold Chrome Black White	Measures Ø 30 cm Ø 52 cm E27 1163/30 133 € 1163/52 155 €
1195 	Material Metal	Finishes Textured 1195/35 76 € 1195/50 98 €	Measures Ø 35 cm Ø 50 cm E10
1215 	Material Steel	Finishes Matt Black Matt Brass	Measures Lenght 25 cm Auxiliary wall mount for pendants 40 €
1218 	Material Wicker Leather	Finishes Dark wicker / Brown trim Light wicker / Tau- pe trim	Measures Ø 30 cm Ø 50 cm 1218/30 132€ 1218/50 184€
1223 	Material Glass	Finishes Turquoise Amber Dark Blue Pink Brown	Measures 70€ 70€ 70€ 70€ 70€ Ø 25 cm E27
1225 	Material Glass	Finishes Transparent grid Black edge	Measures Ø 30 cm 77€ Ø 50 cm 100€ E27
1226 	Material Glass	Finishes Turquoise Amber Dark Blue Pink Brown	Measures 84€ 84€ 84€ 84€ 84€ Ø 25 cm E27
1289/20 	Material Metal (1289/20) Alabaster (1289/20/A)	Finishes Matt Black Natural	Measures 50€ 84€ Ø 20 cm G9

1347 	1347 
Material Metal Finishes Matte black Aged gold Chrome Measures Ø 10 cm 1347/MN - Matte black 1347/MO - Aged gold 1347/MC - Chrome 26€ 26€ 26€	Material Glass Finishes Opal Measures Ø 14 cm Ø 20 cm 1347/OPAL14 1347/OPAL20 44€ 76€
1347 	1347 
Material Mármol Finishes Black White Green Brown Measures Ø 10 cm 1347/NEG - Black 1347/BCO - White 1347/VER - Green 1347/BROWN - Brown 78€ 78€ 78€ 78€	Material Glass Finishes Transparent Smoky Gray Measures Ø 14 cm Ø 20 cm Ø 14 cm Ø 20 cm 1347/14T 1347/20T 1347/GREY14 1347/GREY20 44€ 76€ 54€ 84€
1347 	
Material Resina Finishes White Color Palette Measures Ø 10 cm 1347/RESIN 1347/RESPINT 38€ 54€	




Bulbs & Shades


B223 CE EE RoHS  80 E27 4W 420 lm 2700K 14 € Dimmable	B057 CE EE RoHS  120 E27 12W 1500lm 3000K Dimmable 15€
B162 CE EE RoHS  58 GU10 5W 400 lm Smart Wifi 1800K - 6500K 22 € Please specify the lamp reference	B055 CE EE RoHS  207 E27 3W 350lm 2700K 34 €
B116-2 CE EE RoHS  80 E14 5W 420 lm 2700K Dimmable 8 €	B053 CE EE RoHS  170 E27 3W 350lm 2700K 30 €
B054 CE EE RoHS  170 E27 3W 350lm 2700K 32 €	B051 CE EE RoHS  130 E27 3,8W 2700K Control WI-FI 34 €
B052 CE EE RoHS  130 G95 E27 7W 806 lm 2700K OPAL 24 €	B048 CE EE RoHS  235 G200 E27 3W 2700K Dimmable 38 €
B050 CE EE RoHS  114 E27 2,5W 90 lm / 100 lm / 110 lm 2000K / 3000K / 4000K Dimmable / Dimmable 36 €	B046 CE EE RoHS  140 E27 3W 270lm 2700K 30 €
B043 CE EE RoHS  330 E27 4W 130 lm Led 1800K 42 €	B041 CE EE RoHS  110 E27 COB 3W 350 lm 2700K 20 €
B039 CE EE RoHS  155 E27 6W 806 lm 2700K Finishes: Gold/ Chrome 42 €	B038 CE EE RoHS  90 E27 6W 550 lm 2700K Finishes: Gold / Chrome Dimmable 18 €
B037 CE EE RoHS  180 E27 COB 3W 350 lm 2700K Dimmable Finishes: clear stripped 40 €	B035 CE EE RoHS  130 E27 6W Led 806 lm 2700K Dimmable Finishes: Gold / Chrome 34 €
B034 CE EE RoHS  200 E27 COB 3W 350 lm 2700K Dimmable Finishes: Clear 34 €	B033 CE EE RoHS  200 E27 COB 3W 350 lm 2700K Dimmable Finishes: Opal 34 €
B030 CE EE RoHS  80 E14 4W 450 lm 2700K Dimmable Finishes: Gold / Chrome 24 €	B028 CE EE RoHS  180 E27 COB 3W 350 lm 2700K Dimmable 40 €
B211 CE EE RoHS  120 E27 7W / 750 lm / 2700K E27 9W / 810 lm / 2700K 8 € 10 €	B027 CE EE RoHS  180 E27 COB 3W 350 lm 2700K 40 €
B161 CE EE RoHS  58 GU10 5W 420 lm 3000K / 5000K Dimmable 7W 2700K 12 € 12 € Please specify the lamp reference	B020 CE EE RoHS  130 E27 4W Led 300 lm 2200K Dimmable 34 €

B015** CE RoHS Energy  Ø160 110 E27 COB 3W 350 lm 2700K 40 €	B019 CE RoHS Energy  Ø64 114 E27 4W Led 300 lm 2700K 40 €
COB LED CE RoHS Energy  Ø27 40 E27 COB 3W 350 lm 2700K Dimmable 10 €	B005 CE RoHS Energy  Ø15 60 5W / 450 lm / 2700K 8W / 720 lm / 2700K G9 LED Dimmable 8 € 10 € Reg. - 3'5W 320 lm 3000K 12 €
B001 G4/INDIRECT CE RoHS Energy  Ø15 36 3W / 270 lm / 2700K G4 LED Dimmable Bulb compatible with ONETA colecction 20 €	B001 G4/DIRECT CE RoHS Energy  Ø15 36 3W / 270 lm / 2700K G4 LED Dimmable Bulb compatible with DOUL and HADO colecction 20 €
B023 CE RoHS Energy  Ø125 200 E27 4W Led 300 lm 2700K Dimmable 38 €	


Reference	D	H	Finishes	PVP
801011/30	300	160	Chinz White	40€
801021/30			Chinz Black	40€
801031/30			Chinz Cream	40€
801011/31	300	200	Chinz White	42€
801021/31			Chinz Black	42€
801031/31			Chinz Cream	42€
801011/32	300	380	Chinz White	40€
801021/32			Chinz Black	40€
801031/32			Chinz Cream	40€
801011/35	350	200	Chinz White	44€
801021/35			Chinz Black	44€
801031/35			Chinz Cream	44€
801011/36	350	240	Chinz White	50€
801021/36			Chinz Black	50€
801031/36			Chinz Cream	50€
801011/40	400	180	Chinz White	54€
801021/40			Chinz Black	54€
801021/40			Chinz Cream	54€
801011/41	400	240	Chinz White	62€
801021/41			Chinz Black	62€
801031/41			Chinz Cream	62€
801011/45	450	180	Chinz White	65€
801021/45			Chinz Black	65€
801031/45			Chinz Cream	65€
801011/46	450	240	Chinz White	74€
801021/46			Chinz Black	74€
801031/46			Chinz Cream	74€
801011/47	450	300	Chinz White	70€
801021/47			Chinz Black	70€
801031/47			Chinz Cream	70€
1251/BCO	500	300	Chinz White	112€
1251/NEG			Chinz Black	112€




Reference	D	H	Finishes	PVP
1160**	300	200	Black natural fiber	120€
	600			220€




Reference	D1	D2	H	Finishes	PVP
151011/40	320	400	230	Chinz White	64€
151021/40				Chinz Black	64€
151031/40				Chinz Cream	64€
151011/45	350	450	260	Chinz White	66€
151021/45				Chinz Black	66€
151031/45				Chinz Cream	66€




Reference	D	H	Finishes	PVP
4024	450	270	Pleated paper	108€
4025	400	240	Rounded pleated paper	108€




Reference	D	H	Finishes	PVP
11532	300	380	Chinz White Gold interior	124€



Referencia	Acabados	PVP
134011/45	Chins White	66€
134021/45	Chins Black	66€




Reference	D	H	Finishes	PVP
1143**	400	220	Natural Bamboo 1143/BRZ - Bronze 1143/NEG - Black	176€
1144**	500	250	Natural Bamboo 1144/BRZ - Bronze 1144/NEG - Black	192€




CE

Reference	D	H	Finishes	PVP
801128	400	240	Light linen	112€
801129			Dark linen	112€



CE

Reference	D	H	Finishes	PVP
136011	300	380	For DENA NAC136	40€




CE


References	D1	D2	H	Finishes	PVP
1610	180	400	220	White Cotton	70€
				Black Cotton	70€


References	D	H	Finishes	PVP
801131	450	300	Dark Linen / Black Trim	172€



References	D	H	Finishes	PVP
801132	400	500	Light Linen / Orange Trim	188€





Spare parts









Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1319/S	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	94€	1316	Clear Smoked	Individual box 41 x 47 x 40 cm 0,6 kg 0,072 CBM 9405190.00	66€ 99€
	CE				CE		






Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1312	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	36€	1312	Opal	Individual box 41 x 47 x 40 cm 0,6 kg 0,072 CBM 9405190.00	30€
	CE				CE		

Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1310	Striped	Individual box 22 x 23 x 30 cm 0,6 kg 0,008 CBM 9405190.00	44€	1299	Opal	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	34€
	CE				CE		

Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1298 (S1298) 1298 (C1298/5)	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	66€	1298 (A1298) 1298 (C1298)	Striped	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	76€
	CE				CE		

Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1296	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	99€	1292	Opal	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	99€
	CE				CE		

Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1289	Opal	Individual box 22 x 23 x 30 cm 0,6 kg 0,008 CBM 9405190.00	34€	1281	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	88€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1281	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	62€	1280	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	40€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1275	Clear	Individual box 23 x 22 x 30 cm 0,6 kg 0,008 CBM 9405190.00	50€	1265	Striped	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	39€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1264	Opal Striped	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00 4 x Caja Caja individual 26 x 26 x 26 cm 0,9 kg 0,017 CBM 9405190.00 2 x Caja	55€	1236	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	165€
 	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1235/OVAL	Colour	Individual box 24 x 25 x 65 cm 0,6 kg 0,008 CBM 9405190.00	176 €	1235/SPHERE	Opal	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	98€
	CE				CE		

Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1233/1 1235/DIAMOND	Colour	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	108€	1233/2	Colour	Individual box 24 x 25 x 65 cm 0,6 kg 0,039 CBM 9405190.00	180€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1233/3	Colour	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	96€	1224	Opal Specify metal finish	Individual box 27 x 27 x 40.5 cm 0,6 kg 0,008 CBM 9405190.00	40€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1206	Striped Specify metal finish	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	39€	1199	Frosted	Individual box 20 x 20 x 20 cm 0,6 kg 0,008 CBM 9405190.00	66€
	CE				CE		
Reference	Finishes	Packaging	PVP	Reference	Finishes	Packaging	PVP
1130/CRISTAL	Striped	Individual box 42 x 41 x 30 cm 0,6 kg 0,0517 CBM 9405190.00	80€	129/CP	Colors palette	Individual box 42 x 41 x 30 cm 0,6 kg 0,0517 CBM 9405190.00	66€
	CE				CE		

Dimmer Options & Modifications

Table and floor lamps

Type II

The table and floor lamps with dimmer features are indicated in the technical specifications of each model in this price list.

All table and floor lamps with E27, E14, GU10 and G9 lamp holders can be adapted to achieve this dimming, provided they have the following features:



In our price list, you can find the E27, E14, GU10 and G9 dimmable bulbs recommended for each model, which you can incorporate into our table and floor lamps to be able to dimmer them.

Please contact us to find out the recommended dimmer surcharge for each table or floor lamp.

With these two elements installed in the lamp, simple dimming is achieved.

For more details and information on each model, please contact our technical department.

Pendant and wall lamps

Type I

Those pendants and wall lamps with dimming features are indicated in the technical specifications of each model in this price list.

All pendants and wall lamps with E27, E14, GU10 and G9 lamp holders can be adapted to achieve this dimming, provided they have the following elements:



In our price list, you can find the E27, E14, GU10 and G9 dimmable bulbs recommended for each model, which you can incorporate into our table and floor lamps to be able to dimmer them.

Regarding to the dimmer or dimming interface, we have various types of dimming interfaces with protocols such as DALI, 0-10V, 1-10V, PUSH or TRIAC.

Depending on the model and features of the LED component (LED strip or chip) of the lamp, we can adapt the luminaire to each protocol.

With these two elements installed in the lamp, simple dimming is achieved.

For more details and information on each model, please contact our technical department.

Dimmer Switches (only for table and floor lamps)

Reference	Dimmer system	Specifications	RRP
MOD. CAB-REG-S	Dimmer switch for table lamps	On cable	40€
MOD. CAB-REG-P	Dimmer switch for floor lamps	On cable	80€

Dimmer interfaces (only for pendants and wall lamps)

Reference	Measures (LxWxH)	Dimmer system	Specifications	RRP
DALI/230V	45 x 45 x 20 mm	DALI / PUSH	100-240V / 200W @ 220V / 100W @ 110V	120€
MULTIREG/ 12-24V	138 x 40 x 28'5 mm	DALI PUSH 0-10V / 1-10V	Input 12V - 24 V / Until 12A 144W - 288W Dip-Switch	154€

Modifications on cable (only for pendants and wall lamps)

Reference	Specifications	RRP
MOD. CAB-FLO	Cable with switch and plug	80€
MOD. EXT-CAB	Extra cable meter Tensor	20€/m 15€/m

Create your lamp

121

In this space, we offer the possibility of generating your own multiple pendant based on any of our many individual pendants.

For this purpose, we present a series of special pendants in different shapes, sizes and finishes.


Just choose from the following options:

1. Which pendant is ideal for your lamp?

Browse through our extensive catalogue of individual pendants and choose the ideal one for your idea and space.


2. Shape and size of canopy

Check the space where the lamp will be installed and check which size and shape best suits it.




Round

300 x 300 x 45 mm
500 x 500 x 45 mm
700 x 700 x 45 mm




Cuadrado

400 x 400 x 45 mm
600 x 400 x 45 mm



Square

700 x 250 x 45 mm
700 x 45 x 45 mm



Built - in

Diameter 100 mm
Dia. surface hole - 75 mm

Space required for
installation - 80 mm

* For other sizes and shapes, please consult our technical and sales department.

3. Finishes and outlets of the canopy

Our basic finishes are: **Matt black and matt white**

You must inform us of the number of outlets and their distribution by means of a sketch, drawing or similar.


* For other finishes, please consult our technical and sales department.

121




Composition A

Pendant: C1275
Units: 9
Canopy: M.F50
2.268€



Composition B

Pendant: C1084
Units: 3
Canopy: M.F704
920 €



Reference	Measures (LxWxH)	Finishes	Comments	RRP
M.F30	300 x 300 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	220 €
M.F50	500 x 500 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	270 €
M.F70	700 x 700 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	320 €
M.F4040	400 x 400 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	250 €
M.F7025	700 x 250 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	200 €
M.F704	700 x 45 x 45 mm	Matt black or white	Indicate pendant, outlets and distribution	140 €
M.F25A60	Canopy 250 x 250 x 45 mm Ring 600 x 600 x 6 mm	Matt black or white	Canopy + distributor ring Indicate pendant, outlets and distribution	310 €
EP1279	100 x 100 x 80 mm	Matt black	Check compatibility with pendant beforehand	36 €




Composition C

Pendant: C1297

Units: 10

Canopy: M.F7025

1.400€




Composition D

Pendant: C1229

Units: 8

Canopy: M.F25A60

1.318€






Composition E

Pendant: C1230

Units: 13

Canopy: M.F70

2114€




Composition F

Pendant: C1206

Units: 5

Canopy: M.F4040

1.380€







aromas

AROMAS DEL CAMPO LIGHTING S.L.U

Pol. Ind. l'Horta Vella
Calle Tintorers 45-47
46117 Bétera - Valencia - Spain

CONTACTO

T. +34 962 737 953
Email. aromas@aromasdelcampo.com
Web. aromasdelcampo.com