








Available in 28 Striking Colours - Supporting Full Customization with Local production in the UAE







										Orders above 200 sq.m		Orders above 100 sq.m		Orders above 50 sq.m
Sl No.	Product specification	Categories	Application	Image Reference	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
1	Mute Felt - Plain 24mm	Plain	Wall		Acoustic Absorption class (EN): Class B/Class C. NRC: 0.6 - 0.8.	Length: 244 cm. Width: 122 cm. Thickness: 2.4 cm. Panel area: 2.98 sqm	100 sqm in 1-2 Days	1400.00	65%	490.00	60%	560.00	55%	630.00
2	Mute Felt - Plain 12mm	Plain	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 244 cm. Width: 122 cm. Thickness: 1.2 cm. Panel area: 2.98 sqm	100 sqm in 1-2 Days	850.00	65%	297.50	60%	340.00	55%	382.50
3	Mute Felt - 12mm Hexagon	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
4	Mute Felt - 12mm Diamond	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
5	Mute Felt- 12mm Arch	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00

Sl No.	Product specification	Categories	Application	Image Reference	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
6	Mute Felt- 12mm Islamic	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
7	Mute Felt- 12mm Triangle	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
8	Mute Felt- 12mm Tiles	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
9	Mute Felt- 12mm Horizontal lines	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
10	Mute Felt- 12mm Vertical lines	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
11	Mute Felt- 12mm Diagonal lines	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
12	Mute Felt- 12mm Curved lines	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00

SI No.	Product specification	Categories	Application	Image Reference	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
13	Mute Felt- 12mm Fishbone	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
14	Mute Felt- 12mm Geometric	Pattern	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 Days	950.00	60%	380.00	45%	522.50	40%	570.00
15	Mute Felt- 12mm Waves	3D pattern	Wall		Acoustic Absorption class (EN): Class D. NRC: 0.5.	Length: 240 cm. Width: 120 cm. Flute width: 60mm Thickness (valley): 0.6 cm. Thickness (peak): 1.1 cm. Panel area: 2.88 sqm.	100 sqm in 1-2 Days	1150.00	60%	460.00	45%	632.50	40%	690.00
16	Mute Felt: Ceiling Plain	Ceiling Plain	fixtured directly to Ceiling		Acoustic Absorption class (EN): Class B/ClassC. NRC: 0.6 - 0.8.	Length: 244 cm. Width: 122 cm. Thickness: 2.4 cm. Panel area: 2.98 sq.m	100 sqm in 1-2 days	1500.00	60%	600.00	55%	675.00	50%	750.00
17	Mute Felt: Ceiling Suspended Rectangle 9mm	Ceiling Plain	Ceiling suspened		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 244 cm. Width: 122 cm. Thickness: 9 mm. Panel area: 2.88 sqm.	100 sqm in 1-2 days	625.00	55%	281.25	50%	312.50	45%	343.75
18	Mute Felt: Ceiling Suspended Rectangle	Ceiling Plain	Ceiling suspened		Acoustic Absorption class (EN): Class B. NRC: 0.8.	Length: 244 cm. Width: 122 cm. Thickness: 2.4 cm. Panel area: 2.98 sq.m	100 sqm in 1-2 days	1500.00	60%	600.00	55%	675.00	50%	750.00
19	Mute Felt: Ceiling Suspended Circle small	Ceiling Plain	Ceiling suspened		Acoustic Absorption class (EN): Class B. NRC: 0.8.	Diameter :60cm Thickness : 2.4cm Panel area : 0.28 sqm	100 sqm in 1-2 days	500.00	50%	250.00	40%	300.00	30%	350.00

SI No.	Product specification	Categories	Application	Image Reference	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
20	Mute Felt Ceiling Suspended Circle large	Ceiling Plain	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.8.	Diameter :120cm Thickness : 2.4cm Panel area : 1.13 sqm	100 sqm in 1-2 days	950.00	50%	475.00	40%	570.00	30%	665.00
21	Mute Felt Ceiling Mashrabiya - Hanging Screen	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 days	1150.00	45%	632.50	35%	747.50	30%	805.00
22	Mute Felt Ceiling Arches - Hanging Screen	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 days	1150.00	45%	632.50	35%	747.50	30%	805.00
23	Mute Felt Ceiling Circles - Hanging Screen	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 days	1150.00	45%	632.50	35%	747.50	30%	805.00
24	Mute Felt Ceiling Hourglass - Hanging Screen	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240 cm. Width: 120 cm. Thickness: 1.2 cm. Panel area: 2.88 sqm	100 sqm in 1-2 days	1150.00	45%	632.50	35%	747.50	30%	805.00
25	Mute Felt Ceiling Suspended - Waffle	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.85.	Length: 120 cm. Width: 120 cm. Thickness: 15 cm. Area: 1.44 sqm	50 sqm in 1-2 days	900.00	50%	450.00	30%	630.00	25%	675.00
26	Mute Felt Ceiling Pebbles	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.85.	Length: 240 cm. Width: 120 cm. Depth: 1.2 cm. Area: 2.25 sqm	50 sqm in 1-2 days	1150.00	60%	460.00	40%	690.00	35%	747.50

SI No.	Product specification	Categories	Application	Image Reference	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
27	Mute Felt Ceiling Baffles - Straight	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.85.	Assembly dimension - Length: 204 cm. Width: 120 cm. Height: 24 cm. Area: 2.45 sqm 10 Pieces in one baffle unit.	50 sqm in 1-2 days	1650.00	55%	742.50	44%	924.00	40%	990.00
28	Mute Felt Ceiling Baffles - Curved	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.85.	Assembly dimension - Length: 204 cm. Width: 120 cm. Height: 24 cm. Area: 2.45 sqm 10 Pieces in one baffle unit.	50 sqm in 1-2 days	1650.00	55%	742.50	44%	924.00	40%	990.00
29	Mute Felt Ceiling Baffles - Pointed	Ceiling Design	Ceiling suspended		Acoustic Absorption class (EN): Class B. NRC: 0.85.	Assembly dimension - Length: 204 cm. Width: 120 cm. Height: 24 cm. Area: 2.45 sqm 10 Pieces in one baffle unit.	50 sq.m in 3-4 days	1650.00	55%	742.50	44%	924.00	40%	990.00
30	Mute Felt Ceiling Ceiling Grid	Ceiling 3D	Ceiling suspended		Acoustic Absorption class (EN): Class A. NRC: 0.9	Grid Size: 30 x 30 cm Set Dimensions Length: 157.2 cm. Width: 94.8 cm. Depth: 20 cm. Area : 1.48 sqm	50 sq.m in 3-4 days	1800.00	50%	900.00	30%	1260.00	25%	1350.00
31	Mute Felt Ceiling Box Baffles 50mm thickness	Ceiling 3D	Ceiling suspended		Acoustic Absorption class (EN): Class A. NRC: 0.9	Assembly dimension - Length: 202 cm. Width: 120 cm. Height: 15 cm. Area : 2.42sq.m 10 Pieces in one baffle unit.	50 sq.m in 3-4 days	2100.00	50%	1050.00	30%	1470.00	25%	1575.00
32	Mute Felt Ceiling Curved Baffles	Ceiling 3D	Ceiling suspended		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	4 Pieces in one baffle unit. Single piece dimensions - Diameter: 150cm Height: 25 cm Thickness: 1.2cm Surface Area: 2.88 sq.m	50 sq.m in 3-4 days	1700.00	40%	1020.00	30%	1190.00	25%	1275.00

Acouwood® Acoustic Solutions

Timeless and durable sound absorbing solutions with wood.

Available in 8 Classic Finishes - Supporting Full Customization with Local production in the UAE




Sl No.	Product specification	Categories	Application	Product ID	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
1	MUTE Wood Slat Wall Panel Teak	Wood Wall	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240cm Width: 60cm Depth: 2.1cm Area: 1.44 sq.m	50 sq.m in 1-2 Days	650.00	48%	338.00	40%	390.00	35%	422.50
2	MUTE Wood Slat Wall Panel Ayous	Wood Wall	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240cm Width: 60cm Depth: 2.1cm Area: 1.44 sq.m	50 sq.m in 1-2 Days	650.00	48%	338.00	40%	390.00	35%	422.50
3	MUTE Wood Slat Wall Panel Oak	Wood Wall	Wall		Acoustic Absorption class (EN): Class C. NRC: 0.6 - 0.75.	Length: 240cm Width: 60cm Depth: 2.1cm Area: 1.44 sq.m	50 sq.m in 1-2 Days	650.00	48%	338.00	40%	390.00	35%	422.50
4	Mute Wood Pro Q&D diffuser	Wood Diffuser	Wall		Diffusion range: 1200 - 2400 Hz	Length: 134 cm. Width: 64 cm. Depth: 13 cm. Area: 0.86 sqm	3-5 Days	850.00	30%	595.00	25%	637.50	20%	680.00
5	Mute Wood Pro Skyline Diffuser	Wood Diffuser	Wall		Diffusion range: 1720 - 3660 Hz	Length: 60 cm. Width: 60 cm. Depth: 10 cm. Area: 0.36 sqm	3-5 Days	895.00	30%	626.50	25%	671.25	20%	716.00
6	Mute Wood Pro Bass Trap	Wood Absorber	Wall Corners		Acoustic Absorption class (EN): Class A. NRC: 0.9	Length: 100 cm. Width: 60 cm. Depth: 30 cm. Area: 0.6 sqm	3-5 Days	950.00	30%	665.00	25%	712.50	20%	760.00
7	Mute Wood Pro Absorber	Wood Absorber	Wall/Ceiling		Acoustic Absorption class (EN): Class A. NRC: 0.9	Length: 120 cm. Width: 60 cm. Depth: 10 cm. Area: 0.72 sqm	3-5 Days	950.00	30%	665.00	25%	712.50	20%	760.00
8	Perforated Wood Panels - 5/16 (60 x 120)	Wood Wall	Wall/Ceiling		Acoustic Absorption class (EN): Class C. NRC: 0.6	Length: 60 cm. Width: 120 cm. Thickness: 1.9 cm. Area: 0.72 sqm	100 sqm in 5-7 days	575.00	30%	402.50	20%	440.00	12%	506.00
	MUTE Perforated Wood Panels - 5/16 (120 x 240)	Wood Wall	Wall			Length: 120 cm. Width: 240 cm. Thickness: 1.9 cm. Area: 2.88 sqm		975.00	30%	682.50	20%	780.00	12%	858.00
	Perforated Wood Panels -10/32 (60 x 120)	Wood	60 x 120		Acoustic Absorption class (EN): Class C.	Length: 60 cm. Width: 120 cm. Thickness: 1.9 cm. Area: 0.72 sqm	100 sqm in	575.00	35%	373.75	28%	414.00	20%	460.00

Fabricworks® Acoustic Solutions

Certified & Tested - High Performance sound absorbing panelling - NRC 0.9


Beautiful fabrics with Acoustic testing to optimize sound absorption in Interior Spaces

Always in stock



Additional finishes (7-9 days turnaround)



Sl No.	Product specification	Categories	Categories	Product ID	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
1	Acouworks® Fabric Plain Panels	Fabric Panels	Wall/Ceiling		Acoustic Absorption class (EN): Class A. NRC: 0.9	Length: 120 cm. Width: 60 cm. Depth: 5 cm. Area: 0.76 sqm	50 sq.m in 5-7 days	1150.00	65%	402.50	55%	517.50	50%	575.00
2	Acouworks® Stretch Fabric Wall (price is per sq.m)	Stretch Fabric	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Maximum Width: 130cm Height: Upto 20 meter Depth: 5cm Area: Variable	50 sq.m in 3-4 days	375.00	30%	262.50	25%	281.25	18%	307.50
2	Acouworks® Stretch Fabric Ceiling (price is per sq.m)	Stretch Fabric	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Maximum Width: 130cm Height: Upto 20 meter Depth: 5cm Area: Variable	50 sq.m in 3-4 days	375.00	30%	262.50	25%	281.25	18%	307.50
	Acouworks® QuietRoom Divider Small	Fabric with frame	Freestanding		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 110 cm Width: 80cm Depth: 6cm Area: 0.88 sq.m	50 sq.m in 7-9 days	900.00	35%	585.00	30%	630.00	25%	675.00
	Acouworks® QuietRoom Divider Medium	Fabric with frame	Freestanding		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 160 cm Width: 120cm Depth: 6cm Area: 1.92 sq.m	50 sq.m in 7-9 days	1960.00	35%	1274.00	30%	1372.00	25%	1470.00
	Acouworks® QuietRoom Divider Large	Fabric with frame	Freestanding		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 200 cm Width: 120cm Depth: 6cm Area: 2.4 sq.m	50 sq.m in 7-9 days	2450.00	35%	1592.50	30%	1715.00	25%	1837.50
	Acouworks® QuietRoom Desk Divider	Fabric with frame	Freestanding		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 60 cm Width: 140cm Depth: 6cm Area: 0.84 sq.m	50 sq.m in 7-9 days	1400.00	35%	910.00	30%	980.00	25%	1050.00

Acouworks® Pictures

Sound Absorbing photo frames for homes and offices. - NRC 0.9

Capture beautiful memories with a custom photograph or choose from our gallery of high resolution images while reducing noise.

2	Acouworks® Picture Small	Picture Frame	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 80 cm Width: 60 cm. Frame depth: 6 cm. Area: 0.48 sqm	3-5 Days	845.00	15%	718.25	10%	760.50	5%	802.75
---	--------------------------	---------------	------	---	---	--	----------	--------	-----	---------------	-----	---------------	----	---------------

3	Acouworks® Picture Medium	Picture Frame	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 120 cm Width: 90 cm. Frame depth: 6 cm. Area: 1.08 sqm.	3-5 Days	1395.00	25%	1046.25	20%	1116.00	15%	1185.75
4	Acouworks® Picture Large	Picture Frame	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 160 cm Width: 120 cm. Frame depth: 6 cm. Area: 1.92 sqm	3-5 Days	1995.00	25%	1496.25	20%	1596.00	15%	1695.75
5	Acouworks® Picture Square	Picture Frame	Wall		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 120 cm Width: 120 cm. Frame depth: 6 cm. Panel Area: 1.44sqm	3-5 Days	2000.00	25%	1500.00	20%	1600.00	15%	1700.00

Plus+rooms® by Acouworks

Soundproof booths for enhanced privacy and productivity - supports high level of design customization and corporate branding - MADE IN THE UAE

Sl No.	Product specification	Categories	Product ID	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
1	MUTE Pod Mini	Pod		STC 33 dB (Field Tested)	Width: 103 cm. Depth: 103 cm. Height: 220 cm.	20-28 days (Made to order)	20450.00	25%	15337.50	20%	16360.00	15%	17382.50
2	MUTE Pod Privacy Pod	Pod		STC 40 dB (Field Tested)	Width: 130 cm. Depth: 110 cm. Height: 225 cm.	12-15 days (Made to order)	20450.00	25%	15337.50	20%	16360.00	15%	17382.50
3	MUTE Pod Group pod	Pod		STC 33 dB (Field Tested)	Width: 220 cm. Depth: 150 cm. Height: 220 cm.	20-28 days (Made to order)	32450.00	25%	24337.50	20%	25960.00	15%	27582.50
4	MUTE Room Small	Room		STC 30 dB (Field Tested)	Width: 300 cm. Depth: 300 cm. Height: 220 cm.	30-35 days (Made to order)	42000.00	25%	31500.00	20%	33600.00	15%	35700.00
5	MUTE Room Medium	Room		STC 30 dB (Field Tested)	Width: 300 cm. Depth: 400 cm. Height: 220 cm.	30-35 days (Made to order)	51000.00	25%	38250.00	20%	40800.00	15%	43350.00
6	MUTE Room Large	Room		STC 30 dB (Field Tested)	Width: 400 cm. Depth: 400 cm. Height: 220 cm.	30-35 days (Made to order)	57000.00	25%	42750.00	20%	45600.00	15%	48450.00

Acouworks® Soundproof Construction


Truly Soundproof Room-inside-room solution. Acoustic testing before and after installation.

Sl No.	Product specification	Categories	Product ID	Acoustic Rating	Dimensions	Delivery time including customization	Retail Price (AED)	200+ sq.m	200+ sq.m Discounted Rate	100sq.m	100+ sq.m Discounted Rate	50sq.m	50+ sq.m Discounted Rate
1	Double-leaf Acoustic Wall partition	Wall	Leaf 01 Acoustic Gypsum board (Sandwiched board) High density mineral wool insulation Airgap of 50mm (Cavity left in between layers) Leaf 02 High density mineral wool insulation Gypsum Board + MLV + Gypsum Board (Sandwiched) Rubber membrane used at wall intersections Anti vibration wall clips used for wall framework Finish: Surface preparation, putty and 2 coats of paint (Jotun fenomastic matte emulsion)	STC 55 dB (Field Tested)	Total Wall thickness: 210mm	50 sq.m in 5-7 days	750.00	48%	390.00	35%	487.50	30%	525.00
2	Acoustic Ceiling Partition	Wall	Layer 1 High density mineral wool insulation fixtured directly to soffit Layer 2 Framework built for layer of Mineral wool Insulation Mass loaded Vinyl mounted to frame Acoustic Gypsum board fixtured to frame Rubber membrane used at wall intersections Anti vibration ceiling anchors used for ceiling framework Finish: Surface preparation, putty and 2 coats of paint (Jotun fenomastic matte emulsion)	STC 33 dB (Field tested)	Total ceiling thickness 75mm + minimum 150mm Ceiling void	50 sq.m in 5-7 days	825.00	48%	429.00	35%	536.25	30%	577.50
3	Acoustic Door (Painted Finish)	Wall		STC 42dB Field Tested	Height: 2250 mm Width:1000 mm Depth: 50 mm Based on Site dimensions	7-9 days	13200.00	25%	9900.00	20%	10560.00	15%	11220.00
4	Acoustic Air gapped Window	Wall		STC28dB Field Tested	Height: 1200 mm Width:2000 mm Depth: 210 mm 8mm Glass Thickness Based on Site dimensions	7-9 days	5200.00	25%	3900.00	20%	4160.00	15%	4420.00
4	Acoustic Foldable Partition	Wall		STC38dB Field Tested	Price in Sq.m 40mm Partition Thickness Based on Site dimensions	25-28 Days	3900.00	25%	2925.00	20%	3120.00	15%	3315.00

MUTE Soundproof Construction Material

Tested and certified building materials for sound proof construction

1	Mass Loaded Vinyl 1.2 mm	Wall/Ceiling		Weight: 2.2 kg/sqm STC: 26 dB	Width: 1000mm Length: 10000 mm Thickness: 1.2mm Roll Area: 10 sq.m	50 sq.m in 1-2 days	750.00	40%	450.00	20%	600.00	15%	637.50
	Mass Loaded Vinyl 3 mm	Wall/Ceiling		Weight: 4.6 kg/sqm STC: 31 dB	Width: 1000mm Length: 5000 mm Thickness: 3mm Roll area: 5 sq.m		700.00	40%	420.00	20%	560.00	15%	595.00
	Mass Loaded Vinyl 5 mm	Wall/Ceiling		Weight: 6 kg/sqm STC 34 dB	Width: 1000mm Length: 5000 mm Thickness: 3mm Roll area: 5 sq.m		895.00	40%	537.00	20%	716.00	15%	760.75
2	MUTE Board	Wall/Ceiling		STC 28-33 dB.	Length: 244 cm. Width: 122 cm. Depth: 1.35 ± 0.01 cm.	2-3 days	450.00	40%	270.00	20%	360.00	15%	382.50

4	Spring Hanger Vibration Isolation	Ceiling/ Machinery		Can reduce vibration from ceiling mounted machinery by upto 30%	M10 Bolt Width 70mm Height: 150mm	1-2 days	32.00	25%	24.00	20%	25.60	15%	27.20
5	Wall Clip Vibration Isolation	Wall		Can reduce vibration passing through wall structures by upto 30%	For 70mm Wall channel	1-2 days	24.00	15%	20.40	10%	21.60	7%	22.32
6	High density Mineral Wool Acoustic Insulation with acoustic fleece	Wall & Ceiling		Acoustic Absorption class (EN): Class A. NRC: 0.9	Height: 1200mm Width: 600mm Depth: 46mm	100 sq.m in 1-2 Days	75.00	15%	63.75	10%	67.50	7%	69.75
7	Fibreglass Drop in Ceiling Tiles	Drop-in ceiling/ false ceiling		Acoustic Absorption class (EN): Class B. NRC: 0.8	Width: 595mm Height: 595mm Thickness: 40mm	200sq.m in 1-2 days	200.00	65%	70.00	45%	110.00	40%	120.00
8				Class C NRC: 0.55	Width: 595mm Height: 595mm Thickness: 25mm	200sq.m in 1-2 days	180.00	65%	63.00	55%	81.00	50%	90.00