



Products Contents

Folding doors system

68 Series Non-thermal break folding door
68 Series thermal break folding door
75 Series Heavy folding door
80 Heavy folding
18 Slim folding door

Sliding door system

4516 Slim sliding door
48 Series slim frame sliding door
100-166 Series heavy sliding door
85 Series sliding door
68-160 Series heavy sliding door
135 Series heavy duty sliding door

Swing door system

4516 Series slim frame casement door
4518 Series slim frame casement door
55 Series slim casement door
85 Series casement door
83 Series casement door

Window system

90 Series casement window with fly screen
108 Series casement window with fly screen
50 Series casement window
55 Series thermal break casement window
65 Series thermal break casement window
120 Series thermal break sliding window
135 Series heavy duty sliding door/ window

Special product

Pivot door
4576 Barn door
Skylight window
83 Series single/double hung
50 Series fold up
50 Series folding window
glass house

68

Series non-thermal break folding door



Products Characteristics

Folding doors have thermal insulation, heat insulation, fire and flame retardant, noise reduction and sound insulation.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.6mm 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Fold in, fold out



Water
Tightness



Heat
Insulation




Prevent
Mist






Air
Tightness



Sound
performance




Wind Load
Resistance



68

Series thermal break folding door



Products Characteristics

Folding doors have thermal insulation, heat insulation, fire and flame retardant, noise reduction and sound insulation.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.6mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Fold in, fold out




Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance




Wind Load
Resistance



75

Series Heavy folding door



Products Characteristics

The unique stainless steel pulley high track design ensures a more stable and smooth opening.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Fold in, fold out




Water
Tightness



Heat
Insulation




Prevent
Mist



Air
Tightness



Sound
performance




Wind Load
Resistance



Model: YH-Z1001
Colour: 黑钛金
Style: 75 重型折叠

80

Series heavy folding door



Products Characteristics

The unique stainless steel pulley high track design ensures a more stable and smooth opening.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Fold in, fold out



Water
Tightness



Heat
Insulation




Prevent
Mist



Air
Tightness



Sound
performance




Wind Load
Resistance



18

Series slim folding door



Products Characteristics

The unique stainless steel pulley high track design ensures a more stable and smooth opening.

Products Configuration

Frame Material : 6063-T5 Aluminium


Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double

Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Fold in, fold out



4516

slim sliding door



Products Characteristics

The profile is made of sufficient materials, and the special force position is thickened, and reinforcing rib components are added. Automobile grade toughened glass, double-layer sealing, sound insulation and heat insulation, high safety performance

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist



Air
Tightness



Sound
performance



Wind Load
Resistance



黑色

灰色


白色

金色



48

Series slim frame sliding door



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.

Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium


Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double

Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



70

Series 3.0mm slim sliding door



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.


Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium
Alu-Thickness : 3.0mm
Glass Type : Tempered glass, single or double
Glass Thickness : 5mm, 6mm, 8mm & 10mm
Accessories : Included
Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance




Wind Load
Resistance



85

Series sliding door



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.

Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium


Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist




Air
Tightness



Sound
performance




Wind Load
Resistance



Model: YH-T8035 +30
Color: 砂灰
Style: 精英·饰花

68

Series 3.0mm slim sliding door



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.

Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 3.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance




Wind Load
Resistance



135

Series heavy duty sliding door / window



Products Characteristics

The sliding door can almost meet the designing needs of any consumer because of glass's reprocessing, baking paint, sand blasting, toughening, special-shaped processing and other characteristics. The sliding door is personalized, fashionable, artistic and solid.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist





Air
Tightness



Sound
performance



Wind Load
Resistance



4516

Series slim frame casement door

Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance



Wind Load
Resistance



4518

Series slim frame casement door



Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist





Air
Tightness



Sound
performance



Wind Load
Resistance



55

Series thermal break casement window(door)



Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation




Prevent
Mist






Air
Tightness



Sound
performance



Wind Load
Resistance



85

Series casement door



Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation



Prevent
Mist




Air
Tightness




Sound
performance



Wind Load
Resistance




单边



光企



双框



光企



83

Series casement door



Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist





Air
Tightness



Sound
performance



Wind Load
Resistance



90

Series casement window with fly screen



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.

Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance



Wind Load
Resistance



108

Series casement window with fly screen



Products Characteristics

The products are all made of "6063" aviation aluminum profiles, which have much higher wind pressure resistance, anti-theft ability, and structural stability, and a longer service life.

Hardware accessories choose 4.0mm heavy-duty hinges, Germany Haobo handles

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance





Wind Load
Resistance



50

Series casement window(door)



Products Characteristics

The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance



Wind Load
Resistance



55

Series thermal break casement window(door)



Products Characteristics


The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

Frame Material : 6063-T5 Aluminium
Alu-Thickness : 1.4mm
Glass Type : Tempered glass, single or double
Glass Thickness : 5mm, 6mm, 8mm & 10mm
Accessories : Included
Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation




Prevent
Mist





Air
Tightness



Sound
performance



Wind Load
Resistance



65

Series thermal break casement window(door)



Products Characteristics


The casement door has various opening modes, diversified styles and shapes , convenient installation , etc. It has long use period, good sealing, good thermal insulation and dust-proof performance. It's suitable for all kinds of high, medium and low grade decoration.

Products Configuration

- Frame Material : 6063-T5 Aluminium
- Alu-Thickness : 1.6mm
- Glass Type : Tempered glass, single or double
- Glass Thickness : 5mm, 6mm,8mm & 10mm
- Accessories : Included
- Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist




Air
Tightness



Sound
performance




Wind Load
Resistance



120

Series thermal break sliding window



Products Characteristics

Sliding window has the advantage of space saving, exterior beauty, price economy and good leakproofness. It can be opened flexibly with a simple push because of high-grade slippery course. Using large glass not only increases the indoor lighting, but also improves the overall appearance of the building.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation



Prevent
Mist







Air
Tightness



Sound
performance





Wind Load
Resistance



135

Series heavy duty sliding door / window



Products Characteristics

The sliding door can almost meet the designing needs of any consumer because of glass's reprocessing, baking paint, sand blasting, toughening, special-shaped processing and other characteristics. The sliding door is personalized, fashionable, artistic and solid.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation




Prevent
Mist




Air
Tightness



Sound
performance



Wind Load
Resistance



Pivot door



Products Characteristics

The pivot door adopts aluminum profile as the frame of the door and tempered glass as the facade. The function can well resist wind, can reduce the dissipation of air conditioning, and has the effect of energy saving and air isolation. The design of the central axis door body is generous and spacious, and the style is high-profile and luxurious.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.6mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness




Sound
performance



Wind Load
Resistance



4516 Barn door



Products Characteristics

Barn door in people's impression is often considered to have a kind of American rural styles. Modern new barn door after processing design provides variety of choices in color and shape color and shape, and possesses excellent function in decoration. At the same time,the barn door also saves more space, and solves the problem that opening size is too small to install the sliding door.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm,8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist




Air
Tightness




Sound
performance



Wind Load
Resistance



Skylight window



Products Characteristics

Electric skylight window, Is not only environmental , but also easy to be used.In the meantime, power sunroof of sunshine room can facilitate room of independent double entry and conjoined double entry structure to increase usable floor area.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 2.0mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm,8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance




Wind Load
Resistance



83

Series single/double hung window



Products Characteristics

Double hung window has superior energy saving, heat preservation, dust and noise reduction and excellent wind pressure resistance; beautiful lines, wide viewing angle.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.4mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Colour : Ral powder coat or anodized




Water Tightness



Heat Insulation




Prevent Mist




Air Tightness



Sound performance




Wind Load Resistance



50

Series folding window



Products Characteristics

The folding glass windows products are gorgeous in appearance and durable, beautiful in colors and colorful with smooth texture . So they can be perfectly matched with the interior decoration style or doors and Windows.

Products Configuration

Frame Material : 6063-T5 Aluminium

Alu-Thickness : 1.6mm

Glass Type : Tempered glass, single or double


Glass Thickness : 5mm, 6mm, 8mm & 10mm

Accessories : Included

Open direction : Ral powder coat or anodized



Water
Tightness



Heat
Insulation



Prevent
Mist




Air
Tightness



Sound
performance



Wind Load
Resistance



Glass house



Products Characteristics


The sun room adopts a non-traditional building constructed with glass and metal frames to achieve the purpose of enjoying the sun and being close to nature. Sunshine room is a building respected by people in pursuit of nature and fashion at home and abroad.

Products Configuration

Frame Material : 6063-T5 Aluminium
Alu-Thickness : 2.0mm & 3.0mm
Glass Type : Tempered glass, single or double
Glass Thickness : 5mm, 6mm, 8mm & 10mm
Accessories : Included
Open direction : Ral powder coat or anodized




Water
Tightness



Heat
Insulation



Prevent
Mist



Air
Tightness



Sound
performance



Wind Load
Resistance





GLOBAL BUILDING SOLUTIONS

Global Building Solutions



www.gbsregional.com



(767) 265-0354



info@gbsregional.com