



PEARSON LIVESTOCK EQUIPMENT

DESIGNED FOR THE SERIOUS CATTLEMAN. BUILT TO LAST GENERATIONS.

(940) 553-1310

Vernon, TX

PearsonLivestockEquipment.com

OUR PROMISE

SIMPLICITY.

Pearson Livestock Equipment has a history of innovation that we strive to continue today. Pearson's began in 1961 when Bud Pearson built the first self-catch automatic headgate which he later patented along with the first straight sided squeeze chute design, both of which remain industry standards today. Our goal is to carry on Bud's legacy by continuing to innovate high quality commercial cattle equipment that will stand the test of time.

While the company has changed over the years, each piece of equipment we build still offers the quality, strength, and simplicity that Pearson's is known for. It is not uncommon to meet a Pearson owner who still uses one of our 20-, 30- or even 40-year old products! We tell new buyers that when you buy a Pearson, you're buying for not just yourself, but the next generation of cattlemen and women in your family.

We are also committed to building all of our equipment in the United States. Every piece of Pearson equipment is built at our manufacturing facility in Vernon, Texas and we source as many parts as possible from other US manufacturers.

We have great respect for you, the hard-working men and women who are in this industry. Give us a call anytime if you have questions about our products or need help finding equipment near you. The extended family we have in our network of dealers across the globe is second-to-none. We would love to hear from you and introduce you to one of them!




Owners Ricky Rater & Brice Sawin

TABLE OF CONTENTS

Standard Chute Features	2	Prime Hydraulic Chute	15-16
Original Chute	3-4	Headgates	17-18
Select Chute	5-6	Tailgates	19-20
Choice Chute	7-8	Optional Equipment	21-22
Prime Chute	9-10	Scales	23-24
CowBoss	11-12	Alleys & Tubs	25-26
Original Hydraulic Chute	13 - 14	System Specifications	27

STANDARD CHUTE FEATURES



1 BILATERAL SQUEEZE
Straight sides open from 30" wide and squeeze down to 9", allowing all sizes of cattle to enter the chute easily and stand in a relaxed, natural position

2 DOUBLE SIDE EXITS
Now standard on all chutes

3 HEAVY, RUGGED CONSTRUCTION
Made only of first-run, heavy-gauge steel, reinforced based on over 50 years of experience

4 POWDER COATED
For durability

5 NECK DOORS
On both sides allow for easy access to the Beef Quality Assurance triangle area of the animal's neck

6 REINFORCED FRONT HINGE
Added strength in front frame to hold up to years of use; 1/4" of steel along approximately 60" of height

7 GREASE ZERKS
Located at major pivot points

8 BRISKET BAR
Fast and easy removal with one pin (Brisket Bar is optional on the Original & Select Chutes)

9 HEAVY DUTY FLOOR PLATE
With heavy duty frame

10 WING GATES
Hinge laterally for quick, easy opening and optimal safety

PEARSON ORIGINAL CHUTE

THE INDUSTRY LEADER FOR OVER 50 YEARS

Our Original Manual Chute has all the commercial quality basics of the Pearson brand, offering a simple, high quality manual squeeze chute at an affordable price.



SCAN TO WATCH

PearsonLivestockEquipment.com

ORIGINAL CHUTE DIMENSIONS

WEIGHT 1495LBS

LENGTH 8' 2" | WIDTH 3' 4" | HEIGHT 7' 4"



FEATURES

Parallel squeeze from 30" down to 9"

Full exit on both sides of animal for side or emergency exit

Self-catch headgate and vertical aluminum tailgate standard

Controls are kept simple, out of the way, and are fully reversible

Easy access to animal with convenient wing gates, removable side boards, and neck door on both sides

Brisket bar optional

Original Manual Chute is commonly paired with the Pearson palpation cage, Manual Head Control, and scale system (not compatible with Pearson wheel kit)



All Pearson Chutes Include Double Side Exits with Heavy Latches and an Additional Chain Latch for Safety.

2 Large Wing Gates Give Full Access to Top Half of Animal, Removable Side Boards Give Access to Bottom Half

ORIGINAL XL

Length 10' 6"
Weight 1765lbs

OUR MOST POPULAR CHUTE NOW COMES IN AN XL WITH A 10' 6" FRAME WITH DOUBLE SIDE EXITS, A SELF-CATCH HEADGATE, AND AN ALUMINUM TAILGATE.

"We love our Pearson! Easy to use and built to last."

- Flambeau Mountain Angus, Holcombe, WI



PEARSON SELECT CHUTE

PORTABILITY IN AN UPDATED PACKAGE

Updated with lower body access and a simpler, more convenient wheel kit. The Select line is built for everyday use around your ranch.



SCAN TO WATCH

PearsonLivestockEquipment.com

SELECT CHUTE DIMENSIONS
WEIGHT 1535LBS
LENGTH 8' 2" - 9" 10" | WIDTH 3' 4" | HEIGHT 7' 4"

FEATURES

A new updated chute from the Pearson line that features easier lower body access and a simpler portability kit designed to use around the ranch

Available in both standard and XL length.

Parallel squeeze from 30" to 9"

Double side exits

50/50 removable branding gates

Fold down and removable lower body access

Simplified wheel kit

Many other options available



Easily Access Each Animal From Every Angle with Fold Out Upper Panels and Removable Lower Body Panels



The Simplified Wheel Kit Makes it Easy to Work Cattle Anywhere On Your Ranch

SELECT XL

Length 10' 6" - 12' 2"
Weight 1805lbs

THE LONGER LENGTH FRAME OF THE SELECT XL FEATURES A BUILT-IN PALPATION CAGE THAT SQUEEZES WITH THE SIDES TO LIMIT CALVES TURNING AROUND AND BETTER ACCESS TO YOUR CATTLE.



PEARSON

CHOICE CHUTE

BUILT FOR YOUR OPERATION

Now, the Choice Manual Chute is even heavier built. With multiple configurations available, it can be fully customized to your operation.



SCAN TO WATCH

PearsonLivestockEquipment.com

CHOICE CHUTE DIMENSIONS

WEIGHT 1645-2003LBS

LENGTH 8' 2" - 9' 10" | WIDTH 3' 4" | HEIGHT 7' 4"



Add Optional Wheel Kit for Portability

FEATURES

Available in two models - standard and XL

Parallel squeeze from 30" down to 9"

Double side exits

Brisket bar standard to keep animals flowing through chute efficiently

Easy access to animal with convenient wing gates, removable side boards, and neck door on both sides

Any Pearson headgate or tailgate can be mounted to the Choice chute

Heavy 3/16" floor allows for optional wheel kit for portability

Many other options available such as bolt-on palpation cage, scales, and manual head control



Optional Gravity Headgate Opens up to 30" Wide



Brisket Bar Standard on Choice & Choice XL Chutes

CHOICE XL

Length 10' 6" - 12' 2"
Weight 2045-2403lbs

THE LONGER 10' FRAME ON OUR CHOICE XL MANUAL CHUTE INCLUDES PALPATION DOORS ON BOTH SIDES THAT SQUEEZE WITH THE CHUTE, ELIMINATING SPACE FOR CALVES TO TURN AROUND.



PEARSON PRIME CHUTE



WE'VE MADE THE BEST EVEN BETTER

Our Prime chutes combine the strength and durability that Pearson has always offered with quietness and flexibility for today's cattle handling needs. With convenient access and time-saving features, Prime chutes are available with any headgate or tailgate.



SCAN TO WATCH

PearsonLivestockEquipment.com

PRIME CHUTE DIMENSIONS
WEIGHT 1725-2083LBS
LENGTH 8' 2" - 9' 10" | WIDTH 3' 4" | HEIGHT 7' 4"

FEATURES

Overall quieter operation

Parallel squeeze from 30" down to 9"

Available with any headgate or tailgate

Brisket bar standard to keep animals flowing through chute efficiently

Full side exit on both sides for emergency or side release

50/50 branding gates with convenient slam latches give full access to top half of the animal

Rump ratchet bars with high strength fiberglass bar coated to prevent splinters

Newly redesigned neck access door for wider and quieter access to the BQA triangle

Access to the bottom half of animal with convenient 60/40 bottom access doors with slam latches



60/40 Bottom Access Doors with Slam Latches



Heavy Duty Custom Slam Latches are Made In-House to Offer Top Quality



Rump Ratchet System with High Strength Fiberglass Bar Coated to Prevent Splinters

PRIME XL

Length 10' 6" - 12' 2"

Weight 2125-2483lbs

THE LONGER LENGTH OF OUR PRIME XL MANUAL CHUTE INCLUDES ALL OF THE PRIME UPGRADES PLUS AN ADJUSTABLE WIDTH PALPATION SECTION WITH DOORS BUILT INTO EACH SIDE OF THE CHUTE FRAME TO ELIMINATE SPACE FOR CALVES TO TURN AROUND.



PEARSON COWBOSS



THE PERFECT COMPLIMENT TO PORTABLE CORRALS

Designed for the cattleman who wants to work cattle on the go. The Cow Boss provides the convenient features of our Prime line of chutes and alleys in a portable system.



SCAN TO WATCH

PearsonLivestockEquipment.com

COWBOSS DIMENSIONS

WEIGHT 3929LBS

LENGTH 19' 8" - 20' 9" | WIDTH 3' 4" | HEIGHT 7' 4"

FEATURES

Prime XL Chute with built-in palpation cage, double side exits, rump ratchet bar, updated neck access, and our most convenient latches

Choose a Self-Catch or Gravity manual headgate

Choose a Bifold or Horizontal Roll gate between the chute and alley

8' adjustable alley that extends the length of your existing working system

Scale and EID ready alley to help manage your herd

Choose a Bifold or Horizontal Roll gate for the end of your alley



8' Adjustable Alley is Scale and EID Ready



Portable System Designed to Work Cattle On the Go



Customize with Headgate and Tailgate Options



PEARSON ORIGINAL HYDRAULIC



ENHANCED EFFICIENCY & POWER

Utilizing the same design principles that have made Pearson a leader in livestock handling systems for over 50 years, the Pearson Original Hydraulic Chute provides enhanced efficiency and power to the operator using hydraulics.



SCAN TO WATCH

PearsonLivestockEquipment.com

ORIGINAL HYDRAULIC CHUTE Dimensions
WEIGHT 2000LBS Shown With Optional Neck Sweep
LENGTH 9' 1" | WIDTH 3' 4" | HEIGHT 7' 6"

FEATURES

Includes hydraulic headgate, parallel squeeze (from 30" down to 9"), and tailgate

Full side exits on both sides of animal for emergency or side release

Controls conveniently located at shoulder level

2HP motor mounted on top requires 110V power supply (can be converted to 220V)

Simple and convenient options for animal access, including neck access doors, branding gates, and removable bottom boards

Chute can be paired with optional palpation cage and scale system. Wheel kit is not compatible with this chute



2 Large Wing Gates Hinge Laterally for Full Access to the Top Half of the Animal



Controls Easily Accessible at Shoulder Level




Heavy-Duty Hydraulic Headgate & Tailgate Have Bushings for Easy Repair if Needed.

ORIGINAL XL HYDRAULIC

Length 10' 6" - 12' 2"

Weight 1805lbs

**NOW AVAILABLE IN AN XL -
UPGRADE YOUR ORIGINAL
HYDRAULIC CHUTE WITH A
BRISKET BAR, CALF WINGS, AND A
HYDRAULIC HEAD SWEEP OR
HYDRAULIC HEAD CONTROL**



PEARSON PRIME HYDRAULIC



TOP-OF-THE-LINE HYDRAULIC CHUTE

Available in the standard or XL Length, Prime hydraulic chutes are packed with upgrades for quieter operation and easier access while working your animals efficiently and safely.



SCAN TO WATCH

PearsonLivestockEquipment.com

PRIME HYDRAULIC CHUTE DIMENSIONS
WEIGHT 2630LBS; 3030 AS PICTURED
LENGTH 9' 9" | WIDTH 3' 4" | HEIGHT 7' 6"

FEATURES

Our quietest hydraulic chute, ever

Hydraulic head sweep or head control, headgate, parallel squeeze (from 30" down to 9"), and tailgate

Full side exit on both sides of animal for emergency or side release

50/50 branding gates with convenient slam latches for top half of the animal

60/40 split doors with heavy slam latches for access to bottom half of animal

Neck door with viewing window

Rump ratchet system with high strength fiberglass bar coated to prevent splinters

Brisket bar standard to keep animals flowing through chute efficiently

Louvers mounted on both sides of the chute to allow cattle to focus on the headgate opening rather than the workers around the chute

Drop arm controls

Power unit requires 220V power supply and can be mounted on top or on a remote cart with extra hose. Gasoline power unit also available

Other options available include scale systems or wheel kit for portability

American-made hydraulic components used when available

"LOVE PEARSON. THERE IS NO BETTER!"

- RANDY THOMPSON



Drop Arm Controls and Neck Viewing Window



Hydraulic Head Control Option


PRIME XL HYDRAULIC

Length 12'
Weight 3030lbs

THE LONGER LENGTH OF OUR PRIME XL HYDRAULIC CHUTE INCLUDES ALL OF THE PRIME UPGRADES PLUS AN ADJUSTABLE WIDTH PALPATION SECTION WITH DOORS BUILT INTO EACH SIDE OF THE CHUTE FRAME TO ELIMINATE SPACE FOR CALVES TO TURN AROUND.



PEARSON HEADGATES



OPTIONS FOR YOUR OPERATION

Pearson Livestock Equipment began with the invention of the self-catch headgate in 1965, but knowing that each cattle operation is unique, our line-up has grown to include manual headgates as well.

**“I HAVE PERSONALLY
USED AND OWNED
TWO PEARSON
SELF-CATCH
HEADGATES FOR
DECADES. THEY ARE
RUGGED AND EASY TO
USE.”**

— SUSAN BURKLAND, AINSWORTH, NE

SELF-CATCH HEADGATE



Convertible to right or left-hand controls

Simple, reliable, low-maintenance and long-lasting

Self-catch mechanism allows one person to do most jobs

Spring loaded on one side to minimize impact stress on animals


Ideally designed to capture polled animals up to 2-year old bulls

A trustworthy catching device when you're working away from the chute pushing cattle up into the alley, saving you costly labor

Depth	Width	Height	Weight
N/A	3' 4"	5' 5"	208bs

GRAVITY HEADGATE

The innovative design of our friction latch manual headgate uses gravity to help open the headgate, up to 30" wide, making it the ideal choice for mixed temperament herds, horned animals, and large bulls. The headgate closes to 3-7/8" for use with the smallest calves.



This gate is built for easy maintenance over the long haul. Friction latching mechanism is easy and economical to replace when worn.

Adjustable and reversible controls.

Key points strengthened and reinforced with bushings/large bolts to make this gate much heavier than competing designs.



Depth	Width	Height	Weight
N/A	5' 1"	6' 1"	288bs

Rear Controls

This optional bolt-on kit allows you to release and operate the Gravity Headgate from the rear of the chute, making working cattle alone much easier!

PEARSON TAILGATES

TAILGATE OPTIONS TO FIT YOUR NEEDS

Pearson offers three different tailgate options so that no matter your needs or budget, you can customize your Pearson chute for your operation.

**“BEST CATTLE
EQUIPMENT ON THE
MARKET! DURABLE AND
EASY TO USE.”**

– FLAMBEAU MOUNTAIN ANGUS,
HOLCOMBE, WI

ALUMINUM TAILGATE

The aluminum tailgate with automatic lock-up/lock-down is operated by a rope and pulley system from the front operating position of the chute. Constructed of structural-grade, extruded aircraft aluminum for the best combination of strength and low weight. **This tailgate comes standard on all manual chutes.**

Depth	Width	Height	Weight
N/A	2' 6"	5' 1"	17lbs



BI-FOLD TAILGATE

Can be added to any Pearson Choice or Prime manual chute. Heavy, reliable, and rugged, this tailgate opens evenly from top to bottom and can be operated from the front or back of the chute. Like the aluminum tailgate, this gate is made for the lone operator.

Depth	Width	Height	Weight
15"*	3' 4"	7' 1"	295lbs

*Adds to chute length when added as an option.



HORIZONTAL ROLL GATE

The heavy-duty horizontal rolling gate was originally designed for bison, so you know it's strong and tough! Ideal cut gates behind chutes, palpation cages, or alleys. Heavy duty, long lasting, and extraordinarily easy to operate.

Depth	Width	Height	Weight
7"*	5' 7"	6' 8"	271lbs

*Adds to chute length when added as an option.



PEARSON OPTIONAL EQUIPMENT

CUSTOMIZE YOUR CHUTE WITH OPTIONAL PIECES

Customize your Pearson chute with any of our add-on options like the manual head control, palpation cage, wheel kit, or trim kit. All of these options can be added when you order your chute or later.

**“THE MANUAL HEAD
CATCH IS THE BEST
ADDITION MONEY CAN
BUY.”**

— SEAN MARTIN, COLLBRAN, CO



MANUAL HEAD CONTROL

The Manual Head Control unit gives you a safe way to perform work on an animal's head. Whether you're ear tagging or administering intranasal vaccination, you'll have the benefit of a well-stabilized head securely held by our unique locking mechanism.



SCAN TO WATCH



X-FORCE

Add the X-Force squeeze kit to any Pearson manual chute. This 12-volt hydraulic system will eliminate the need for manual squeezing of your livestock and save wear and tear on your arms and shoulders.



SCAN TO WATCH



WHEEL KIT

Make any Pearson Choice or Prime chute portable with our Wheel Kit. The kit can be attached quickly and easily without any assistance. Our wheel kits are extra heavy duty so they can be used even with hydraulic chutes. 16" wheels, tires, and high quality brake winches with nylon straps are included.



SCAN TO WATCH



PALPATION CAGE

Available as a bolt-on option for all our standard length manual and hydraulic chutes. Also consider our XL models for a palpation door that is built into the frame of the chute.



TRIM KIT

Don't special order a custom-built trim chute! Turn any Pearson chute into a highly functional, adjustable-width trim chute. Remove it at any time. Kit includes two pieces of tubing with clamps that can be placed on either side of the chute, or two on one side.



SELECT WHEEL KIT

Make your Pearson Select or Select XL portable with this simplified wheel kit. This kit is designed for low-speed use around the local area and fits only the Select line of chutes.

PEARSON SCALE SYSTEMS

SIMPLE, EFFICIENT SCALE SYSTEMS

Our Pearson Scale Systems are accurate, easy-to-use, and can be added to any Pearson chute. We recommend installing on concrete or hard ground.

“WE LOVE HOW EASY IT WAS TO SET UP AND USE OUR PEARSON SCALE, AND WE CAN COUNT ON ITS ACCURACY, EVERY TIME.”

— SARAH SEIBERT, STRASBURG, CO



Simple Installation Under New or Old Pearson Chutes

FEATURES

Simple, efficient installation

Pairs with the Tru-Test indicator of your choice

Raises chute 4.5" off the ground and easy to clean under

Recommended for installations on concrete or hard ground

Weighing capacity of 11,000lbs

Includes Tru-Test HD5T load bars, brackets, and all hardware to mount to your Pearson chute

Tru-Test SRS2 and XRS2 EID stick readers available

MULTIPLE OPTIONS

There are many options available from Tru-Test to customize your Pearson scale kit or have a separate weigh system in your alleyway.




SCALE KIT

**1 TRU-TEST HD5T
LOAD BARS**

2 BRACKETS

**3 MOUNTING
HARDWARE**

4 REAR PLATE



PEARSON

ALLEYS & TUBS

MULTIPLE OPTIONS, BUILT TO LAST GENERATIONS

Complete your customized cattle handling system with a sweep tub and adjustable alley designed for your needs. Rugged, one-piece alleys come in two sizes. Sweep tubs are available in multiple sections for versatile set-up options.

PearsonLivestockEquipment.com

“THE ADJUSTABLE ALLEY IS NICE BECAUSE WE CAN WORK SMALL CALVES ALL THE WAY UP TO FULL SIZE COWS AND BULLS!”

— TED ZIEMAN, STRATFORD, TX


ADJUSTABLE ALLEY DIMENSIONS
WEIGHT 1015-1650LBS
LENGTH 8' & 16' | WIDTH 3' 9" | HEIGHT 7' 4"

ADJUSTABLE ALLEYS

Our Adjustable Alleys are designed with heavy, rugged one-piece construction and available in two sizes: Long (16') and Short (8').

Solid, vertical sides are designed for easy animal movement while also eliminating climbing. Both sides adjust from 16" - 30", keeping the animal centered to the working chute.

Alleys are sheeted to 34" or 52" off the ground to allow the producer to choose the visibility in their working facility. Compatible with most straight or circular facilities with the alley flex system.



SCAN TO WATCH



ALLEY FLEX

Use the Pearson Alley Flex to create curved systems that ease the workflow of your cattle handling system. The Alley Flex system allows you to create up to a 30 degree turn between each section of alley or alley and chute.



SWEEP TUBS

All tubs are sheeted to 57.5" off the ground, eliminating the need for catwalks

Two-section, three-section, and four-section tubs available

Any tub can be set up with the sweep gate rotating clockwise or counter clockwise

Opening at rear of tub gives the animal a clear view when entering from a holding area

Two out gates standard on all tubs




Three-Section
Sweep Tub



No Corner Tub Kit: An Additional Gate Added to Sweep Tub. Often Preferred When System Requires Animals to use the 90-Degree Outlet

WEIGHT 2200-3000LBS LENGTH 22' 3" | WIDTH 19' 4" | HEIGHT 7' 4"


SYSTEM SPECIFICATIONS



	Self-Catch Headgate	Gravity Headgate	Manual Chute	XL Chute	Hydraulic Chute	XL Hydraulic Chute	Long Alley	3 Section Tub
Overall Height	5' 5"	6' 1"	7' 4"	7' 4"	7' 6"	7' 6"	7' 4"	7' 4"
Overall Width	3' 4"	5' 1" (with handle)	3' 4"	3' 4"	3' 4"	3' 4"	3' 9" (open)	19' 4"
Overall Length	N/A	N/A	8'-9' 10"	10' 4" - 12' 2"	9' 1" - 9' 9"	12'	16'	22' 3"
Open Width	2' 6"	2' 6"	2' 6"	2' 6"	2' 6"	2' 6"	2' 6"	11'
Closed Width	Adjustable	3 7/8"	9"	9"	7"	7"	16"	N/A
Side Height	5' 3" (inside)	5' 2.5" (inside)	5' 10.5"	5' 10.5"	5' 10.5"	5' 10.5"	5' 10" (sheeted to 4' 4")	5' 9.25"
Weight	208lbs	288lbs	1270-2083lbs	1820-2483lbs	2000-2630lbs	3030lbs	1650lbs	2200lbs

FIND YOUR DEALER

We have a national and international network of dealers who stock our equipment year-round so you can try out each piece before purchasing.



Pearson Livestock Equipment
(940) 553-1310
Info@PearsonLivestockEq.com
PearsonLivestockEquipment.com