



**Bio-Botanica, Inc.** 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

**Innovative Labs, LLC.** 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

**Nature's Answer Inc.** 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

## SPECIFICATION SHEET

**Product Name :** ALOE VERA GEL IN GLYCERIN  
**Product ID :** 3160GL

**Expiry Date :** 60 Months  
**Mg/Unit :** 1000  
**Units/Serving :** 1

| TEST DESC        | SPECIFICATIONS                    | METHOD                      |
|------------------|-----------------------------------|-----------------------------|
| <b>Physical</b>  |                                   |                             |
| Appearance       | Transparent liquid                | COQCL-000001 / Organoleptic |
| Color            | Clear to yellow                   | COQCL-000001 / Organoleptic |
| Odor             | Characteristic, slightly aromatic | COQCL-000001 / Organoleptic |
| pH               | 4.00-6.10 units                   | COQCL-000007 / pH           |
| Specific Gravity | 1.08-1.32 g/mL                    | COQCL-000009 / SG           |

|                        |                |                         |
|------------------------|----------------|-------------------------|
| <b>Microbiological</b> |                |                         |
| Combined Yeast & Mold  | <100 cfu/g     | COQCL-000501 / BioLumix |
| E.coli                 | Absent in 10 g | COQCL-000501 / BioLumix |
| Salmonella             | Absent in 10 g | COQCL-000501 / BioLumix |
| Staph. aureus          | Absent in 10 g | COQCL-000501 / BioLumix |
| TAC                    | <100 cfu/g     | COQCL-000501 / BioLumix |

**Other Ingredients:**

Glycerin, Water, Aloe Vera Gel

**Packaging and Storage Statement:**

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.  
Store well sealed at room temperature away from heat.

**Stability and Expiration Dating:**

60 Months

Approved By:

  
**Brendan Volz**  
Quality and Food Safety Supervisor  
(Electronically Signed)