



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com
Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com
Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : PE BURDOCK ROOT

Product ID : 4108SD

Expiry Date : 48 months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
<i>Physical</i>		
Appearance	Fine, free-flowing powder	COQCL-000001 / Organoleptic
Ash Content	<=6.00 %	COQCL-000012 / Ash
Bulk Density	0.25-0.75 g/mL	COQCL-000013 / Density
Color	Tan to brown	COQCL-000001 / Organoleptic
Foreign Material	<=0.02 %	COQCL-000011 / Foreign Matter
Identification - FT-NIR	0.95-1.00	COQCL-000005 / FT-NIR
Loss on Drying / Moisture	<=5.00 %	COQCL-000100 / LOD
Mesh Size / Particle Size	95.00-100.00 %	COQCL-000021 / Particle Size
Odor	Characteristic, bland	COQCL-000001 / Organoleptic

<i>Microbiological</i>		
Combined Yeast & Mold	<500 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<10,000 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:
Maltodextrin, Arctium lappa (Burdock) Root Extract.

Packaging and Storage Statement:
5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat and light.

Stability and Expiration Dating:
48 months



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com
Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com
Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name :	4108SD PE BURDOCK ROOT	Expiry Date :	48 months
Product ID :	RD9349	Mg/Unit :	1000
		Units/Serving :	1

TEST DESC	SPECIFICATIONS	METHOD
-----------	----------------	--------

Approved By: **Mohammad Ahmed**
Quality Assurance Manager
(Electronically Signed)