



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : ROSEMARY PHYTOBASIC IN BG
Product ID : 3330PBBG

Expiry Date : 60 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Clear to slightly cloudy, mobile liquid	COQCL-000001 / Organoleptic
Color	Brown	COQCL-000001 / Organoleptic
Gardner Color	<=8.00	COQCL-000003 / Gardner
Identification - FTIR	0.95-1.00	COQCL-000002 / FTIR
Odor	Herbal	COQCL-000001 / Organoleptic
pH	4.50-6.50 units	COQCL-000007 / pH
Refractive Index	1.39-1.41	COQCL-000008 / RI
Solid Content	<=5.00 %	COQCL-000006 / Gravimetric
Specific Gravity	1.01-1.03 @ 25°C	COQCL-000009 / SG

Microbiological		
Combined Yeast & Mold	<200 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<500 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Water, Butylene Glycol, Rosemary Leaf Extract and Phenonip

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
 Store well sealed at room temperature away from heat and light.

Stability and Expiration Dating:

60 Months



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : ROSEMARY PHYTOBASIC IN BG
Product ID : 3330PBBG


Expiry Date : 60 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC

SPECIFICATIONS

METHOD

Approved By:


Brendan Volz
Quality and Food Safety Supervisor
(Electronically Signed)

9/21/2026