



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : SE TAMARIND
Product ID : 2134A

Expiry Date : 48 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Opaque, viscous, syrup-like semi-solid	COQCL-000001 / Organoleptic
Color	Brown to dark brown or black	COQCL-000001 / Organoleptic
Identification - FTIR	0.95-1.00	COQCL-000002 / FTIR
Odor	Fruity	COQCL-000001 / Organoleptic
pH	2.00-4.00 units	COQCL-000007 / pH
Refractive Index	1.32-1.37	COQCL-000008 / RI
Solid Content	74.50-85.50 %	COQCL-000006 / Gravimetric
Specific Gravity	1.30-1.44 g/mL	COQCL-000009 / SG

Microbiological		
Combined Yeast & Mold	<200 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<500 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Corn Syrup, Tamarind Concentrate Native Extract, Citric Acid, Molasses, Purified Water, Caramel Color

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat.

Stability and Expiration Dating:

48 Months

Approved By:


Mohammad Ahmed
Quality Assurance Manager
(Electronically Signed)



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : SE TAMARIND

Product ID : 2134A

Expiry Date : 48 Months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC

SPECIFICATIONS

METHOD

8/7/2025