



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : AF RED CLOVER TOPS
Product ID : 5530

Expiry Date : 48 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Thin, liquid	COQCL-000001 / Organoleptic
Color	Brown	COQCL-000001 / Organoleptic
Identification - FTIR	0.95-1.00	COQCL-000002 / FTIR
Odor	Characteristic	COQCL-000001 / Organoleptic
pH	4.00-6.00 units	COQCL-000007 / pH
Refractive Index	1.42-1.45	COQCL-000008 / RI
Solid Content	60.00-80.00 %	COQCL-000006 / Gravimetric
Specific Gravity	1.19-1.24 g/mL	COQCL-000009 / SG
Taste	Characteristic, herbal	COQCL-000001 / Organoleptic

Microbiological		
Combined Yeast & Mold	<1,000 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<10,000 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Glycerin, Water, Red Clover Tops Extract.

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat.

Stability and Expiration Dating:

48 Months



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : AF RED CLOVER TOPS

Product ID : 5530

Expiry Date : 48 Months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC

SPECIFICATIONS

METHOD

Approved By:

Patrick Brady
VP Quality/Regulatory/R&D
(Electronically Signed)

8/5/2025