



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : FE MOTHERWORT
Product ID : 5092

Expiry Date : 48 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Thin, cloudy liquid	COQCL-000001 / Organoleptic
Color	Dark brown	COQCL-000001 / Organoleptic
Gardner Color	<=16.00	COQCL-000003 / Gardner
Identification - FTIR	0.95-1.00	COQCL-000002 / FTIR
Odor	Characteristic, herbal and alcoholic	COQCL-000001 / Organoleptic
pH	4.50-6.00 units	COQCL-000007 / pH
Refractive Index	1.36-1.38	COQCL-000008 / RI
Solid Content	12.00-30.00 %	COQCL-000006 / Gravimetric
Specific Gravity	1.03-1.08 @ 25°C	COQCL-000009 / SG
Taste	Alcoholic, herbal	COQCL-000001 / Organoleptic

Chemical		
Ethanol	12.00-15.00 %	COQCL-000015 / GC-FID

Microbiological		
Combined Yeast & Mold	<200 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<500 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Purified Water, Motherwort Herb Extract (Leonurus cardiaca), Organic Ethyl Alcohol, Glycerin

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat.



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : FE MOTHERWORT
Product ID : 5092

Expiry Date : 48 Months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC

SPECIFICATIONS

METHOD

Stability and Expiration Dating:

48 Months

Approved By:

Mohammad Ahmed
Quality Assurance Manager
(Electronically Signed)

9/29/2026