



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : FE DANDELION

Product ID : 5039

Expiry Date : 48 Months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Thin, slightly cloudy, mobile liquid	COQCL-000001 / Organoleptic
Color	Brown to dark brown	COQCL-000001 / Organoleptic
Identification - FTIR	0.95-1.00	COQCL-000002 / FTIR
Odor	Characteristic, alcoholic, herbal	COQCL-000001 / Organoleptic
pH	3.50-5.50 units	COQCL-000007 / pH
Refractive Index	1.36-1.39	COQCL-000008 / RI
Solid Content	15.00-30.00 %	COQCL-000006 / Gravimetric
Specific Gravity	1.04-1.10 @ 25°C	COQCL-000009 / SG
Water Activity	0.50-0.70 aw	COQCL-000098 / Water Activity

Chemical		
Ethanol	12.00-15.00 %	COQCL-000015 / GC-FID

Microbiological		
Combined Yeast & Mold	<200 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<500 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Water, Taraxacum officinale (Dandelion) Root Extract, Ethanol, Glycerin.

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat.



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : FE DANDELION

Product ID : 5039

Expiry Date : 48 Months

Mg/Unit : 1000


Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
-----------	----------------	--------

Stability and Expiration Dating:

48 Months

Approved By:


Brendan Volz
Quality and Food Safety Supervisor
(Electronically Signed)

9/9/2026