



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : PE VITEX (CHASTE TREE BERRY)

Product ID : 4654

Expiry Date : 48 Months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Fine powder	COQCL-000001 / Organoleptic
Ash Content	65.00-75.00 %	COQCL-000012 / Ash
Bulk Density	0.70-1.30 g/mL	COQCL-000013 / Density
Color	Tan to brown	COQCL-000001 / Organoleptic
Foreign Organic Matter	<=0.20 %	COQCL-000011 / Foreign Matter
Identification - FT-NIR	0.95-1.00	COQCL-000005 / FT-NIR
Loss on Drying / Moisture	<=5.00 %	COQCL-000100 / LOD
Mesh Size / Particle Size	95.00-100.00 %	COQCL-000021 / Particle Size
Odor	Characteristic, herbal	COQCL-000001 / Organoleptic

Microbiological		
Combined Yeast & Mold	<500 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<10,000 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Dicalcium phosphate, Vitex agnus-castus (Chaste Tree Berry) Extract

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.

Store well sealed at room temperature away from heat.

Stability and Expiration Dating:

48 Months



Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com

Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com

Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : PE VITEX (CHASTE TREE BERRY)

Product ID : 4654


Expiry Date : 48 Months

Mg/Unit : 1000

Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
-----------	----------------	--------

Approved By:


Brendan Volz
Quality and Food Safety Supervisor
(Electronically Signed)

4/23/2025