Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com
Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com
Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : PE VALERIAN SD
Product ID : 4652SD

Expiry Date : 48 months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD
Physical		
Appearance	Fine, free-flowing powder	COQCL-000001 / Organoleptic
Ash Content	<=6.00 %	COQCL-000012 / Ash
Bulk Density	0.25-0.75 g/mL	COQCL-000013 / Density
Color	Brown to dark brown	COQCL-000001 / Organoleptic
Foreign Material	<=0.02 %	COQCL-000011 / Foreign Matter
Identification - FT-NIR	0.95-1.00	COQCL-000005 / FT-NIR
Loss on Drying / Moisture	<=5.00 %	COQCL-000100 / LOD
Mesh Size / Particle Size	95.00-100.00 %	COQCL-000021 / Particle Size
Odor	Characteristic	COQCL-000001 / Organoleptic
Microbiological		
Combined Yeast & Mold	<500 cfu/g	COQCL-000501 / BioLumix
E.coli	Absent in 10 g	COQCL-000501 / BioLumix
Salmonella	Absent in 10 g	COQCL-000501 / BioLumix
Staph. aureus	Absent in 10 g	COQCL-000501 / BioLumix
TAC	<10,000 cfu/g	COQCL-000501 / BioLumix

Other Ingredients:

Maltodextrin, Valeriana officinalis L. (Valerian) Root Extract, Caramel Color.

Packaging and Storage Statement:

5 gallon white HDPE plastic pail with SBR gasket and HDPE locking lid or 55 gallon blue HDPE plastic drum with SBR gasket and HDPE locking lid.
Store well sealed at room temperature away from heat and light.

Stability and Expiration Dating:

48 months

Bio-Botanica, Inc. 75 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-645-5720 www.bio-botanica.com
Innovative Labs, LLC. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 631-434-7514 www.innovativelabsny.com
Nature's Answer Inc. 85 Commerce Drive, Hauppauge, NY 11788-3902. Tel 800-439-2324 www.naturesanswer.com

SPECIFICATION SHEET

Product Name : 4652SD PE VALERIAN SD
Product ID : RD9583

Expiry Date : 48 months
Mg/Unit : 1000
Units/Serving : 1

TEST DESC	SPECIFICATIONS	METHOD

Approved By:

Mohammod Ahmed
Quality Assurance Manager
(Electronically Signed)

5/12/2025